Date Received 4-5-84

MECK COUNTY DEPARTMENT OF
RECEIVED
APR 5 1984
ENVIRONMENTAL HEALTH

SIR No. 20862

T. C/R No. 025-131-08

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER [illegible] (LAST) Roger (FIRST) H. (MIDDLE)

2) ADDRESS OF OWNER [illegible] ZIP [illegible]

3) PHONE NO. Home [illegible] Office [illegible]


4) LOCATION OF PROPERTY 4741 [illegible] (STREET OR COUNTY ROAD)

5) SUBDIVISION [illegible] LOT NO [illegible] BLOCK NO. 1

MAP BOOK NO. [illegible] PAGE NO. 363

6) DEED REFERENCE DEED BOOK [illegible] PAGE NO [illegible]

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Roger H. Campbell
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20862

T.C. NO. P.O. 025-131-08

(Ground Absorption Sewage Disposal)

OWNER: Roger Campbell
ADDRESS: 2718 Beatties Ford Rd

PLAT NO:
LOT SIZE: 17,286 .40

LOCATION OF SITE: Lake View Rd

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-6 U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) Clayey U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 48 U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S PS Adequate U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IIe			
9. SITE CLASSIFICATION	P. Suitable			
10. SOIL SERIES	Cecil			


S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: William Ramsey
Title: Sanitarian

Date: 4-10-84


86
Cecil
2-6
201
Lake View ROAD

Serial No. 5585

SIR No. 20962

Date Issued 4-11-84

T C No. PO 025-131-08

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Campbell, (LAST) Roger (FIRST) L. (MIDDLE)

ADDRESS OF OWNER 2818 Beatties Ford Rd., Charlotte, NC ZIP 28216

LOCATION OF PROPERTY Lakeview Road (STREET OR COUNTY ROAD)

SUBDIVISION American Park LOT NO 1142 BLOCK NO. 1



This is to certify that [illegible] Mecklenburg County Department of Environmental Health. An investigation was conducted on that portion of the lot as indicated on the above sketch. PROVISIONALLY SUITABLE

The permeability rate determined by the investigation was [illegible] The said lot is approved for the installation of an individual sewage treatment and disposal system with subsurface soil absorption effluent discharge subject to the following terms and conditions:

1. A permit must be obtained from the Mecklenburg County Department of Environmental Health before the wastewater treatment system on the said lot.
2. The [illegible] determined by the Mecklenburg County Department of Environmental Health and as shown on the above sketch.
3. The [illegible] for system shall be [illegible] of the dwelling.
4. The [illegible] shall be [illegible] as indicated as [illegible] system must be [illegible] system.

This approval is granted based on the [illegible] of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect at the date of issuance and is void if at any time in the future prior to completion of the system the laws and regulations are changed such that this approval would not have been granted had the new revised laws, rules, and regulations been in effect on the issue date.

Soil Scientist

Environmental Health Director or Authorized Section Head

EHD-5-78

Environmental Health [illegible] C.R.

Date Received 4-5-84

SEE INSTRUCTIONS ON BACK

MECK COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH
RECEIVED
1984 APR 5 PM 3:41

ICAP (S) Application No. 20862

T. C. No. 025-131-08


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) X Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes X No
Residence X Yes ___ No

4. No of Bedrooms 4

5 Business Use — Max No Employees

6 Washing Machine X Yes ___ No

7 Garbage Disposal X Yes ___ No

8 Dishwasher X Yes ___ No

9 Water Supply
A. Individual Well: X
B. Governmental System
C. Community System
1 Well source
2 Governmental source

10 Sewage System
House located within 200 feet of public sewer ___ Yes X No
House located within 200 feet of community sewer ___ Yes X No

11 FHA Case No

12 VA Case No

13) NAME OF OWNER ___ (LAST) Roger (FIRST) H. (MIDDLE)

14) ADDRESS OF OWNER

15) PHONE NO. Home Office

16) LOCATION OF SYSTEM 4744 (STREET OR COUNTY ROAD)

17) SUBDIVISION Lot No. Block No. 1

Map Book No. 1 Page No.

18) DEED REFERENCE — DEED BOOK AT PAGE

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES X NO DATE RUN

20) PTR NUMBER (See Instructions)

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

4-4-84
DATE OF APPLICATION

OWNER

EHD-S-76

Environmental Health Department's Copy

Serial No. 7438

SIR No. 20862

Date Issued 4-26-84

T. C. No. 025-131-08

Map Date L CPT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Campbell, (LAST) Roger (FIRST) H. (MIDDLE)

ADDRESS OF OWNER 2818 Beatties Ford Rd., Charlotte, NC ZIP 28216

LOCATION OF LOT 4941 Lakeview Road (STREET OR COUNTY ROAD)

SUBDIVISION Americana Park LOT NO 11-12 BLOCK NO 1

MAP BOOK NO _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20862. This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Ralph Tuttle
Environmentalist

David D. Hudgens
Environmental Health Director, or Authorized Section Head

EHD-S-74

Environmental Health Department's Copy

Date Issued 12-27-84 **Serial No.** 07799 ICAR(S) Permit No. 20862

T. C. No. 025-131.08

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to Install or Construct, ___Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20862, dated 4-4-84 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 1-27-85, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate IVa

Liquid Capacity of Tank 1500

Tank Construction PCC

Absorption and/or Nitrification Lines

Total Line Length 400'

Number of Lines 5'x

Distance from House 5'

Distance from Property Line 10'

Distance from Well >50'

NAME OF OWNER Campbell, Roger M Jr.

LOCATION OF PROPERTY 4941 Lakeview Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Six Trenches, 66.0' x 3' x 12" Stone

Comments:

B. Sanders
Division or Section Head

Jim Ennis
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

C of A (s) No. 20862

Date Issued 1-2-85 **Serial** 7211 T C No. 025-131-09

L CIT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Campbell (LAST) Roger (FIRST) (MIDDLE)

Location of Property 4941 Lakeview Rd

Application Number 20862 Permit Number 20862

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 400' Number of Lines 5-X

Depth of Filter Material 12" Cover Depth 24"

Water Supply Source Well Distance from Water Source 50'

Excavation Inspected 1-2-85 (DATE) Tank Inspected 1-2-85 (DATE)

Nitrification Field Inspected 1-2-85 (DATE)

Washing Machine Line Inspected If Applicable ____ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Jim Tuscan
Environmentalist

EHD-5-76

Environmental Health Department Copy