Date Received 2/13/80

FEB

APT No. 16621

T. C. No 227-172-06

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER COUICK (LAST) LEMUEL (FIRST) L (MIDDLE)

2) ADDRESS OF OWNER 1710 BURTONWOOD CR. ZIP 28212

3) PHONE NO. Home 537-0087 Office


4) LOCATION OF PROPERTY FAIRFOREST DR, (STREET OR COUNTY ROAD)

5) SUBDIVISION COUNTRY ACRES LOT NO. 31 BLOCK NO.

MAP BOOK NO PAGE NO.

6) DEED REFERENCE DEED BOOK 2126 PAGE NO. 66

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Samuel L Couick
OWNER

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX II
SITE EVALUATION
(Ground Absorption Sewage Disposal)

S.I.R. No. 16621
T.C. No. 227-172-06

OWNER: Samuel J. Cocich
ADDRESS: 1710 Burtonwood Cir.
COUNTY: Charlotte, NC
LOCATION OF SITE: Fairforest Pines

DATE REQUESTED:
PLAT NO: Lot 31
LOT SIZE: 66,000

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 2-8% U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2:1 Clay)	S (PS) Clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	(S) PS 48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (inches) (Impervious strata, Rock)	(S) PS None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	(S) PS >6' to ground water U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (percolation rate)	S (PS) Moderate U	S PS U	S PS U	S PS U
8. OTHER (specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	✓ Provisionally suitable			
10. SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable


** See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope)

Recommendations/Comments:

Described By: William R. Mullis
Title: Soil Scientist
Date: 2-27-80

DHS Form 2601
Sanitation
EHD 539 (2/80)

✓


well on Adjoining Lot
200'
X
330'
330'
200'
Fair Forest

Serial No. 3383

PTR No. 16621

T C No 227-172-06

Date Issued February 27, 1980

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER (LAST) Couick, (FIRST) Lemuel (MIDDLE) L.

ADDRESS OF OWNER 1710 Burtonwood Circle, Charlotte ZIP 28212

LOCATION OF PROPERTY Fairforest Drive (STREET OR COUNTY ROAD)

SUBDIVISION Country Acres LOT NO #31 BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. The permeability rate determined by the investigation was **Provisionally Suitable**. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the septic system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to the installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction including the drilling of a well is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William R. Marlin
Soil Scientist

John R. Atkisson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 1-12-81

ICAR(S) Application No. 16621

T C No. 227-172-06


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair on individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No

4) No. of Bedrooms 3
5) Business Use - Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ✓ Yes ___ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1. Well source ___
2. Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No. ___

13) NAME OF OWNER Blanchard (LAST) Ronnie (FIRST) Duayne (MIDDLE)

14) ADDRESS OF OWNER 5724 Allen Black Rd

15) PHONE NO Home 545-0430 Office 394-6871

16) LOCATION OF SYSTEM 1929 Fairforest Drive (STREET OR COUNTY ROAD)

17) SUBDIVISION County Acres Lot No. #31 Block No. ___

Map Book No ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 2/27/80 P.S.

20) PTR NUMBER (See Instructions) 16621

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

Jan 12, 1981
DATE OF APPLICATION

Ronnie D Blanchard
OWNER

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

SEE INSTRUCTIONS ON BACK

Date Received 2-15-83

(CAR (S) Application No. 16621

FEB 15 1983

T. C No. 227-122-06


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes ___No
Residence ✓Yes ___No

4) No. of Bedrooms 4
5) Business Use — Max No Employees ___
6) Washing Machine ✓Yes ___No
7) Garbage Disposal ✓Yes ___No
8) Dishwasher ✓Yes ___No
9) Water Supply:
A) Individual Well ✓
B) Governmental System ___
C) Community System:
1. Well source ___
2. Governmental source ___
10) Sewage System:
House located within 200 feet of public sewer ___Yes ✓No
House located within 200 feet of community sewer ___Yes ✓No
11) FHA Case No. ___
12) VA Case No. ___

13) NAME OF OWNER Blanchard (LAST) Ronnie (FIRST) Dwayne (MIDDLE)

14) ADDRESS OF OWNER 5724 Allen Black Rd

15) PHONE NO. Home 545-7344 Office 547-6127

16) LOCATION OF SYSTEM 1927 Fairforest Drive (STREET OR COUNTY ROAD)

17) SUBDIVISION Country Acres Lot No. # 31 Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

Feb-15-1983
DATE OF APPLICATION

Ronnie D. Blanchard
OWNER

EHD-S-76

NORTH CAROLINA STATE BOARD OF HEALTH COPY

Serial No. 4686

LA No. 16621

Date Issued January 12, 1981

T. C. No. 227-172-06

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Blanchared, (LAST) Ronnie Dwayne (FIRST) (MIDDLE)

ADDRESS OF OWNER 5724 Allen Black Road, Charlotte, NC

LOCATION OF LOT 1929 Fairforest Drive (STREET OR COUNTY ROAD)

SUBDIVISION Country Acres LOT NO #31 BLOCK NO.

MAP BOOK NO. PAGE NO.

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16621 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.

2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Marshall Edwards
Environmentalist

John R Atkisson
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy