B

Date Received 9-12 73

APT No. 6981

P.O T. C No. 201-031-18

Map Date 14 Feb 1973

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER CURRY (LAST) VIOLET (FIRST) (MIDDLE)

2) ADDRESS OF OWNER 405 EVA LANE, GREENSBORO, N.C. ZIP 27405

3) PHONE NO Home 2887484 Office 2940896


4) LOCATION OF PROPERTY YORK ROAD (STREET OR COUNTY ROAD)

5) SUBDIVISION ____ LOT NO ____ BLOCK NO. ____

MAP BOOK NO ____ PAGE NO. ____

6) DEED REFERENCE DEED BOOK 2726 PAGE NO 462

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Violet O Curry
OWNER

FORM NO E-1-9-1-72

HEALTH DEPARTMENT'S COPY

MECKLENBURG COUNTY HEALTH DEPARTMENT
INTER-OFFICE COMMUNICATION

DATE: October 29, 1973

TO: Luther P. Bridgeman
Environmentalist

FROM: W. Everette Lynn, Jr.
Soil Scientist

SUBJECT: APT #6981 (Violet Curry)
Corner York Road and Sandy Porter Road
10-25-73

Soils were found to be of the Enon series. These soils have very plastic and sticky clay subsoils which contain swelling clay minerals. These factors result in inadequately slow percolation rate and permeability.

Based on this investigation, it appears that the lot is unsuitable for installation of a septic tank system.

WEL:jdg

MECKLENBURG COUNTY
Department of Public Health

1200 Blythe Boulevard
Charlotte, North Carolina 28203
Telephone 374-2113

Date Issued
1. October 3, 1973
2. October 24, 1973
3. Oct. 29, 1973
4. Nov. 14, 1973

SDR No. 6981
T.C. No. P.O. 201-031-18 2-14-73

SITE DISAPPROVAL REPORT
INDIVIDUAL SEPTIC TANK SYSTEM WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER [redacted] Violet

ADDRESS OF OWNER [redacted] Lake, Greensboro, N.C. ZIP 27405

LOCATION OF LOT York Road

The lot described above has been disapproved for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge due to the following:

FAILURE TO PASS PERCOLATION TEST (60 minutes per inch or less)

	Test No.	Date of Test	Percolation Rate
X	1.	[illegible]	[illegible] min/in
X	2.	11-13-73	210 min/in
	3.		min/in

X ON SITE INSPECTION REVEALED LOT TO BE UNSUITABLE FOR THE FOLLOWING REASON(S) 10-23-73 - Percolation test holes were not prepared properly.

10-25-73 - Soils were found to be of the Enon series. These soils have very plastic and sticky clay subsoils which contain swelling clay minerals. These factors result in inadequately slow percolation rate and permeability.

W. Scott Epps Jr. Soil Scientist
Environmentalist

(Stencil No.)
EHD 398
8/70

FORM NO.
E-19-8-14-70

NOT # 6981

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

[redacted]

3637/0732

SEPTIC TANK AGREEMENT

13

Date November 17, 1973

I acknowledge that I have been informed by the Mecklenburg County Health Department that the property described as being in Steele Creek Township [redacted] as described on the attached Exhibit 'A'.
Lot ____, Block ____, of _____ Subdivision,
as recorded in Map Book _____, Page _____, of
the Mecklenburg County Registry (tax code Number 201-031-18)

is not a recommended site for the installation of a septic tank and nitrification system for the reason or reasons listed below. I agree to immediately abate any nuisance which occurs from a septic tank installed at this location for as long as I am the owner. I also agree to inform any person, firm or corporation buying or accepting transfer of this property from me of this agreement.

Soils were found to be of the Enon series. These soils have very plastic and sticky clay subsoils containing swelling clay materials, these further result in inadequately slow percolation rate and permeability. Percolation rate of 120 min. per inch.

FILED
FOR
REGISTRATION
1973 Nov 30 AM 11 14
REGISTER OF DEEDS
MECKLENBURG CO. N.C.

Owner Violet Bruce Curry

Attested _____

State of North Carolina
County of Mecklenburg

I, _____ a notary public in and for the said County and State, do hereby certify that _____ personally appeared before me this day and being duly sworn [redacted] signed the foregoing instrument.

_____ Notary Public

My commission expires _____

EHD 506
11/10/73

DRAWN BY MECKLENBURG COUNTY HEALTH DEPT.

SEE INSTRUCTIONS ON BACK

Date Received 12-14-73

ICAR (S) Application No 6981

T C No 201-03-18

Map Date 2/4/73


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to

1) X Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge



4) No. of Bedrooms ____
5) Persons [illegible] Maximum Employees 2
6) Washing Machine Yes ✓
7) Garbage Disposal Yes ✓ No
8) Dishwasher Yes ✓ No
9) Water supply
A) Individual Well
B) Community System ✓
C) Community Well
D) Well Location
E) Spring Location
Garbage Grinder
Automatic Washer Yes No
Public sewer Yes No
Name of Sewer Line
Community Sewer Yes No
11) FHA Case No ____
12) VA Case No ____

3) PLOT PLAN (ACCURATELY DIMENSIONED)

13) NAME OF OWNER Thomas (LAST) C. (FIRST) D. (MIDDLE)

14) ADDRESS OF OWNER 3821 Rosehaven Dr.

15) PHONE NO Home 536 2138 Office ____

16) LOCATION OF SYSTEM York Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION ____ Lot No ____ Block No ____

Map Book No ____ Page No ____

18) DEED REFERENCE — DEED BOOK ____ AT PAGE ____

19) HAS A PERCOLATION TEST BEEN RUN? ✓ YES NO DATE RUN [illegible]

20) PTR NUMBER (See Instructions) 2151

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

C. D. Thomas Jr.
OWNER

DATE OF APPLICATION

FORM NO E-4-9-1-72

HEALTH DEPARTMENT'S COPY

Serial No. 3691

LA No. 6981
P.O.

Date Issued December 10, 1973

T C No. 201-031-18

IMPROVEMENTS PERMIT

Map Date 2-14-73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Curry (LAST) Violet (FIRST) (MIDDLE)

ADDRESS OF OWNER 405 Eva Lane, Greensboro, N.C. ZIP

LOCATION OF LOT York Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Health Department for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the percolation test results which yielded a percolation rate of 120*min/in on on site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 6981. This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered, and/or repaired in the same area where the percolation test was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

*Agreement Card signed November 30, 1973, recorded in book 3637 at page 773

Environmentalist

John A. Atkisson

Director Environmental Health Division or Authorized Section Head

FORM NO E 3 4-1-71

HEALTH DEPARTMENT'S COPY

Date Issued 7 March 1975 Serial No. [illegible]6 ICAR(S) Permit No. 6981

P.O.T. C. No. 201-031-18
Map Date 2-14-73


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 6981, dated 12-10-73 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 4-1-75, after which date this permit shall be null and void.



PLOT OF SYSTEM

Percolation Rate 120

Liquid Capacity of Tank 1500 gal.

Tank Construction concrete

Absorption and/or Nitrification Lines

Total Line Length 300 l/ft

Number of Lines 3 (7½ x 50)

Distance from House 10'

Distance from Property Line 10'

Distance from Well NA

NAME OF OWNER Curry, Violet

LOCATION OF PROPERTY York Rd + Shopton Rd

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Board of Health which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

Comments Limited area - 7½ x 5-0 x 36"

Division of Section Head

John R Adkisson
Environmentalist

If this permit is for the installation or construction of a new system it must be signed by the division or a section head of the Environmental Health Division in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

E-5-9-1-72

Date Issued 20 March 1975 Serial No. 5433

C of A (s) No. 6981

T C No 201-031-18

Map Date 2-14-77

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Curry, Violet (LAST, FIRST, MIDDLE)

Location of Property York Rd - Shopton Rd

Application Number 6981 Permit Number 6981

Inspection Date:

Liquid Capacity of Tank 1500 gal Tank Material concrete

Total Length of Drain Tile 300 l/ft Number of Lines 3

Depth of Filter Material 36" Cover Depth 10"

Water Supply Source municipal Distance from Water Source NA

Excavation Inspected 20 March 1975 (DATE) Tank Inspected (DATE)

Nitrification Field Inspected (DATE)

Washing Machine Line Inspected If Applicable (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described herein and it has been installed / constructed, as noted in accordance with the permit issued and the regulations of the Mecklenburg County Board of Health in effect at the date of issuance of the permit. The issuance of this Certificate of Approval does not guarantee that the system will operate properly or relieve any person now or hereafter owning such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions as may be listed in addition to those listed below under comments. This Certificate of Approval shall be void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

John R Dickinson

Environmentalist

FORM NO E-6-8-1-72