Date Received 7/2/79

MECK COUNTY DEPARTMENT OF
RECEIVED
JUN [illegible]

APT No. 15865

2

T. C. No. 199-084-22

Map Date _____

MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

## APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Lee (LAST) Perey (FIRST) M. (MIDDLE)

2) ADDRESS OF OWNER 2950 Temple Lane, Charlotte, N.C. ZIP 28205

3) PHONE NO. Home 537-1149 Office 377-6541


4) LOCATION OF PROPERTY Lot 5, Woody Point Road (STREET OR COUNTY ROAD), Lake Wylie, Charlotte, N.C.

5) SUBDIVISION Lake Wylie LOT NO. 22 BLOCK NO. 84

MAP BOOK NO 199 PAGE NO. _____

6) DEED REFERENCE DEED BOOK 1251-270 Card NO. 1

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge




7) ACCURATELY DIAGRAM & DIMENSION LOT

X Perey M. Lee
OWNER

EHD-5-74

Environmental Health Department's Copy

S. I. R. NO. 5865

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX II
SITE EVALUATION

T. C. # 199-084-22

(Ground Absorption Sewage Disposal)

OWNER: PERCY H. LEE
ADDRESS: 2950 TEMPLE LANE
COUNTY: CHARLOTTE 28205
LOCATION OF SITE: Woody Point RD Lot 5

DATE REQUESTED: 7-2-79
PLAT NO.:
LOT SIZE: 54000

| FACTORS | AREA 1 & 1A | AREA 2 | AREA 3 | AREA 4 |
|---|---|---|---|---|
| 1. SLOPE (%) | (PS) 2-10 | (U) Complex | (U) Complex | + |
| 2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1 Clay) | (PS) Clayey | (PS) Clayey | (U) Clayey Saprolite | |
| 3. SOIL STRUCTURE (12-36 in.) (Clayey Soils) | (PS) Blocky | (PS) Blocky | (U) Blocky To Massive | |
| 4. SOIL DEPTH (In.) | (PS) 48> | (PS) 48> | (U) <48 | |
| 5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock) | (PS) NONE | (PS) NONE | (U) Clay | |
| 6. SOIL DRAINAGE/GROUNDWATER (External & Internal) | (PS) Adequate | (PS) Adequate | (PS) Adequate | |
| 7. SOIL PERMEABILITY (Percolation Rate) | (PS) Moderate | (PS) Moderate | (U) Slow | |
| 8. OTHER (Specify) | | | | |
| 9. SITE CLASSIFICATION | P.SUITABLE | Unsuitable * Eroded | Unsuitable Eroded Cecil | |
| SOIL SERIES | Cecil | Cecil | | |

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc.

Recommendations/Comments: * If This Area Were graded off, Depth Would Still Be sufficient For use.

Described By: W.B. Ramsey

Title: Soil Scientist Date: 9-5-79

DHS Form 2601
Sanitation
EHD 539 (3/79)


WOODY POINT RD
Cecil
2-10
AREA
I
Complex
Slopes
Area II
2-10
Cecil
AREA
IA
SHACK
Area III
WATER

Serial No. 3102

PTR No. 15865

T. C. No. 109-085-49 / 109-084-22

Date Issued September 5, 1979

Map Date _____


# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH
## SOIL INVESTIGATION REPORT

NAME OF OWNER Lee, Percy H.
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 2950 Temple Lane, Charlotte ZIP 28205

LOCATION OF PROPERTY Woody Point Road, Lot 5
(STREET OR COUNTY ROAD)

SUBDIVISION LOT NO. 5 BLOCK NO. _____



PLOT PLAN

This is to certify that a soil investigation and on site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot as indicated on the above plot.

The permeability rate determined by the investigation was **Provisionally Suitable** The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction, including the drilling of a well, is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Willard Ramsey
Soil Scientist

John M. Johnson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 6-3-82

MECK COUNTY DEPARTMENT OF
RECEIVED
JUN 3 1982
ENVIRONMENTAL HEALTH

ICAR(S) Application No. 15865

T C. No. [redacted]


Map Date 199-085-49

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

**Application for an**
**Installation, Construction, Alteration, and/or Repair Permit**
**(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)**

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.




3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No
4) No. of Bedrooms 2
5) Business Use — Max No. Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes X No
8) Dishwasher ___ Yes X No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1) Well source ___
2) Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes X No
House located within 200 feet of community sewer ___ Yes X No
11) FHA Case No. None
12) VA Case No. None

13) NAME OF OWNER Smith (LAST) Robert (FIRST) Darrel (MIDDLE)

14) ADDRESS OF OWNER 6228 Skycrest Lane Charlotte NC 28210

15) PHONE NO. Home 523-7567 Office 588-2633

16) LOCATION OF SYSTEM 14007 Woody Point [redacted] Road
(STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. #5 Block No. _____
DEED-RECORDED-4228-998 MAP-RECORDED-MB5-PG-331
Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____ P.S.

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 9/5/79

20) PTR NUMBER (See Instructions) 15865

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

June 2-1982
DATE OF APPLICATION

Robert Darrel Smith
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Mecklenburg County

*Department Of Building Standards*
*And Code Enforcement*

*P. O. Box 16040*

*Charlotte, North Carolina 28216*

MECK COUNTY DEPARTMENT OF
RECEIVED
APR 11 1982
ENVIRONMENTAL HEALTH

To: ENVIRONMENTAL HEALTH DEPARTMENT
BLYTH BLVD.
MECKLENBURG COUNTY
CHARLOTTE, N.C.

Reference: MOBILE HOME PLACEMENT, ROBERT D. SMITH

Dear MR. SEXTON,

The parcel of land located at 14007 WOODY POINT ROAD and further identified by tax parcel number 199-085-49 is zoned R-R (RESORT-RESIDENTIAL).

Permitted uses in this district include: MOBILE HOMES ON INDIVIDUAL LOTS.

If this office can be of further assistance, please contact us..

Very truly yours,

Sherri R. Williamson

Zoning Inspector

Date Issued June 4, 1982 **Serial No. 5708**

LA No. 15865

T. C. No. 199-085-49

Map Date _____

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

[illegible] PERMIT

**TO THE BUILDING INSPECTION DEPARTMENT**

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Smith (LAST) Robert (FIRST) Darrel (MIDDLE)

ADDRESS OF OWNER 6228 Skycrest Lane, Charlotte, N. C. ZIP 28210

LOCATION OF LOT 14007 Woody Point Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 15865. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit (s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Bob Wilson
Environmentalist

Mike Sexton
Environmental Health Director, or Authorized Section Head

EHD-5-76

**Environmental Health Department's Copy**

Serial No. 5584

Date Issued 7-26-12


ICAR(S) Permit No. 15865

T. C. No. 199-085-49

Map Date _____

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH
## INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
### (Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 15865 dated 6-3-12 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 7-30-12 after which date this permit shall be null and void.




PLOT OF SYSTEM

Permeability Rate P-5

Liquid Capacity of Tank 1000 gal

Tank Construction P-C

Absorption and/or Nitrification Lines

Total Line Length 220'+125'

Number of Lines 4 & 3

Distance from House 10'

Distance from Property Line 10'

Distance from Well 50'+

NAME OF OWNER Robert D. Smith

LOCATION OF PROPERTY 17007 Woody Paint Road

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Comments: 12' x 55' + 17" Stone on Septic System
9' x 42' + 17" Stone on Washing Machine
Drain

Bob Wilson

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

BE.7282

C of A (s) No 15865

Date Issued 9-27-82 Serial 5256

T. C. No. 199-085-49

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

## CERTIFICATE OF APPROVAL

**(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)**

Name of Owner Smith (LAST) Robert (FIRST) Q. (MIDDLE)

Location of Property 17007 Woody Point Road

Application Number 15865 Permit Number 15865

**Inspection Data:**

Liquid Capacity of Tank 1000 gal Tank Material P.C

Total Length of Drain Tile 220' + 125' Number of Lines 4 x 3

Depth of Filter Material 17" Cover Depth 20"

Water Supply Source well Distance from Water Source 50'+

Excavation Inspected 7-27-82 (DATE) Tank Inspected 7-27-82 (DATE)

Nitrification Field Inspected 7-27-82 (DATE)

Washing Machine Line Inspected, If Applicable 7-27-82 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ____ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments _____

Bob Mulan

Environmentalist

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Received 4-25-83

ENVIRONMENTAL HEALTH

SEE INSTRUCTIONS ON BACK

ICAR (S) Application No. 15865

T. C. No. 199-084-22


Map Date

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

**Application for an**
**Installation, Construction, Alteration, and/or Repair Permit**
**(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)**

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _ _ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.




3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No

4) No of Bedrooms 3

5) Business Use — Max No Employees ___

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ___ Yes ___ No

9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___

10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No NONE

12) VA Case No NONE

13) NAME OF OWNER Edens III (LAST) Nelson (FIRST) W. (MIDDLE)

14) ADDRESS OF OWNER 125 Olive St. P.O. Box 881 Pineville, NC. 28134

15) PHONE NO. Home 889-7769 Office 525-5228

16) LOCATION OF SYSTEM 14007 Woody Point Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. 5 Block No. ___

Map Book No. 5 Page No. 331

18) DEED REFERENCE — DEED BOOK 4641 AT PAGE 424

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 9-5-79

20) PTR NUMBER (See Instructions) 15865

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

4-23-83
DATE OF APPLICATION

Tilsa W Edens III
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

ST-4-27 N

SIR No. 15865

Serial No. 6381

Date Issued 4-27-83

T. C. No. 199-084-22

Map Date

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH
## IMPROVEMENT PERMIT
### TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Edens, III (LAST) Nelson (FIRST) W. (MIDDLE)

ADDRESS OF OWNER 125 Olive St., P.O.Box 881, Pineville, NC ZIP 28134

LOCATION OF LOT 14007 Woody Point Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 5 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 15865. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Using Existing System

Environmentalist

Mike Sexton

Environmental Health Director, or Authorized Section Head

EHD-5-74

Environmental Health Department's Copy