SUPERVISOR/ADMINISTRATIVE PROFESSIONAL CHECKLIST

☐ NEW SEPTIC ☐ REPAIR ☒ USE EXISTING ☐ MODIFIED PLOT PLAN ☐ ALTERATION

File Number: 5436A / 14284

Assigned Inspector: Bradon S.

☐ IP $250.00: _____ Initial/Date

☐ IP Commercial $450.00: _____ Initial/Date

☐ CA & OP $400.00: _____ Initial/Date

☐ Alteration Fees $300: _____ Initial/Date

☐ Modified Plot Plan Fees $100.00: _____ Initial/Date

☒ Use Existing Fees $100.00: MD 12/5/23 Initial/Date

☐ Use Existing Approved ☐ Use Existing Denied

☐ Send IP permit for signature: _____ ☐ Signature received: _____

☐ Floor plans reviewed

☐ Generate CA ☐ Approve as Noted in Winchester

☐ This site is served by septic and well. Verify each is complete before final hold is released

☐ This septic system requires a certified operation contract before final hold is released

☐ Certified operator contract is on file: _____

☐ Septic file complete: _____

☐ Release final hold in Winchester: _____

Comments:

5436A / 14284

acct # X29820

4 DEC '23 PM 4:37

MECKLENBURG COUNTY
HEALTH DEPARTMENT

APPLICATION FOR APPROVAL TO USE AN EXISTING ON-SITE WASTEWATER TREATMENT & DISPOSAL SYSTEM / WATER SUPPLY WELL

APPLICATION TYPE: (•) SEPTIC ONLY ( ) WELL ONLY ( ) SEPTIC & WELL
( ) ADDITION OR RENOVATION WITH OCCUPANCY INCREASE
(•) ADDITION OR RENOVATION WITH NO OCCUPANCY INCREASE
( ) EXCHANGE MOBILE HOME (SAME # BEDROOMS)
( ) COMMERCIAL OR INDUSTRIAL

PERSON FILING APPLICATION:
NAME: Brian Conroy, Architect
ADDRESS: 2408 Commonwealth Avenue
CITY: Charlotte
STATE: NC ZIP: 28205
PHONE: (704) 661-2337
ALTERNATE PHONE: (704) 661-2337
E-MAIL: Brian.citizendesign@gmail.com

PROPERTY OWNER: [ ] SAME AS PERSON FILING APPLICATION
NAME: David Suddreth, Mecklenburg County Park and Recreation
ADDRESS: 5841 Brookshire Boulevard
CITY: Charlotte
STATE: NC ZIP: 28216
PHONE: (980) 722-2363
ALTERNATE PHONE: (704) 336-8467
E-MAIL: David.Suddreth@MecklenburgCountyNC.gov

JOB LOCATION INFORMATION
TAX PARCEL #: 10507101
STREET ADDRESS: 2900 Rocky River Road
CITY: Charlotte
STATE: NC **ZIP:** 28215

SUBDIVISION OR MOBILE HOME PARK NAME:
Reedy Creek Nature Preserve
LOT #:

WATER SUPPLY:
(•) MUNICIPAL ( ) PRIVATE WELL ( ) PUBLIC WELL ( ) SHARED WELL ( ) OTHER

RESIDENTIAL PROPERTY TYPE: (•) N/A
( ) HOUSE ( ) MODULAR HOME ( ) MULTIPLE FAMILY
( ) SINGLE MOBILE HOME ( ) DOUBLE WIDE
( ) OTHER

OCCUPANCY (both fields are required):
NUMBER OF BEDROOMS:
NUMBER OF OCCUPANTS:

COMMERCIAL / INDUSTRIAL PROPERTY TYPE: [ ] N/A
TYPE OF BUSINESS: Park Maintenance Staff Office
EMPLOYEES PER SHIFT: 15
OF SHIFTS: 1.0

INDUSTRIAL WASTES? ( ) YES (•) NO
UNDERGROUND STORAGE TANKS? ( ) YES (•) NO

ADDITION/RENOVATION TYPE ATTACHED TO EXISTING STRUCTURE:
[ ] BEDROOM [ ] BATHROOM [ ] KITCHEN [ ] DINING ROOM [ ] LIVING ROOM [ ] DEN
[ ] GARAGE [ ] SUNROOM [ ] PORCH [ ] DECK [■] OTHER add equipment storage

ADDITION/RENOVATION TYPE DETACHED FROM EXISTING STRUCTURE:
[ ] DETACHED GARAGE [ ] DETACHED GARAGE WITH PLUMBING [ ] POOL HOUSE [ ] SHOP [ ] BARN
[ ] STORAGE SHED [ ] DETACHED PORCH / DECK [■] OTHER *remove existing house from septic (see A0.0)

*The undersigned, owner, or legal agent for the owner, of the property described above as the "Job Location" has read the foregoing application, acknowledges that the contents of same are true, and authorizes the Mecklenburg County Health Department to enter onto the property for the purpose of processing this request.

Brian Conroy — Owner's/Agent's Signature
12/4/23 — Date

A PROPOSED PLOT PLAN (see page 2) is required to be submitted with each application.

MECKLENBURG COUNTY – GROUNDWATER & WASTEWATER SERVICES
3205 Freedom Dr. Suite 8000, Charlotte, NC 28208 OFFICE: (980) 314-1680, FAX: 704-336-6894


Revised on: 03/27/19

File #: 5436A

PROPOSED PLOT PLAN

A drawing showing the locations of the following items is required: existing and proposed property lines with dimensions, easements or right-of-ways, proposed building pad(s) or existing building footprint(s), all appurtenances (garage, driveway, deck, pool, etc.), location of existing or proposed well(s), location of existing or proposed sewer lines and sewage disposal systems, surface water bodies, and any aboveground or underground storage tanks. Provide names for all roads that adjoin the property.

Street Address: 2990 Rocky River Road Tax Parcel #: 10507101



*The undersigned, an authorized agent of the Mecklenburg County Health Department, certifies that the Department has approved the Request for the "Job Location" contained in this document. This approval is granted in accordance with the provisions of Laws and Rules for Sanitary Sewage Collection, Treatment, and Disposal and Water Supply Wells in effect at the time of issuance of the permit and is subject to the following provisions:

- No work shall be conducted on the septic tank system until an installation, construction, alteration and/or repair approval is granted by this Department.
- Addition/Renovation approval valid 1 year from issuance date
- Mobile home exchange approval valid 6 months from issuance date

Approved, Proposed addition meets setbacks.

Brad Shute 12/20/23

REHS Signature Date

MECKLENBURG COUNTY – GROUNDWATER & WASTEWATER SERVICES
3205 Freedom Dr. Suite 8000, Charlotte, NC 28208 OFFICE: (980) 314-1680, FAX: 704-336-6894

Revised on: 03/27/19

OWNER:

Mecklenburg County Park and Recreation

Reedy Creek Nature Preserve
Maintenance Staff Building Renovation

2990 Rocky River Road
Charlotte, NC 28215



ENLARGED SITE PLAN
SCALE: 1" = 60'



OVERALL SITE KEY PLAN
SCALE: NOT TO SCALE

GOVERNING CODE:

2018 NORTH CAROLINA EXISTING BUILDING CODE


ARCHITECT:

FIRM: CITIZEN DESIGN
NAME: BRIAN CONROY, ARCHITECT
TEL: 704.661.2337
EMAIL: brian.citizendesign@gmail.com


CITIZEN DESIGN, PLLC — 53241 — Charlotte, North Carolina

GENERAL NOTES:


1. LOCATE EXISTING UNDERGROUND UTILITY LOCATIONS BEFORE COMMENCING EXCAVATION.
2. FURNISH ALL LABOR, MATERIAL AND EQUIPMENT REQUIRED FOR THE COMPLETION AND OPERATION OF THIS PROJECT IN ACCORDANCE WITH ALL APPLICABLE CODES.
3. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. DISCREPANCIES BETWEEN FIELD DIMENSIONS AND OR CONTRACT DOCUMENTS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR CLARIFICATION BEFORE COMMENCING WORK.
4. CONTRACTOR RESPONSIBLE FOR SAFE DELIVERY AND STORAGE OF ALL MATERIALS.
5. ALTERATIONS, CHANGES OR SUBSTITUTIONS TO THE CONTRACT DOCUMENTS PERFORMED WITHOUT THE OWNERS WRITTEN APPROVAL SHALL BE CORRECTED AT THE CONTRACTORS EXPENSE.
6. ALL CONTRACTORS AND ALL SUB CONTRACTORS SHALL HAVE A COMPLETE SET OF CONTRACT DOCUMENTS AT ALL TIMES TO ENSURE COORDINATION OF BUILDING ELEMENTS THAT ARE DETAILED ACROSS SEVERAL DISCIPLINES.
7. GENERAL CONTRACTOR TO COMPARE CONTRACT DOCUMENTS ACROSS ALL DISCIPLINES. REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO COMMENCING WORK.
8. CONSTRUCTION MEANS AND METHODS ARE THE SOLE RESPONSIBILITY OF THE CONTRACTOR. NO DIRECTION IS GIVEN OR IMPLIED BY THE DESIGN PROFESSIONAL TO REVIEW, SUPERVISE OR APPROVE CONSTRUCTION MEANS AND METHODS.
9. SITE:
   A. NEWLY GRADED AREAS TO DRAIN AWAY FROM BUILDING. MAXIMUM SLOPE OF ANY PAVED AREA SHALL NOT EXCEED 1:20 (UNLESS OTHERWISE NOTED) LAWN AREAS SHALL NOT EXCEED 1:4 MAX SLOPE.
   B. FINISH GRADE TO BE RAKED SMOOTH. SEEDED AND STRAWED. STONE AND DEBRIS OVER 3/4" IN DIAMETER SHALL BE REMOVED.
   C. DAMAGE TO EXISTING PARK CAUSED BY ACTIONS OF CONTRACTOR OR ANY SUBCONTRACTORS SHALL BE REPAIRED IN-KIND BY THE CONTRACTOR.
   D. DUMPSTER AND ROLL-OUTS: NONE PROVIDED. TRASH CANS ARE EMPTIED DAILY BY PARK STAFF. TRASH IS THEN TAKEN OFF SITE TO PARK FACILITY WITH DUMPSTER.
10. LUMBER:
   A. ALL WOOD EXPOSED TO THE ELEMENTS OR IN CONTACT WITH CONCRETE AND OR MASONRY SHALL BE PRESSURE TREATED SOUTHERN YELLOW PINE No. 2 OR BETTER.
   B. FRAMING LUMBER (RAFTERS, JOISTS, HEADERS AND COLUMNS) SHALL BE SPF No.1 UNLESS NOTED OTHERWISE.
   C. ALL SCREWS BOLTS AND NAILS USED IN PRESSURE TREADED WOOD SHALL BE HOT-DIPPED ZINC-COATED GALVANIZED STEEL, STAINLESS STEEL OR SILICON BRONZE. FASTENERS TO BE HOT-DIPPED GALVANIZED SHALL MEET THE REQUIREMENTS OF ASTM A 153, STANDARD SPECIFICATION FOR ZINC COATING.



1 ACCESSIBLE PARKING
A0.0 SCALE: 1/4" = 1'-0"



2 SIDEWALK EXPANSION JOINT
A0.0 SCALE: 3/4" = 1'-0"



3 SIDEWALK CONTROL JOINT
A0.0 SCALE: 3/4" = 1'-0"

SIDEWALK NOTES:

1. MAXIMUM RUNNING SLOPE 1:20
   MAXIMUM CROSS SLOPE 1:48
   CLEAR WIDTH SHALL NOT BE REDUCED TO LESS THAN 48"
2. PROVIDE POSITIVE DRAINAGE AROUND AND AWAY FROM BUILDING.
3. USE 3,500psi CONCRETE FOR SIDEWALK WITH GLASS FIBER REINFORCING OVER COMPACTED SUB BASE.
4. LIGHT BROOM FINISH ON EXTERIOR CONCRETE. MATCH EXISTING SIDEWALK BORDERS.
5. C.J. - 1" DEEP CONTROL JOINT AS SHOWN ON PLAN OR AT 5'-0" O.C. MAX SPACING (SEE DETAIL)
   E.J. - 1/2" WIDE EXPANSION JOINT AS SHOWN ON PLAN OR AT 40'-0" O.C. MAX SPACING (SEE DETAIL)
6. LOCATE UNDERGROUND UTILITIES BEFORE COMMENCING WORK.

SITE DATA

OWNER:	MECKLENBURG COUNTY PARK AND RECREATION
ADDRESS:	2990 ROCKY RIVER ROAD, CHARLOTTE
P.I.D. #	10507101
ZONING:	N1-A
SWIM BUFFER:	STRUCTURE NOT LOCATED IN SWIM BUFFER
EXISTING PARCEL AREA:	277.32 ACRES
NEW SQUARE FEET:	997 sqft
EXISTING RENOVATED AREA:	1,365 sqft
TOTAL DISTURBED AREA:	0.04 ACRE (1,523 sqft)

DRAWING INDEX

SHEET	TITLE
ARCHITECTURAL	
A-0.0	COVER AND SITE PLANS
A-0.1	APPENDIX B
A-1.0	FLOOR PLAN, LIFE SAFETY PLAN AND DETAILS
A-1.1	RCP, FINISH SCHCHEDULE AND DETAILS
A-1.2	TYPICAL MOUNTING HEIGHTS AND DETAILS
A-2.0	ELEVATIONS AND DETAILS
A-3.0	SECTIONS AND DETAILS
A-3.1	SECTIONS AND DETAILS
A-4.0	DOOR SCHEDULE AND DETAILS
A-4.1	WINDOW SCHEDULE AND DETAILS
STRUCTURAL	
S-1.0	FOUNDATION AND FRAMING PLANS

SHEET	TITLE
MECHANICAL	
M-0.1	MECHANICAL HVAC SCHEDULES AND NOTES
M-0.2	MECHANICAL HVAC DETAILS
M-1.0	MECHANICAL HVAC PLAN
ELECTRICAL	
E-0.1	ELECTRICAL SPECIFICATIONS AND SCHEDULES
E-0.2	ELECTRICAL POWER RISER AND PANEL SCHEDULE
E-1.0	ELECTRICAL LIGHTING PLAN
E-2.0	ELECTRICAL POWER PLAN
PLUMBING	
P-0.1	PLUMBING SCHEDULES AND NOTES
P-0.2	PLUMBING DETAILS
P-1.0	PLUMBING WATER AND WASTE PLANS


REVISIONS NO	DATE	BY	CHKD	DESCRIPTION

BRIAN H. CONROY — REGISTERED PROFESSIONAL — 12142 — NORTH CAROLINA — CHARLOTTE, NC

Mecklenburg County Park and Recreation
Reedy Creek NP Maintenance Bldg. Renovation
2990 Rocky River Road, Charlotte, NC 28215

citizen design
Architecture • Planning • Stuff
2408 Commonwealth Ave.
Charlotte, NC 28205

DATE: 12/04/2023
NAME: COVER AND SITE PLANS
SHEET: A 0.0



1 EXISTING FLOOR PLAN
A1.0 SCALE: 1/4" = 1'-0"

DEMOLITION BULLET KEY:


1. REMOVE ALL EXISTING PLUMBING FIXTURES AND ASSOCIATED CONNECTIONS IN ROOM. (SEE M.E.P. DRAWINGS FOR ADDITIONAL INFORMATION)
2. REMOVE EXISTING DOOR/ WINDOW AND FRAME FROM OPENING. CLEAN, PATCH AND PREP EXISTING OPENING FOR NEW DOOR/ WINDOW.
3. REMOVE ENTIRE EXISTING CEILING IN WORK AREA. EXISTING EQUIPMENT SCHEDULED TO REMAIN SHALL BE CONCEALED IN A CODE COMPLIANT MANNER. CLEAN AND PREP EXISTING WOOD TRUSSES FOR SCHEDULED FINISH. SEE M.E.P. DRAWINGS FOR ADDITIONAL INFORMATION.
4. WET SAW CUT AND REMOVE PORTIONS OF EXISTING FLOOR SLAB AS NEEDED FOR NEW UTILITIES. DOWEL IN NEW FLOOR SLAB PER SLAB REPAIR DETAIL 4/A1.0
5. REMOVE EXISTING FLOOR COVERING IN WORK AREA. CLEAN AND PREP FLOOR FOR NEW SCHEDULED COVERING. DIAMOND GRIND EXISTING FLOOR PER NEW FLOORING MANUFACTURER'S INSTALLATION INSTRUCTIONS.
6. SAW CUT AND REMOVE EXISTING ASPHALT PAVING FOR NEW SIDEWALK
7. REMOVE EXISTING ELECTRICAL PANELS ASSOCIATED GEAR (SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION).
8. REMOVE EXISTING SIDING AND SHEATHING. EXISTING RIGID INSULATION TO REMAIN. INSTALL 7/16" OSB OVER EXISTING WOOD NAILERS.
9. REMOVE EXISTING SIDING, SHEATHING, INSULATION AND WOOD NAILERS TO RECIEVE NEW EXTERIOR INSULATION AND SHEATHING BOARD.
10. SAWCUT EXISTING CMU BELOW BOND BEAM FOR NEW WINDOW. INSTALL NEW STEEL ANGLE LINTLEL (SEE STRUCTURAL DRAWINGS). TOOTH IN NEW CMU END UNITS.

DEMOLITION PLAN KEY:

- REMOVE ENTIRE EXISTING NON-BEARING C.M.U. WALL TO BELOW FINISH FLOOR. RELOCATE ANY REMAINING SWITCHES CONTROLLED TO NEAREST ADJACENT REMAINING WALL IN SAME ROOM. TOOTH NEW UNITS IN TO REPLACE BROKEN UNITS IN REMAINING WALLS.
- EXISTING C.M.U. WALL TO REMAIN
- ITEMS TO BE REMOVED

DEMOLITION PLAN NOTES:


1. THIS DEMOLITION PLAN IS INTENDED TO PROVIDE A GENERAL OVERALL VIEW OF ITEMS TO BE REMOVED. IT IS NOT A COMPLETE LIST OF ALL CUTTING AND PATCHING REQUIRED TO COMPLETE THE WORK.
2. C.M.U. WALLS TO REMAIN: SCRAPE, CLEAN AND PREP CMU WALLS TO A SMOOTH SURFACE TO ACCEPT SCHEDULED FINISH
3. INFILL CMU WALLS WHERE RECESSED EQUIPMENT HAS BEEN REMOVED HAND DRYERS, DRINKING FOUNTAINS, HEATERS, ETC.) INFILL CMU WALLS WITH CUT CMU TO MATCH EXISTING.
4. DAMAGED OR BROKEN EXISTING C.M.U. IN REMAINING WALLS TO BE REMOVED AND REPLACED IN-KIND
5. SEE MECHANICAL, PLUMBING AND ELECTRICAL DRAWINGS FOR ADDITIONAL DEMOLITION NOTES.
6. ALL DEMOLISHED MATERIAL SHALL BE REMOVED FROM THE SITE AND PROPERLY RECYCLED AND OR DISPOSED OF AT THE APPROPRIATE MECKLENBURG COUNTY FACILITY.
7. ALL TEMPORARY SHORING IS THE RESPONSIBILITY OF THE CONTRACTOR




3 LIFE SAFETY PLAN
A1.0 SCALE: 1/8" = 1'-0"

LIFE SAFETY LEGEND


OCCUPANCY SYMBOL	OCCUPANCY CLASSIFICATION	OCCUPANCY LOAD ALLOWABLE AREA PER OCCUPANT
	AREA	
EGRESS OPENING SYMBOL	XX / YY	ACTUAL OCCUPANT LOAD OF OPENING / ALLOWABLE OCCUPANT LOAD OF OPENING
MAXIMUM TRAVEL DISTANCE		
FE	PORTABLE ABC FIRE EXTINGUISHER	
FACP	FIRE ALARM CONTROL PANEL (SEE ELECTRICAL)	
F	FIRE ALARM MANUAL PULL STATION (SEE ELECTRICAL)	
SD	SMOKE DETECTOR (SEE ELECTRICAL)	



4 SLAB REPAIR DETAIL
A1.0 SCALE: 1-1/2" = 1'-0"



2 FLOOR PLAN
A1.0 SCALE: 1/4" = 1'-0"



3 NEW TO EXISTING WALL DETAIL
A1.0 SCALE: 1-1/2" = 1'-0"

FLOOR PLAN SYMBOL KEY:

- NEW WOOD STUD WALL. (SEE DRAWING A-3.0)
- W1 INTERIOR 2x4 STUDS AT 16" O.C. WITH 1 LAYER OF 5/8" TYPE X G.W.B. EACH SIDE
- W2 EXTERIOR 2x6 STUDS AT 16" O.C. WITH R-20 KRAFT FACED FIBERGLASS BATT INSULATION (SEE DRAWING A3.0)
- W3 REMOVE EXISTING SIDING AND SHEATHING. EXISTING RIGID INSULATION TO REMAIN. INSTALL 7/16" OSB OVER EXISTING WOOD NAILER
- W4 INTERIOR 2x6 STUDS AT 16" O.C. WITH 1 LAYER OF 5/8" TYPE X G.W.B. EACH SIDE
- EXISTING CMU WALL TO REMAIN WITH NEW EXTERIOR R-9 EXTERIOR INSULATION AND SHEATHING (SEE DRAWING A-3.1)
- NEW 8" CMU IN EXISTING OPENING. INSTALL 3"/8" WIRE BRICK TIES @ 16" O.C. VERT. INTO END JOINTS.

FLOOR PLAN NOTES:

1. INTERIOR DIMENSIONS SHOWN ON FLOOR PLAN ARE FROM FACE OF FINISH WALL.
2. EXTERIOR DIMENSIONS SHOWN ARE FROM FACE OF STUD
3. MAXIMUM CROSS SLOPE OF ANY FLOOR SURFACE SHALL NOT EXCEED 1:48
4. INTERIOR CONCRETE FLOOR SLAB CURED AND PREPARED PER FINISH FLOOR COVERING MANUFACTURER'S WRITTEN INSTRUCTIONS. SMOOTH LIGHT TROWEL FINISH. DO NOT HARD TROWEL.
5. EXTERIOR CONCRETE TO HAVE LIGHT BROOM FINISH. E.J. - EXPANSION JOINT WITH TOOLED EDGES C.J. - CONTROL JOINT WITH TOOLED EDGES ON EXTERIOR AND SAW CUT INTERIOR.
6. COORDINATE ALL UTILITY AND CONDUIT ROUGH-INS WITH MEP AND SITE DRAWINGS
7. FOUNDATIONS AND SLABS TO REST ON UNDISTURBED SUITABLE SOIL OR SELECTECT STRUCTURAL FILL COMPACTED TO 98% MAXIMUM DRY DENSITY. 2,000PSF MINIMUM SOIL BEARING PRESSURE.
8. PROVIDE POSITIVE DRAINAGE AROUND AND AWAY FROM BUILDING

REVISIONS			
NO	DATE	BY	DESCRIPTION

BRIAN H. CONDON REGISTERED ARCHITECT NORTH CAROLINA CHARLOTTE, NC

Mecklenburg County Park and Recreation
Reedy Creek NP Maintenance Bldg. Renovation
2990 Rocky River Road, Charlotte, NC 28215

citizen design
2408 Commonwealth Ave.
Charlotte, NC 28205
Architecture • Planning • Stuff

DATE: 12/04/2023

NAME: FLOOR PLAN, LIFE SAFETY, AND DETAILS

SHEET: A 1.0

Raynard Washington, PhD, MPH
Health Director

MECKLENBURG COUNTY
Health Department

(704) 336-4700

Addendum to Application for
New Well or Septic System Installation
Abandonment or Repair of Existing Well or Septic System

Your signature below confirms the following:

1. The information on the application is true, complete and accurate.
2. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliances with applicable laws and rules.
3. I acknowledge that Brian Conroy is acting as my legal representative (agent) in the submittal of the application for a water supply well or septic permit located at

2900 Rocky Rivulet Charlotte.
Number Street Town

(Or Parcel Number) PID- 105-071-01

David Suddreth
Property Owner (print name)

Property Owner (signature)

12/4/2023
Date

MECKLENBURG COUNTY
LAND USE AND ENVIRONMENTAL SERVICES
Payment Receipt

Receipt Information

Date:	12/05/23	**Amount:**	100.00
Receipt #:	145318	**Tendered:**	100.00
Check / Auth #:	CHARGE	**Returned:**	0.00
Received By:	ORTIZMP		

Account Information

Account #: X29820
Contractor: MECK CO PARK & REC
Attn: DAVID SUDDRETH/BRIAN CONROY
Address: 5841 BROOKSHIRE BLVD
Address: ATTENTION: ACCOUNTING SECTION
City/State/Zip: CHARLOTTE, NC 28216

Item	Description	Quantity	Unit Price	Total Price
0705	Use Existing System 2900 ROCKY RIVER RD	1	100.00	100.00

Permit#

Outstanding Balances

Month-To-Date	Prior Month	30 Days	60 Days	90 Days	Balance
159.70	1,186.87				