

20326 PINEHURST DR

00160147

12/19/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

GREGORY GREER
LINDA GREER
20326 PINEHURST DRIVE
CORNELIUS, NC 28031

Please Direct Any Questions
To: OUR OPERATIONS DEPARTMENT
(800) 243-2508

000435

0085/0531

CENTURA BANK
ROCKY MOUNT, NC 27804

MAY 07, 1999

CCOUNT: 001-601-47 File#871B

y EIGHTY FIVE AND 00/100 DOLLARS

$ ********85.00

To The Order Of
MECKLENBURG COUNTY HEALTH DEPART
700 N TRYON ST STE 211
CHARLOTTE, NC 28202-2236

Void After 30 Days
SIGNATURE ON FILE
This check has been authorized by your depositor

WARNING: THIS BORDER CONTAINS MICROTYPE WHICH WILL NOT REPRODUCE ON A COPIER.

⑈000435⑈ ⑆053100850⑆ 07930248021⑈

pd. 85.00
OC # 435
VW
5-7-99

5-12-99
OSV
Looks good!
Recommended pumping
septic tank

N. C. DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH

INSPECTION OF ENGINEERED SUBSURFACE SEWAGE SYSTEM

Mecklenburg — Health Department

871-B — Permit/Project No.

20326 Pinehurst Drive — Location

res. dence — Name of Establishment

480 — Type of Establishment

Design Flow

Gregory Green, 20326 Pinehurst Drive, Cornelius, 28031 — Owner/Agent — Address — Phone

N/A — Operator — Address — Phone

III b — Remarks

	Yes	No	REMARKS
1. ESTABLISHMENT:			
Type, size, and sewage flow in accordance with permit?	☑	☐	
2. COLLECTION SYSTEM:			
No evidence of leaks into or out from sewer lines/manholes?	☐	☐	
Free of blockages/solids buildup in lines or manholes?	☐	☐	
3. TANKAGE (Grease Traps/Lift Stations/Septic/Dosing Tanks):			
Tank risers accessible and surface water diverted?	☑	☑	
Tanks and access manholes structurally sound, watertight?	☑	☐	
Sanitary tee(s) in good working condition?	☐	☐	
Tanks pumped, cleaned out as needed?	☐	☐	Recommended pumping septic tank
4. RAW SEWAGE LIFT STATION (If Present):			
Required pumps present, operating, and cycling properly?	☐	☐	
High-water alarm present and operating properly?	☐	☐	
Floats/pipe/valves/disconnects in good working condition?	☐	☐	
Control panel enclosure/components in good condition?	☐	☐	
5. EFFLUENT DOSING SYSTEM:			
Effluent appears clear, free of excess solids?	☐	☐	
PUMP SYSTEMS:			
Required pumps present, operating, and cycling properly?	☑	☐	
High-water alarm present and operating properly?	☑	☐	
Floats/pipe/valves/disconnects in good working condition?	☑	☑	
Control panel enclosure/components in good condition?	☑	☐	
Elapsed time readings: _____ _____ _____ _____			
SIPHON SYSTEMS:			
No evidence of overflow or siphon leakage?	☐	☐	
Siphon(s) appear to be working/alternating properly?	☐	☐	
Bells and vents free of debris and in good condition?	☐	☐	
6. GROUND ABSORPTION FIELDS:			
No evidence of effluent surfacing/reaching surface waters?	☑	☐	
Minimal ponding in subsurface trenches?	☑	☑	
Surface water being effectively diverted away?	☑	☐	
Diversions/ditches/swales/tile drains properly maintained?	☑	☐	
Line cover/vegetation adequate/maintained as needed?	☑	☐	
Protected from traffic, destructive uses?	☑	☐	
Distribution devices in good condition, working properly?	☑	☑	
Repair area properly reserved, maintained?	☑	☐	
LOW-PRESSURE PIPE DRAIN FIELDS:			
Turnups/cleanouts/valves intact and accessible?	☐	☐	
No effluent standing in lower laterals?	☐	☐	
Laterals free of excess solids, cleaned out as needed?	☐	☐	
Pressure head is properly adjusted?	☐	☐	

OVERALL CONDITION AND OPERATION OF SYSTEM: Looks Good

SUMMARY OF IMPROVEMENTS NEEDED:

Improvement	Repair Within (Days)

DATE: 5-12-99 SIGNED: Larry B. Thompson J. R.S. AGENT

Division of Environmental Health

DEHNR 3702 (Revised 9/91)
Environmental Health Services Section (Review 9/95)

SUMMARY OF IMPROVEMENTS NEEDED (*Continued*)

Improvement	Repair Within (Days)

INTENT TO SUSPEND OR REVOKE PERMIT

This is to notify you of intent to suspend/revoke (*circle one*) your operation permit/certificate of completion (*circle one*) 60 days from this date for the following violations:

_____
[Law or Rule(s)]

If suspended, the operation permit or certificate of completion remains suspended until violations are corrected. A hearing will be held prior to suspension or revocation if you file a petition for a hearing with the Office of Administrative Hearings, P. O. Drawer 27447, Raleigh, NC 27611-7447, in writing within the number of days specified above of your intent to attend the hearing. If you do not petition the Office of Administrative Hearings, the operation permit or certificate of completion will be suspended or revoked.

IMMEDIATE SUSPENSION OR REVOCATION OF PERMIT

This is to notify you of immediate suspension/revocation (*circle one*) of your operation permit/certificate of completion (*circle one*) for the following violations: _____
[Law or Rule(s)]

If suspended, the permit or certificate remains suspended until the violations are corrected. You will be notified of the day and location of a hearing on this suspension or revocation by a hearing officer from the Office of Administrative Hearings.

This the _____ day of _____, 19 ____

_____ Agent
DIVISION OF ENVIRONMENTAL HEALTH

INSTRUCTIONS

Purpose: Article 11 of Chapter 130A requires the Commission for Health Services to adopt rules governing the design, construction, and operation of sanitary sewage systems. 15A NCAC 18A .1937 specifies that the local health department shall determine whether systems with an Operation Permit are operating properly at a frequency specified in Rule .1961, Table V(a), and that systems which exceed 3,000 gallons per day and other systems which are required to be designed by a professional engineer shall be reinspected annually. This form is developed to be used in making inspections of engineered subsurface sewage systems.

Preparation: Local environmental health specialists shall complete the form every time they conduct an inspection. Prepare an original and two copies for:

1. Original to be left with the responsible person.
2. Copy for the local health department.
3. Copy for the Environmental Health Services Section, Division of Environmental Health.

In the event the permit is suspended or revoked, complete the portion above.

Disposition: This form may be destroyed in accordance with Standard 7, Inspection Records, of the *Records Disposition Schedule* published by the N. C. Division of Archives and History.

Additional forms may be ordered from:
Environmental Health Services Section
Division of Environmental Health
P. O. Box 27687
Raleigh, NC 27611-7687
(Courier 52-01-00)

Mecklenburg County
Health Department

March 18, 1999

Gregory S. and Linda S. Greer
20326 Pinehurst Drive
Cornelius, NC 28031

Dear Mr. and Mrs. Greer:

This letter is being sent to all home/business owners in Mecklenburg County with septic tank systems that utilize pumps. In 1992 the North Carolina Administrative Code governing septic tank systems was amended to require routine maintenance and inspection of certain septic tank systems. Research conducted on septic tank systems has shown that properly maintained systems perform better and protect the home/business owner's investment. These State rule changes required local health departments to perform additional inspections without additional resources. During the 1998-99 budget hearings, the Mecklenburg County Board of County Commissioners (BOCC) approved user fees to offset costs and to allow the local health department to comply with mandatory enforcement requirements in the State regulations.

Since you have a pump system, these new rules and fee requirements affect you. The fee is $85.00 and is due upon receipt of this notice. We will visit your property and make assessments and recommendations for the continued efficient operation of your septic tank system. In addition, if you have a well, a bacterial sample will be collected to help assess the quality of your water supply source. The process, including fee assessment, will be repeated every five (5) years. The fee amount may change in the future.

We are excited about the interest and support demonstrated by the BOCC. Past performance in this area was more enforcement oriented rather than supportive. One of our goals is to establish our department as a resource to you to aid and assist you with this and related public health concerns. The inspection program and the water analysis are important to the health of you and your family. This is a very important initiative intended to protect the public's health while improving and preserving our groundwater resources.

Your prompt fee payment will activate our inspection process. Your comments and questions regarding this matter are encouraged and welcomed.

Sincerely,

Larry B. Thompson, Jr., R.S.
Environmental Health Specialist
Individual Water and Wastewater Systems

Enclosure

cc: Fiscal Services Manager, HMHCS

CERTIFICATE OF COMPLETION/OPERATION PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 8713/8742A DATE: 11/10/93

TC: 001 601 47 ☐ L ☐ CRT

SERIAL Nº 15362

Name of Owner Harry W. Hall Juris.:

Address of Property 20326 Pinehurst Dr

Inspection Data:

Tank Material PCC
w/ 186 + 350 sq
Total Length of Drainfield 536'
Number of Lines 3+5 @ 62 & 70'
Cover Depth 8"
Water Supply Source CMUD
Distance to Water Source >10'
Excavation Inspected 11/10/93
Tank(s) Inspected 11/10/93
Wash Line Inspected 11/10/93
High Water Alarm Inspected 11/10/93

PLOT

Design: 1500ST, 1000DT, PI, CON, 1050SFT, 558SFWL, 12" stone cecil CTR# Howell Grading

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☒ installed or constructed ☐ altered or repaired
☒ in accordance with the permit issued ☐ as detailed in the plot above

and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this

☐ Certificate of Completion ☒ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: Septic system designed for 4 bedroom residence.

Type? III B

Philo S. Walker R.S.
Environmentalist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603


D1400

FILE: 871B/8742A DATE: 11/2/93

TC: 001 601 47

SERIAL Nº 15239

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 4/13/93. All work shall be completed on or before 12/2/93, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank 1000 gallons

Tank Construction PCC

Absorption and/or Nitrification Lines:

Trench Width 3 feet

Total Line Length WL 186 + SL 350 (536') feet

Number of Lines WL 3 (62') + SL 5 (70')

Depth of Stone 12 inches

Distance from House 5 feet

Distance from Property Line 10 feet

Distance from Well CMUD water feet

NAME OF OWNER Harry W. Hall

LOCATION OF PROPERTY 20326 Pinehurst Dr

Comments: 1500ST, 1000DT, PI, Septic 5 lines x 70'long x 3'wd x 12" stone washer 3 lines x 62'long x 3'wd x 12" stone | Keep septic lines and repair 750' from high water mark | Keep septic lines on contour of land | CMUD Water

Keen for S. Daniel
Division or Section Head

Philip S. Walker
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Mecklenburg County Health Department in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER OR AGENT'S COPY

400 CK

File 871B/8742A

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

CK 4/6/93 200.00 4298 DTF CRT

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202

(704)336-5102

Date: 4-6-93

PERSON FILING APPLICATION:

NAME: Hall (last) Harry (first) W (mi)

ADDRESS: 20420 Island Forest Dr PHONE: (704) 892 0487

CITY: Davidson STATE: N.C. ZIPCODE: 28036

PROPERTY INFORMATION (FROM ENGINEERING FORM):

TAX/PARCEL NUMBER: 001-601-47

STREET ADDRESS: 20326 Pinehurst Dr. Davidson, N.C. 28036

ZONING: R 4

PROPERTY OWNER:

NAME: Hall (last) Harry (first) W (mi)

ADDRESS: 20420 Island Forest Dr PHONE: (704) 892 0487

CITY: Davidson STATE: N.C. ZIPCODE: 28036

SUBDIVISION OR MOBILE HOME PARK NAME:

Township (check one):
[X] 0 Mecklenburg County [ ] 2 Davidson [ ] 4 Pineville [ ] 6 Huntersville
[ ] 1 Charlotte [ ] 3 Cornelius [ ] 5 Matthews [ ] 7 Mint Hill

TYPE APPLICATION (check one):

LOT NUMBER: 5 LOT SIZE (in acres): .88

[ ] SOIL TEST - INDIVIDUAL LOT (D)
[X] NEW CONSTRUCTION ON VACANT LOT - 4 BEDROOMS OR LESS (N)
[ ] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[ ] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[ ] COMMERCIAL OR INDUSTRIAL (N)
[ ] SOIL TEST DEVELOPMENT (P)
[ ] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X)
[ ] MODIFIED /ALTERNATIVE/ OR RESIDENCE > 4 BEDROOMS (Z)
[ ] REPAIR TO SYSTEM (R)

RESIDENTIAL PROPERTY (Type Building, check one):
[ ] SINGLE MOBILE HOME (S) [X] HOUSE (H) [ ] MULTIPLE FAMILY (U)
[ ] DOUBLE WIDE (D) [ ] MODULAR HOME (M) [ ] OTHER _____ (O)

NUMBER BEDROOMS: 4 NUMBER OCCUPANTS: 2

SYSTEM CLASSIFICATION:

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[ ] Community (C) [ ] Shared Well (S)
[X] Municipal (M) [ ] Other 'spring' (O)
[ ] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[ ] Swimming Pool [ ] Jacuzzi [ ] Stable/Barn [ ] Workshop [ ] None
[ ] Garage [ ] Storage Building [ ] Deck/Patio [ ] Bedrooms [ ] Other

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Harry W Hall Date: 4-6-93

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair approval is granted by this Department.

...This permit is not transferable.

... Lift pump required

[ ] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[ ] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[ ] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE

Philip S. Walker 4/14/93
Environmentalist Date

Director or Authorized Section Head Date

WWATER : 122791


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: File 871B/8742A

TC: _____

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



400
134
534 TLF

1500 ST
1000 DT Lift pump required

Septic 6 lines x 67'long x 3'wd x 12"stone
400 TLF

Washer 2 lines x 67'long x 3'wd x 12"stone
134' TLF

Keep septic system >50 from high water mark

Keep lines on contour of land.


CMUD water

Schedule 80' under drive

Legal Ltr 4-13-93

APPROVAL DATE PD w appr 4/13/93

White - Health Department's Copy Canary - Environmentalist's Copy Pink - Owner's Copy


Lake Norman
114'
144'
233'
183'
57'
73'
Pinehurst Dr.

MECKLENBURG COUNTY HEALTH DEPARTMENT
SITE EVALUATION REPORT
SERIAL NUMBER 19257

File: 8718/8742A Action 1

Parcel: 001-601-47 ☐ PC

Location: 20326 Pinehurst

Subdivision:


Lot: 5 Block: Acres: .88

Owner: Harry W. Hall
Address: 20420 Island Forest Dr.
Davidson, N.C. 28036

Comments: 100% Repair, 375 gal/ft²/day LTAR - will possibly need pump

Described by: William R. Marlin

Date: 3-11-93



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	(S) PS U 2-6%	S PS (U) complex slopes	S PS (U) Depression	S PS (U) old Terrace	S PS (U) >2' cut	S PS U
Texture	S (PS) U slightly Expansive clay	S PS U	S PS U	S PS U	S PS U	S PS U
Structure	S (PS) U sub-Blocky	S PS U	S PS U	S PS U	S PS U	S PS U
Drainage	(S) PS U 7-48" To water	S PS U	S PS U	S PS U	S PS U	S PS U
Depth	(S) PS U 7-48"	S PS U	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	(S) PS U 7-48"	S PS U	S PS U	S PS U	S PS U	S PS U
Available Space	S (PS) U limited	S PS U	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	IV Cecil-Like	complex slopes	Depression	old Terrace	>2' Cut	
Area Classification	S (PS) U	S PS (U)	S PS (U)	S PS (U)	S PS (U)	S PS U


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: File 871B/8742A

TC: _____

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE _____

87B/8742A

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

PD clk 2/18/93
50' 4176 MJ [] CRT

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202
(704)336-5102

COPY

PERSON FILING APPLICATION:
NAME: Hall (last) Harry (first) W (mi)
ADDRESS: 20420 Island Forest Dr PHONE: (704) 892 0487
CITY: Davidson STATE: N.C. ZIPCODE: 28036

Date: 2-10-93

PROPERTY OWNER:
NAME: Hall (last) Harry (first) W (mi)
ADDRESS: 20420 Island Forest Dr PHONE: (704) 892 0487
CITY: Davidson STATE: N.C. ZIPCODE: 28036

PROPERTY INFORMATION (FROM ENGINEERING FORM):
TAX/PARCEL NUMBER: 001-601-47
STREET ADDRESS: 20326 Pinehurst Dr. Davidson, N.C. 28036
ZONING: R-4

SUBDIVISION OR MOBILE HOME PARK NAME:

Township (check one):
[X] 0 Mecklenburg County [] 2 Davidson [] 4 Pineville [] 6 Huntersville
[] 1 Charlotte [] 3 Cornelius [] 5 Matthews [] 7 Mint Hill

TYPE APPLICATION (check one):

LOT NUMBER: 5 LOT SIZE (in acres): .88

[X] SOIL TEST - INDIVIDUAL LOT (D)
[] NEW CONSTRUCTION ON VACANT LOT - 4 BEDROOMS OR LESS (N)
[] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[] COMMERCIAL OR INDUSTRIAL (N)
[] SOIL TEST DEVELOPMENT (P)
[] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X)
[] MODIFIED /ALTERNATIVE/ OR RESIDENCE > 4 BEDROOMS (Z)
[] REPAIR TO SYSTEM (R)

RESIDENTIAL PROPERTY (Type Building, check one):
[] SINGLE MOBILE HOME (S) [] HOUSE (H) [] MULTIPLE FAMILY (U)
[] DOUBLE WIDE (D) [] MODULAR HOME (M) [] OTHER _____ (O)

NUMBER BEDROOMS: NUMBER OCCUPANTS:
SYSTEM CLASSIFICATION:

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[] Community (C) [] Shared Well (S)
[X] Municipal (M) [] Other 'spring' (O)
[] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[] Swimming Pool [] Jacuzzi [] Stable/Barn [] Workshop [] None
[] Garage [] Storage Building [] Deck/Patio [] Bedrooms [] Other

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Harry Watson Hall Date: 2-10-93

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair approval is granted by this Department.

...This permit is not transferable.

...

[] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE

Environmentalist Date

Director or Authorized Section Head Date

WWATER : 122791

PROPOSED PLOT PLAN


742 A

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 871B/874A

TC: 001-601-47

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE _____

White - Health Department's Copy Canary - Environmentalist's Copy Pink - Owner's Copy

Mecklenburg County

Health Department

March 18, 1993

Betty S. Snow, R.N., M.A.
Health Director

Harry W. Hall
20420 Island Forest Drive
Davidson, NC 28036

RE: Property located on 20326 Pinehurst
FILE: 871B/8742A
PARCEL: 001-601-47

Dear Mr. Hall:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as PROVISIONALLY SUITABLE for such an installation. A copy of the Site Evaluation Report (Serial Number 19257) is enclosed for your information.

While this classification indicates the site is acceptable for the installation of a septic tank system, no specific system or plans have been approved. The area available for such an installation may impose limitations on the size and/or type construction permitted on the lot. Specific plan approval will be provided upon submission of an Application for an Improvement Permit with an **ACCURATELY** dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems and determination that the area is adequate to accommodate the proposed construction.

Please note that this classification may be revoked if any filling, grading or construction (including the drilling of a well) is performed on the lot which in the opinion of this department renders any area previously designated suitable for system installation, unsuitable. Furthermore, this approval may be revoked should any changes occur in the regulations under which it was granted, if such changes would have prevented its approval had they been in effect on the date of issuance.

If there are any questions concerning this matter, please contact Bill Marlin, Soil Scientist at 336-5574.

Sincerely,

Kelly Randall

Kelly Randall, R.S., Soil Scientist
Individual Water and Wastewater Systems

Enclosure

8718/8742A

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

PD chk 2/18/93
50' 4176 MJ [] CRT

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202

(704)336-5102

Date: 2-10-93

PERSON FILING APPLICATION:

NAME: Hall (last) Harry (first) W (mi)

ADDRESS: 20420 Island Forest Dr PHONE: (704) 892 0487

CITY: Davidson STATE: N.C. ZIPCODE: 28036

PROPERTY INFORMATION (FROM ENGINEERING FORM):

TAX/PARCEL NUMBER: 001-601-47

STREET ADDRESS: 20326 Pinehurst Dr. Davidson, N.C. 28036

ZONING: R-4

PROPERTY OWNER:

NAME: Hall (last) Harry (first) W (mi)

ADDRESS: 20420 Island Forest Dr PHONE: (704) 892 0487

CITY: Davidson STATE: N.C. ZIPCODE: 28036

SUBDIVISION OR MOBILE HOME PARK NAME:

Township (check one):
[X] 0 Mecklenburg County [] 2 Davidson [] 4 Pineville [] 6 Huntersville
[] 1 Charlotte [] 3 Cornelius [] 5 Matthews [] 7 Mint Hill

TYPE APPLICATION (check one):

LOT NUMBER: 5 LOT SIZE (in acres): .88

[X] SOIL TEST - INDIVIDUAL LOT (D)
[] NEW CONSTRUCTION ON VACANT LOT - 4 BEDROOMS OR LESS (N)
[] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[] COMMERCIAL OR INDUSTRIAL (N)
[] SOIL TEST DEVELOPMENT (P)
[] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X)
[] MODIFIED /ALTERNATIVE/ OR RESIDENCE > 4 BEDROOMS (Z)
[] REPAIR TO SYSTEM (R)

RESIDENTIAL PROPERTY (Type Building, check one):
[] SINGLE MOBILE HOME (S) [] HOUSE (H) [] MULTIPLE FAMILY (U)
[] DOUBLE WIDE (D) [] MODULAR HOME (M) [] OTHER _____ (O)

NUMBER BEDROOMS: NUMBER OCCUPANTS:

SYSTEM CLASSIFICATION:

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[] Community (C) [] Shared Well (S)
[X] Municipal (M) [] Other 'spring' (O)
[] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[] Swimming Pool [] Jacuzzi [] Stable/Barn [] Workshop [] None
[] Garage [] Storage Building [] Deck/Patio [] Bedrooms [] Other

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Harry Watson Hall Date: 2-10-93

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair approval is granted by this Department.

...This permit is not transferable.

...

[] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE

_____ Environmentalist Date

_____ Director or Authorized Section Head Date

WATER : 122791

COPY


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 8716/8720

TC: 001-601-47

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE _____


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 8718/8742A

TC: 001-601-47

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE _____

White - Health Department's Copy Canary - Environmentalist's Copy Pink - Owner's Copy