Date Received 9-19-84

SIR No. 21473

T. C. No 033-164-15

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER GREEN (LAST) CHARLES (FIRST) EDGAR (MIDDLE)

2) ADDRESS OF OWNER 2709 DULLINGER CIRCLE, CHAR, NC ZIP 28213

3) PHONE NO. Home 596-9094 Office 596-9094


4) LOCATION OF PROPERTY MT. HOLLY-HUNTERSVILLE RD. (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO. ____ BLOCK NO. ____

MAP BOOK NO 4434 PAGE NO. 621

6) DEED REFERENCE: DEED BOOK 4237 PAGE NO. 621

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Charles E. Green
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 2473

T.C. NO. [illegible]

(Ground Absorption Sewage Disposal)

OWNER: [illegible]
ADDRESS: [illegible]
PLAT NO:
LOT SIZE: [illegible]
LOCATION OF SITE: [illegible]

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S / PS 2 6% / U	S / PS / U	S / PS / U	S / PS / U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S / PS clay / U	S / PS / U	S / PS / U	S / PS / U
3. SOIL STRUCTURE (12-36 inches)	S / PS Blocky / U	S / PS / U	S / PS / U	S / PS / U
4. SOIL DEPTH (inches)	S / PS 36-42" / U	S / PS / U	S / PS / U	S / PS / U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S / PS >30" / U	S / PS / U	S / PS / U	S / PS / U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S / PS Slight ground water / U	S / PS / U	S / PS / U	S / PS / U
7. OTHER (Specify)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
8. SOIL GROUP	IIA			
9. SITE CLASSIFICATION	Provisionally suitable			
10. SOIL SERIES	Cecil like			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: _____

Described by: William B. Marlin
Title: Soil Scientist

Date: 10-3-84

4


Mt. Holly -
Huntersville
100'
Coach
Lite
200'
200'
100'

Serial No. 5926

SIR No. 21473

T. C. No. PO 033-054-15

Date Issued 10-31-84

Map Date L


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Greene, (LAST) Charles (FIRST) Edgar (MIDDLE)

ADDRESS OF OWNER 2709 Dellinger Cr., Charlotte, NC ZIP 28213

LOCATION OF PROPERTY Mt. Holly-Huntersville Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. PROVISIONALLY SUITABLE

The permeability rate determined by the investigation was . The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of the building(s) or the wastewater treatment system on the said lot.
2. The size of the septic tank, wastewater treatment system and/or must be determined by the Mecklenburg County Department of Environmental Health prior to the issuance of the permit, on the basis of the rate(s) noted above, and on the size and type of building constructed thereon.
3. This approval is valid only for the system or type of system indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or other site alteration occurs which, in the opinion of the Mecklenburg County Department of Environmental Health, renders the soil type(s) stated as acceptable for system installation unsuitable for use or any other alteration occurs which renders the system unacceptable.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William R. Marks
Soil Scientist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Received 9-19-85

RECEIVED
SEP 19 1985
ENVIRONMENTAL HEALTH

ICAR(S) Application No. 21473

T. C. No 053-664-15


Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____Yes ____No
Residence ✓Yes ____No

4) No of Bedrooms 3
5) Business Use — Max No Employees _____
6) Washing Machine ✓Yes ____No
7) Garbage Disposal ____Yes ✓No
8) Dishwasher ✓Yes ____No
9) Water Supply
A) Individual Well ✓
B) Governmental System _____
C) Community System
1 Well source _____
2 Governmental source _____
10) Sewage System.
House located within 200 feet of public sewer ____Yes ✓No
House located within 200 feet of community sewer ____Yes ✓No
11) FHA Case No _____
12) VA Case No. _____

13) NAME OF OWNER GREENE (LAST) CHARLES (FIRST) EDGAR (MIDDLE)

14) ADDRESS OF OWNER 2209 DELLINGER CIRCLE, CHAR., NC.

15) PHONE NO. Home 541-9044 Office _____

16) LOCATION OF SYSTEM MT HOLLY-HUNTERSVILLE RD (STREET OR COUNTY ROAD) (NEW ADDRESS NUMBER 5236)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK 4234 AT PAGE 621

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES _____ NO DATE RUN 10/84

20) PTR NUMBER (See Instructions) 21473

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

18 SEP 85
DATE OF APPLICATION

Charles E. Greene
OWNER

EHD-S-76

Environmental Health Department's Copy

Date Issued 9-26-85

Serial No. 8939

SIR No. 21473

T. C. No. 033-064-15

Map Date L CP1

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Greene, (LAST) Charles (FIRST) E. (MIDDLE)

ADDRESS OF OWNER 2709 Cellinger Cr., Charlotte, NC ZIP 28213

LOCATION OF LOT 5236 Mt. Holly-Huntersville Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21473. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Kelly Randolf
Environmentalist

Eric D. Lanclos, Jr.
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 9-24-85

Serial No. 08570


ICAR(S) Permit No. 21473

T C. No. 033-064-15

Map Date 1

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 21473, dated 9-19-85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 10-24-85, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500

Tank Construction PCC

Absorption and/or Nitrification Lines

Total Line Length 400'

Number of Lines 4 x 100'

Distance from House 5'+

Distance from Property Line 10'+

Distance from Well 50'+

NAME OF OWNER GREENE, CHARLES E.

LOCATION OF PROPERTY 5236 MT HOLLY-HUNTERSVILLE RD

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

4 lines x 100' long x 3' wide x 12" stone

Comments:

Division or Section Head

Kelly Rambeck
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

C of A (s) No. 2473

Date Issued ~~12~~ 1-2-86 **Serial** 8121 T. C. No. 033-6615

L CLT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner GREENE CHARLES (LAST FIRST MIDDLE)

Location of Property 5230 MT HOLLY-HUNTERSVILLE RD

Application Number 2473 Permit Number 2473

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 400' Number of Lines 4

Depth of Filter Material 12" Cover Depth 2'

Water Supply Source Well Distance from Water Source

Excavation Inspected 1-2-86 (DATE) Tank Inspected 1-2-86 (DATE)

Nitrification Field Inspected 1-2-86 (DATE)

Washing Machine Line Inspected, If Applicable ___ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ___ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1625 132 ST CONCORD [illegible]

Environmentalist

EHD-5-76

Environmental Health Department's Copy