Date Received May 30, 1978

APT No. 14145

P.I.T. C. No. 031-223-04

Map Date 3/22/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER LEE, ROGER R.
(LAST, FIRST, MIDDLE)

2) ADDRESS OF OWNER Rt 6 Box 607 Charlotte, N.C. 28208 ZIP

3) PHONE NO Home 392 1038 Office 392 1038


4) LOCATION OF PROPERTY HART ROAD Lot #3
(STREET OR COUNTY ROAD)

5) SUBDIVISION LOT NO 3 BLOCK NO

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK PAGE NO

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Roger R Lee
OWNER

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received May 30, 1978

ICAR(S) Application No. 14145

P.O T C No. 031-823-04


Map Date 3-22-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) X Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___Yes___No
Residence X Yes ___ No
4) No. of bedrooms 3
5) Business Use - Max No Employees ___
6) Washing Machine X Yes ___No
Garbage Disposal ___Yes X No
Dishwasher ___Yes X No
7) Water Supply
A. Individual Well X
B. Governmental System ___
C. Community System
1. Well source ___
2. Governmental source ___
8) Sewage System
House located within 200 feet of public sewer ___Yes X No
House located within 200 feet of community sewer ___Yes X No
9) FHA Case No ___
10) VA Case No ___

11) NAME OF OWNER Lee (LAST) R. (FIRST) R. (MIDDLE)

14) ADDRESS OF OWNER Route 6, Charlotte, N. C. 28208

15) PHONE NO Home 392-1038 Office 392-1038

16) LOCATION OF SYSTEM Hart Road (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. 3 Block No. ___

Map Book No ___ Page No ___

18) DEED REFERENCE -- DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? YES NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

DATE OF APPLICATION ___

OWNER Roger R Lee

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: Lyle Roger R
ADDRESS: [illegible]
COUNTY: Carteret, N.C.
LOCATION OF SITE: Hart Road #3

DATE REQUESTED: 30 May 1978
PLAT NO.:
LOT SIZE:

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-8% U	S PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) clayey U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	S (PS) 36" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Improvious Strata, Rock)	S (PS) some rock outcrop U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S (PS) good U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) slow 90 min/in U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S (PS) adequate area U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	poor suitable			
SOIL SERIES				

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: J R Adkinson

Title: ENVIRONMENTALIST Date: 31 May 1978

DHS Form 2604 (2/77)
Sanitation


1
system location
Hart Rd

Serial No. 1932

PTR No. 14145

Date Issued 5/31/78

T C. No P.O. 031-223-04

Map Date 3/22/78


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Lee (LAST) Roger (FIRST) R. (MIDDLE)

ADDRESS OF OWNER Rt. 6 Box 607 Charlotte, NC ZIP 28208

LOCATION OF PROPERTY Hart Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 3 BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot

The permeability rate determined by the investigation was PROVISIONALLY SUITABLE The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit authorizing construction, alteration or repair of the septic system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the construction of buildings on the wastewater treatment system on the said lot.
2. The septic tank, wastewater treatment system which must be installed as may be determined by the Mecklenburg County Department of Environmental Health prior to the issuance of the permit, the rate obtained above, and on the size and type of building proposed to be served.
3. This approval shall apply only to the system as installed in the approved area indicated as acceptable for system installation on the above plot.
4. This approval shall be void unless construction including the preliminary trench is performed on the property for which the Mecklenburg County Department of Environmental Health has tested the area indicated as acceptable for system installation, unless a new evaluation of the site, construction, alteration, or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

John R. Harrison
Environmentalist

Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 5/31/78

Serial No. 1884

LA No. 14145

T C No. P.O. 031-223-04

Map Date 3-22-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Lee (LAST) Roger (FIRST) R. (MIDDLE)

ADDRESS OF OWNER Rt. 6, Box 607, Charlotte, N. C. ZIP 28208

LOCATION OF LOT Hart Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. 3 BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14145. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and, or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

John R Atkinson
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Serial No. 2976

ICAR(S) Permit No 14145


Date Issued 10 July 1979

T C No 031-823-01

Map Date 3-22-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14145, dated 5-30-78 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 1 Aug 1979, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate poor suitable

Tank Capacity 1000 gal

Tank Construction precast

Absorption area in Nitrification Lines

Total Line Length 320 ft 125

Number of Lines 5 ft 4

Distance from House 10'

Distance from Property Line 10'

Distance from Well 50'

NAME OF OWNER Lee, R. R.

LOCATION OF PROPERTY Hart Road Lot #3

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THIS SYSTEM WILL OPERATE PROPERLY OR REQUIRE ANY PERSON NOW OR HEREAFTER CONTROLLING OR USING SUCH SYSTEM TO MAKE ANY CHANGES RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

Comments 15'x66'x12" wash line 12'x32'x12"

Division or Section Head

John R Atkisson
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

Date Issued 16 July 1979 Serial No. 2856

C of A (s) No. 14145

T C No 031-223-04

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Lee (LAST), R. (FIRST) R. (MIDDLE)

Location of Property Hart Road Lot 3

Application Number _____ Permit Number 14145

Inspection Data:

Liquid Capacity of Tank 1000 gal Tank Material pre cast

Total Length of Drain Tile 330 & 125 Number of Lines 5 & 4

Depth of Filter Material 17" Cover Depth 24"

Water Supply Source well Distance from Water Source 50'


Excavation Inspected 7-10-79 (DATE) Tank Inspected 7-11-79 (DATE)

Nitrification Field Inspected 7-16-79 (DATE)

Washing Machine Line Inspected, If Applicable 7-16-79 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, _____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments



John R Adkisson
Sanitarian

EHD-S-76

Environmental Health Department's Copy

Date Received 7/31/79 Apt. No. (S) _____ Application No. (W) 11145

T. C. No. PO 031-223-04

Map Date _____

JUL 30 1979

ENVIRONMENTAL HEALTH

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Barber (LAST) Betty (FIRST) S. (MIDDLE)

ADDRESS OF OWNER Route 6, Box 718, Charlotte, N. C. ZIP 28208

PHONE NO Home 827-8646 Office _____


LOCATION OF PROPERTY Hart Rd. (STREET OR COUNTY ROAD)

WELL CONTRACTOR Lancaster Well Drilling LICENSE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of X individual, _____ semi public or _____ public water supply.

July 24, 1979
DATE OF APPLICATION

Betty S. Barber
OWNER



Remarks _____

ACCURATELY DIAGRAM & DIMENSION LOT

Application approved and permit hereby granted

Permit No: _____

_____
ENVIRONMENTALIST

EHD-5-76

Environmental Health Department's Copy