Date Received 8/21/78

APT No. 14475
T. & O. No. 137-162-02
Map Date 4-5-79

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Phillips (LAST) Robert, Sr. (FIRST) Lee (MIDDLE)

2) ADDRESS OF OWNER 6841 Wilson Grove Rd. ZIP 28212

3) PHONE NO Home 545-4896 Office 596-2181


4) LOCATION OF PROPERTY Traffic Light Church Rd. (STREET OR COUNTY ROAD)

5) SUBDIVISION LOT NO BLOCK NO

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK PAGE NO

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation on property hereinafter described for the purpose of determining the suitability for the installation of individual sewage or wastewater treatment systems with subsurface soil absorption effluent disposal.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Robert Lee Phillips Sr.
OWNER

HDS 5-76

Environmental Health Department's Copy

Opt. 14475

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: Robert Lee Hilliard Sr. DATE REQUESTED: Aug 21, 1978
ADDRESS: 6891 Wilson Grove Rd. PLAT NO.: PO. 131 1620-02
COUNTY: LOT SIZE: 66,000 SQ FT.
LOCATION OF SITE: Twilight Ch. Rd.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 2-10% U	S PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) Clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S PS Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) ≥ 6' PS U to Rock	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) ≥ 6' PS U to Water	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S PS U	S PS U	S PS U	S PS U
8. OTHER (Specify)	(S) Original PS U Cut	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	✓ Provisionally Suitable ✓			
SOIL SERIES				

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: Eddie Reynolds
Title: Environmental Tech Date: August 29, 1978

DHS Form 2601 (2/77)
Sanitation

SEE INSTRUCTIONS ON BACK

Date Received 9/1/78

MECK COUNTY DEPARTMENT OF
RECEIVED
SEP 1 1978
ENVIRONMENTAL HEALTH


ICAR(S) Application No 14475
P.C. No. 137-162-02
Map Date 4-5-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3) PLOT PLAN ACCURATELY DIMENSIONED

Mobile Home	Yes	No
Residence	Yes	No
5) No. of Bedrooms	3	
Business Use	Yes	No
Employees		
Washing Machine	✓ Yes	No
Garbage Disposal	Yes	✓ No
Dishwasher	✓ Yes	No
Water Supply		
A. Individual Well	✓	
B. Government Water		
C. Community System		
Well		
2. Government		
Sewage System		
Septic Tank	feet	✓
Public Sewer	Yes	✓ No
Private Sewage Treatment Plant	feet of	
Community System	Yes	✓ No
Soil Type No.		N/A
Area Type No.		N/A

13) NAME OF OWNER Kigers Earl T. (LAST, FIRST, MIDDLE)

14) ADDRESS OF OWNER 516 Old Wilson Grove Rd.

15) PHONE NO. Home 545-4596 Office

16) LOCATION OF SYSTEM 10501 Mile Light Ch. Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION ____ LOT NO. ____ Block No. ____

Map Book No. ____ Page No. ____

18) DEED RECORDED IN DEED BOOK ____ AT PAGE ____

19) ____ ACRES ____

20) ____

I/We the undersigned owner(s) agree that he has read the foregoing application and that the contents thereof are true to the best of his knowledge and belief; no permit applied for herein shall be valid and of no effect if any of the above facts are false.

DATE OF APPLICATION ____ OWNER Earl T. Kigers

Environmental Health Department's Copy

Serial No. 2141

PTR No. 14475

Date Issued August 29, 1978

T C No. P.0.137-162-02

Map Date 4-5-78


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Phillips (LAST) Robert (FIRST) Lee, Sr. (MIDDLE)

ADDRESS OF OWNER 6841 Wilson Grove Road, Charlotte, NC ZIP 28212

LOCATION OF PROPERTY Truelight Church Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

...by Mecklenburg County ... was conducted ... **Provisionally Suitable**

...The said lot is approved ... subsurface, soil ab...

...Mecklenburg County Depart... sewage treatment ...

...the Mecklenburg ... stated above, or ... system installed ...

...and regulations ... and the Mecklen... said at any time ... changed such that ... been in effect ... the issue date.

Lillie Truesdell
Environmentalist

John R. Robinson
...Health Director
Assistant Director

Serial No. 2186

LA No. 14475

Date Issued September 1, 1978

T. C. No. P.0.137-162-02

Map Date 4-5-78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Rogers (LAST) Earl (FIRST) T. (MIDDLE)

ADDRESS OF OWNER c/o 6841 Wilson Grove Road, Charlotte, NC ZIP

LOCATION OF LOT 10501 Truelight Church Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO. BLOCK NO.

MAP BOOK NO. PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14475 This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permits which have been issued to authorize construction on the said lot at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with the said Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Environmental Health Director or Authorized Section Head

EHD 5-76


Applicant's Copy Department's Copy

Date Issued Oct. 3, 1978 Serial No. 1991

ICAR(S) Permit No. 14475
P.O. T C No 137-162-02
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14475, dated and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before , after which date this permit shall be null and void



PLOT PLAN SYSTEM

Permeability —

Septic Capacity of Tank 1500/gal

Type of System PC

Absorption Area Required

Total Area Required 495 : 125

Number of Lines 5 & 4

Distance from Well 10'

Distance from Property Lines 10' +

Distance from Creek NA As of 10-3-78

NAME OF OWNER Earl L. Rogers

LOCATION OF PROPERTY Trudlight Church Rd.

This [illegible] the requirements set forth in the Regulations of the Mecklenburg County [illegible] the granting of this permit. A certificate of [illegible] will be issued upon completion of the system and approval by the Department. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

15' x 99' x 17"
12' x 32' x 17"

Sanitarian Eddie Reynolds

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

MCH 5 76

[illegible] Health Department's Copy

Date Issued Oct. 6, 1978 Serial No. 1956 C of A (s) No. 14475

P.O. T C No 137-162.02

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Rogers (LAST) Earl (FIRST) T. (MIDDLE)

Location of Property Twilight Church Rd.

Application Number 14475 Permit Number 14475

Inspection Date:

Liquid Capacity of Tank 1500/gal. Tank Material PC

Total Length of Drain Tile 495' 125' Number of Lines 5 & 4

Depth of Filter Material 17" Cover Depth 18"

Water Supply Source NA AS OF 10-6-78 Distance from Water Source NA

Excavation Inspected — (DATE) Tank Inspected 10-6-78 (DATE)

Nitrification Field Inspected 10-6-78 (DATE)

Washing Machine Line Inspected If Applicable 10-6-78 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission governing the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which will increase the requirements for said system.

Comments:

Eddie Reynolds
Environmentalist

EHD-5-76

Environmental Health Department's Copy