

1104 JAMES ST

6/19/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

2000

APPLICATION FOR AN IMPROVEMENT PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

(OFFICE USE ONLY)
FILE: 6625-A
TC: _____
SERIAL: № 20552
☐ L ☐ CRT

JOB LOCATION

① ADDRESS: 5523 (STREET NO.) James (STREET) St. ② FILE: 6625-A
③ JURISDICTION: _____ ④ TAX PARCEL NO.: 037-011-09
⑤ SUBDIVISION: _____ ⑥ LOT: _____ ⑦ BLOCK: _____

OWNER

⑧ NAME: W. (FIRST) H. (MIDDLE) Keistler (LAST) Jr.
⑨ MAILING ADDRESS: 302 Dakota St.
⑩ CITY: Charlotte ⑪ STATE: N.C. ⑫ ZIP: 28216
⑬ PHONE: (WORK) 399-1606 ⑭ (HOME) 399-1606

REQUEST

This request is for a(n):

⑮ ☒ New permit
⑯ ☐ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☐ Other (specify) _____

DESIGN CRITERIA

System will serve:

⑲ ☒ Residence ⑳ ☐ Mobile home
㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? 3
㉕ Type? _____
㉓ Maximum occupancy? 6
㉖ Maximum number of employees? _____
㉔ Basement? ☐ yes ☒ no
㉗ Maximum number of seats? _____

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☐ Individual well
B ☐ Municipal system
C ☒ Community well
D ☒ Community system

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: W. H. Keistler
Date: 5-7-1990

IMPROVEMENT PERMIT

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

... No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair permit is issued by this Department.

... This permit is not transferable, and shall become null and void 36 months from the date of issuance.

Environmentalist, 5/18/90 (Date)

Director or Authorized Section Head, 5-14-90 (Date)

*This permit must be signed by the Director of Mecklenburg County Health Department or an authorized section head in order to be valid.

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

CHARGE SLIP

Date: 5-16-90

Name/Company: W. A. Keistler, Jr

Sanitation _____

Vector Control _____

O.P.W.D. ✓

Service: D.P. New

5523 James St

MECKLENBURG COUNTY
HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
PAID
MAY 16 1990

File # 6625-A

Fee: $ 200.00 ck# 13540

$200.00

NOTICE:

A processing fee of $15.00 will be charged for all returned checks in accordance with N.C. General Statute 25-3-512.

3rd

Completed by

Collected by

CERTIFICATE OF COMPLETION/OPERATION PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 6625-A DATE: 8-3-90

TC: 037-011-09 ☒ L ☐ CRT

SERIAL Nº 13376

Name of Owner W.H. Keistler Jr. Juris.:

Address of Property 5523 James St.

Inspection Data:

Tank Material PCC

Total Length of Drainfield 400

Number of Lines 5 @ 80'

Cover Depth 24"

Water Supply Source city

Distance to Water Source

Excavation Inspected 8-3-90

Tank(s) Inspected 8-3-90

Wash Line Inspected

High Water Alarm Inspected

PLOT

Design: 1990, 1500 ST, CON, 1200 SFT, 12 E, cecil CTR# 22

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☑ installed or constructed ☐ altered or repaired

☑ in accordance with the permit issued ☐ as detailed in the plot above

and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this

☑ Certificate of Completion ☐ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: Installed for 3 bedrooms

B. R. Ferguson
Environmentalist


Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 6625-A DATE: 5/18/90
TC: D37 011 09 ℄ L
SERIAL Nº 12806

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 5/7/90. All work shall be completed on or before 6/10/90 VD after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1,500 gallons
Liquid Capacity of Dosing Tank — gallons
Tank Construction PCC

Absorption and/or Nitrification Lines:
Trench Width 3 feet
Total Line Length 400' feet
Number of Lines (5) 3'X80'
Depth of Stone 12" inches
Distance from House 10 feet
Distance from Property Line 10 feet
Distance from Well C/K WELL feet

NAME OF OWNER W.H. KEISTLER JR.
LOCATION OF PROPERTY 5523 JAMES ST.
Comments: 3 bedrm. (5) 3'X80'X 12" G, STRAW
Update if NECESSARY. MAY INSTALL PRIOR TO
HOUSE CONSTRUCTION.

Division or Section Head

Tim Whittaker, B.S.
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 6625-A

TC: 037-011-09

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE 5/18/90

Health Department's Copy Canary - Environmentalist's Copy Pink - Owner's Copy

Mecklenburg County
Health Department

April 3rd, 1990

W.H. Keistler, Jr.
302 Dakota St.
Charlotte, NC 28216

RE: Property located at James St.
FILE: 8625A
PARCEL: 03701109

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as PROVISIONALLY SUITABLE for such an installation. A copy of the Site Evaluation Report (Serial Number 17691) is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit an Application For An Improvement Permit with an ACCURATELY dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems to this office. The plan will be reviewed and if it is found that the area of provisionally suitable soils is adequate for the proposed construction, an Improvement Permit will be issued by this Department.

If I may be of assistance, please do not hesitate to contact me.

Very truly yours,

Gene Vaughan, R.S., Supervisor
On Premises Waste Disposal & Water Supply

Enclosure

Environmental Health Division
1200 Blythe Boulevard • Charlotte, North Carolina 28203 • (704) 376-4603

MECKLENBURG COUNTY HEALTH DEPARTMENT
SITE EVALUATION REPORT
SERIAL NUMBER 17691

File: 6625A Action 1

Parcel: PO 037-011-04 ☐ PC

Location: 5523 James St.

Subdivision:


Lot: 6 Block: Acres: .55

Owner: W. H. Keistler, Jr.
Address: 302 Dakota St.
Charlotte, NC 28216

Comments: Need to divert surface runoff from house to the right of lot

Described by: William R. Marlin

Date: 4-2-90



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	(S) PS U 2-8%	S PS U	S PS U	S PS U	S PS U	S PS U
Texture	S (PS) U Clay	S PS U	S PS U	S PS U	S PS U	S PS U
Structure	S (PS) U Blocky	S PS U	S PS U	S PS U	S PS U	S PS U
Drainage	S (PS) U 7-36" to water	S PS U	S PS U	S PS U	S PS U	S PS U
Depth	S (PS) U 7-36"	S PS U	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	S (PS) U 7-36"	S PS U	S PS U	S PS U	S PS U	S PS U
Available Space	S (PS) U limited	S PS U	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	IV Cecil-Hills					
Area Classification	S (PS) U	S PS U	S PS U	S PS U	S PS U	S PS U

MECKLENBURG COUNTY HEALTH DEPARTMENT
SITE EVALUATION REPORT
SERIAL NUMBER 17691

File: [illegible] Action [illegible]

Parcel: [illegible] ☐ PC

Location: 5523 James St.

Subdivision:


Lot: Block: Acres:

Owner: W. H. Kelsoe, Jr.
Address: 302 Dakota St.
Charlotte, NC 28216

Comments: [illegible]

Described by: [illegible]

Date: [illegible]



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Texture	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Structure	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Drainage	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Depth	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Available Space	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	[illegible]					
Area Classification	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U

APPLICATION FOR SOIL INVESTIGATION

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 66255A

TC: _____

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: 5523 James St.

② SUBDIVISION: _____ ③ LOT: 6 ④ BLOCK: —

⑤ PARCEL REFERENCE: BOOK NO.: 037 PAGE NO.: 011 PARCEL NO.: 09

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER

⑦ NAME: W. (FIRST) H. (MIDDLE) Keistler (LAST) Jr.


⑧ MAILING ADDRESS: 302 Dakota St.

⑨ CITY: Charlotte ⑩ STATE: N.C. ⑪ ZIP: 28216

⑫ PHONE: (WORK) 399-1606 (HOME) 399-1606

⑬ Accurately diagram and dimension lot.

24,000



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: W H Keistler Jr

Date: 3-30-1990

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

APPLICATION FOR SOIL INVESTIGATION

MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 66255A

TC: _____

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: 5523 James St.

② SUBDIVISION: _____ ③ LOT: 6 ④ BLOCK: _____

⑤ PARCEL REFERENCE: BOOK NO.: 037 PAGE NO.: 011 PARCEL NO.: 09

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: W. (FIRST) H. (MIDDLE) Keistler (LAST) Jr.

⑧ MAILING ADDRESS: 302 Dakota St.

⑨ CITY: Charlotte ⑩ STATE: N.C. ⑪ ZIP: 28216

⑫ PHONE: (WORK) 399-1606 (HOME) 399-1606

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: W H Keistler Jr

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

Date: 3-30-1990

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

CHARGE SLIP

Date: 4/2/90

Name/Company: W.H. Keistler Jr

Sanitation _____

Vector Control _____

O.P.W.D. ✓

Service: Soil
Water
6625A

ENVIRONMENTAL HEALTH DIVISION
PAID
APR 2 1990

Fee: $ 40.00


CK # 13416
$30.00
Cash
$10.00

NOTICE:

A processing fee of $15.00 will be charged for all returned checks in accordance with N.C. General Statute 25-3-512.

Completed by

Collected by


Installation
Issued
at
Corporal