

12801 HIDDEN HILLS LN

13531248

5/17/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

CERTIFICATE OF COMPLETION/OPERATION PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 4203 A DATE: 8/2/89

TC: 135-312-12 ☐ L ☑ CRT

SERIAL № 12026

Name of Owner STEVE BUSHING Juris.:

Address of Property 12908 HIDDEN HILLS LN.

Inspection Data:

Tank Material PCC

Total Length of Drainfield 400

Number of Lines 4 @ 100'

Cover Depth 12"

Water Supply Source Com.


Distance to Water Source >50

Excavation Inspected YES

Tank(s) Inspected YES

Wash Line Inspected —

High Water Alarm Inspected —



PLOT

Design: 1989, 1500, CON, 1200 SET, 12 6, CEC/LIKE CTR# 113

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☑ installed or constructed ☐ altered or repaired

☐ in accordance with the permit issued ☑ as detailed in the plot above

and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this

☑ Certificate of Completion ☐ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: 1989, 3 bedroom (4) 3'x 100', 12" G Com. H_2O

Tim Whittaker R.S.
Environmentalist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 4203A DATE: 7-28-89

TC: 135-312-12 ☐ L

SERIAL Nº 12891

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted [illegible] in the application dated _____. All work shall be completed on or [illegible] and void. The system shall meet all of the [illegible] of the granting of this permit. A Certificate of [illegible] Department of Environmental Health before [illegible] does not in any way guarantee that the system [illegible] hereafter owning, controlling or using such system

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

CHARGE SLIP

DATE: 7/28/89

NAME/COMPANY: Steve Rushing

Sanitation _____

Vector Control _____

OPWD ✓

MECKLENBURG COUNTY
HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
PAID
JUL 28 1989

SERVICE: installation insp
4203A

FEE: 100.00

Completed By

Collected By

Pd CK 840

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank _____ gallons

Tank Construction Concrete

Absorption and/or Nitrification Lines:

Trench Width 3 feet

Total Line Length 400 feet

Number of Lines 4

Depth of Stone 12 inches

Distance from House 10 feet

Distance from Property Line 10 feet

Distance from Well _____ feet

[illegible] Tank.

B. Ramsey

[illegible] signed by the division or a section head of the [illegible] Environmentalist is required where an existing

[illegible] ST'S COPY ● PINK - OWNER OR AGENTS COPY

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

CHARGE SLIP

Date 3/2/89

Name/Company T. Simms Rushing

Sanitation _____
Vector Control _____
O.P.W.D. ✓

Service: Dust.
#42038

MECKLENBURG COUNTY
HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
PAID
MAR 2 1989

Ck # 659
$75.00

Fee: $ 75 —

Completed by

Collected by

APPLICATION FOR AN IMPROVEMENT PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

(OFFICE USE ONLY)
FILE: 4203A
TC: _____
SERIAL: Nº 15174 ☐ L ☐ CRT

JOB LOCATION

① ADDRESS: 12801 (STREET NO.) Hidden Hills Lane (STREET) ② FILE: 4203-A
③ JURISDICTION: Mint Hill ④ TAX PARCEL NO.: 13531218
⑤ SUBDIVISION: Hidden Hills ⑥ LOT: 9 ⑦ BLOCK: 1

OWNER

⑧ NAME: F (FIRST) Steven (MIDDLE) Rushing (LAST)
⑨ MAILING ADDRESS: 10937 Winterbourne Ct.
⑩ CITY: Charlotte ⑪ STATE: N.C. ⑫ ZIP: 28226
⑬ PHONE: (WORK) 846-8221 ⑭ (HOME) 846-8221

REQUEST

This request is for a(n):

⑮ ☒ New permit
⑯ ☐ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☐ Other (specify) _____

DESIGN CRITERIA

System will serve:

⑲ ☒ Residence ⑳ ☐ Mobile home
㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? 3
㉕ Type? _____
㉓ Maximum occupancy? 3
㉖ Maximum number of employees? _____
㉔ Basement? ☐ yes ☒ no
㉗ Maximum number of seats? _____

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☐ Individual well
B ☐ Municipal system
C ☐ Community well
D ☒ Community system

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Steven Rushing
Date: 3-1-89

IMPROVEMENT PERMIT

The undersigned, an authorized agent of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

. . . No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair permit is issued by this Department.


. . . This permit is not transferable, and shall become null and void 36 months from the date of issuance. Lift station maybe required

B.R. Ferguson (Environmentalist) 3-6-89 (Date)
(Director or Authorized Section Head) 3-7-89 (Date)

*This permit must be signed by the Director of Environmental Health or an authorized section head in order to be valid.

Lot#9 Hidden Hills
BLK# 1
File# 4203-A

1/4 = 9.28'



Steven Rushing Builder

[redacted] Rushing
3-1-89

MECKLENBURG COUNTY

Department of Environmental Health

December 9th, 1987

Firstmark Development Corporation
6035 Florence Avenue, Suite 100
Charlotte, NC 28212

RE: Property located at 12801 Hidden Hills Lane 9-1
FILE: 4203A
PARCEL: 13531212

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as provisionally suitable for such an installation. A copy of the Site Evaluation Report (Serial Number 14866) is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit an Application For An Improvement Permit with an ACCURATELY dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems to this office. The plan will be reviewed and if it is found that the area of provisionally suitable soils is adequate for the proposed construction, an Improvement Permit will be issued by this Department.

If I may be of assistance, please do not hesitate to contact me.

Sincerely,

Sylvia D. Daniel, R.S.
Environmental Health Supervisor
Environmental Resources Division

Enclosure

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
SITE EVALUATION REPORT
SERIAL NUMBER 14866

File: 4203A Action 1

Parcel: 13531212 ☐ PC

Location: 12801 Hidden Hills Lane

Subdivision:


Lot: 9-1 Block: Acres: .56

Owner: Firstmark Development Corporation
Address: 6035 Florence Avenue, Suite 100
Charlotte, NC 28212

Comments: _____

Described by: William A Marks

Date: 12-9-87



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	(S) PS U 2-8%	S PS (U) complex slope	S PS (U) Depression	S PS U	S PS U	S PS U
Texture	S (PS) U clay	S PS U —	S PS U —	S PS U	S PS U	S PS U
Structure	S (PS) U Blocky	S PS U —	S PS U —	S PS U	S PS U	S PS U
Drainage	S (PS) U >36" to water	S PS U —	S PS U	S PS U	S PS U	S PS U
Depth	S (PS) U >36"	S PS U —	S PS U —	S PS U	S PS U	S PS U
Restrictive Horizons	S (PS) U >36"	S PS U —	S PS U —	S PS U	S PS U	S PS U
Available Space	S (PS) U Limited	S PS U —	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	10A Cec:1-1.4%	complex slope	Depression			
a Classification	S (PS) U	S PS (U)	S PS (U)	S PS U	S PS U	S PS U

12/4/87 Paid $30.00 Rec'd

APPLICATION FOR SOIL INVESTIGATION

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 4203A

TC: _____

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: 12801 Hidden Hills Lane

② SUBDIVISION: Hidden Hills ③ LOT: 9 ④ BLOCK: 1

⑤ PARCEL REFERENCE: BOOK NO.: 135 PAGE NO.: 312 PARCEL NO.: 12

⑥ DEED REFERENCE: BOOK NO.: 3339 PAGE NO.: 081

OWNER


⑦ NAME: Firstmark Development Corporation
(FIRST) (MIDDLE) (LAST)

⑧ MAILING ADDRESS: 6035 Florence Avenue, Suite 100

⑨ CITY: Charlotte ⑩ STATE: N.C. ⑪ ZIP: 28212

⑫ PHONE: (WORK) 536-1495 (HOME) _____

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: _____

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

Date: _____

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

DATE: 12-4-87

TO: ENVIRONMENTAL HEALTH

FROM: COUNTY ENGINEERING

EHD FILE _____ JURISDICTION CODE MINT

PARCEL NUMBER 13531212 PO

ASSIGNED ADDRESS 12801 HIDDEN HILLS ~~LANE~~ LN

EXISTING ADDRESS LOT 9 BLK 1

PROJECT NAME HIDDEN HILLS

THE ABOVE DESCRIBED LOCATION HAS BEEN CHECKED CONCERNING:

	APPROVED	NOT APPROVED
1. SUBDIVISION REGULATIONS	☑	☐ *
2. FLOODWAY REGULATIONS	☑	☐ *
3. EROSION CONTROL REGULATIONS	☑	☐ *
4. COMMERCIAL DRAINAGE PLAN	☑	☐ *

	PRESENT	NOT PRESENT
5. PUBLIC UTILITY EASEMENT	☐ * YES	☑ NO
6. PROPERTY FRONTS ON THOROUGHFARE	☐ * YES	☐ NO
7. DRIVEWAY PERMIT REQUIRED	☐ *	☐

* If checked, further investigation will be required to determine whether a building permit may be issued by Building Standards for the site.

REMARKS: Septic Tank

NOTE: THIS FORM MUST BE TURNED IN AT THE CASHIERS OFFICE AT BUILDING STANDARDS WHEN PAYING PERMIT FEES.
A CERTIFICATE OF OCCUPANCY WILL NOT BE GRANTED UNTIL THE TRANSPORTATION DIVISION GRANTS FINAL APPROVAL ON DRIVEWAY(S).

SIGNED: _____

OPWEAR 02/86

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT


MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 4203A DATE: 7-28-89

TC: 135-312-12 ☐ L

SERIAL № 12891

Permission is hereby given to V Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated _____. All work shall be completed on or before _____, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank _____ gallons

Tank Construction Concrete

Absorption and/or Nitrification Lines:

Trench Width 3 feet

Total Line Length 400 feet

Number of Lines 4

Depth of Stone 12 inches

Distance from House 10 feet

Distance from Property Line 10 feet

Distance from Well _____ feet

NAME OF OWNER Steve Rushing

LOCATION OF PROPERTY 12908 Hidden Hills LN

Comments: 4 Lines 100 FT 12 Stone 1500 gallon Tank.

Division or Section Head

Willard B. Ramsey
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY