Date Received _____

APT No 13828
T. C. No 215.141-03

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER F Funderburk (LAST) Lela (FIRST) Price (MIDDLE)

2) ADDRESS OF OWNER 14808 Idlewild Rd., Matthews, N.C. ZIP 28105


3) PHONE NO Home 847-6118 Office 847-9851 (daughter-in-law, Mrs. Jerry Funderburk at work)

4) LOCATION OF PROPERTY Between B.J. Funderburk (Lela P.) and Jerry M. Funderburk (15024 Idlewild Rd.) (formerly Secrest Short Cut)
STREET OR COUNTY ROAD

5) SUBDIVISION _____ LOT NO _____ BLOCK NO _____
Map made 2/6/34 by J.B. Spratt, C.S. (See attached copy of Deed)
MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK 958 PAGE NO 121

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinafter described for the purpose of determining if the lot is suitable for the installation of an individual septic tank waste water treatment system with subsurface soil absorption effluent discharge



15024 Idlewild Rd.

To Monroe & Indian Trail.

ACCURATELY DIAGRAM & DIMENSION LOT

75 ft.

14808 Idlewild Rd.

To Charlotte

Lela P. Funderburk
OWNER

EHD-5-76

Environmental Health Department's Copy

Apr 1382

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(S-24)

(Ground Absorption Sewage Disposal)

OWNER: Lela P. Fundyfrunk DATE REQUESTED: 7 April 78
ADDRESS: 1428 Idlewild 12d 2005 PLAT NO.:
COUNTY: Mech. LOT SIZE: ≈ 24 acre sq. Ft.
LOCATION OF SITE: PO 215-141-03 - Idlewild Rd.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (Z)	S (PS) 2-4% U	S PS 2-4% U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S PS clay (C) 2:1	S (PS) clay U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S PS massive (C)	S (PS) Blocky U	S PS U	S PS U
4. SOIL DEPTH (In.)	S (PS) >48" U	S (PS) >48" U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	S (PS) None Noted U	(S) None PS noted U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S Perched PS water (U) table.	S Fair PS 24" to U gravel	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S PS slow (U)	S (PS) moderate U	S PS U	S PS U
8. OTHER (Specify)	S PS — U	(S) area PS U	S PS U	S PS U
9. SITE CLASSIFICATION	UNSUITABLE	Provisionally Suitable		
SOIL SERIES	Helena	Cecil		

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: Steve Wood

Title: Environmentalist Date: 7 April 78

DHS Form 2601 (2/77)
Sanitation


75'
Tokeweld Rd
2
315'
315'
well
1
75'

Serial No. 1723

PTR No. 13828

Date Issued 4/11/78

T C No. P.O. 215-141-03

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Funderburk (LAST) Lela (FIRST) Price (MIDDLE)

ADDRESS OF OWNER 14808 Idlewild Road, Matthews, N. C. ZIP 28105

LOCATION OF PROPERTY Idlewild Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and onsite investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on the plot plan of the lot as indicated on the above plot **Provisionally Suitable**

The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

A permit must be obtained before any part of the proposed system is installed. Contact the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of the wastewater treatment system on the said lot.

2. The size of the septic tank and wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to the issuance of the permit by using the permeability rate obtained above, and on the size of the building to be constructed thereon.

3. This approval is valid for the system installed only if the minimum site and soil conditions described for system installation on the above plot.

4. This approval is void if any grading, filling or construction is performed on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation. Contact the Health Department prior to any repair to the system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date

Stephen J. Wood — Environmentalist

John R. Atkisson — Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Received 4/17/78

ICAR(S) Application No 13828

T C No. 215 141 03


Map Date ____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) X Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____ Yes ____ No

Residence ____ Yes ____ No

4) No of Bedrooms 2

5) Business Use -- Max No Employees ____

6) Washing Machine X Yes ____ No

7) Garbage Disposal ____ Yes X No

8) Dishwasher ____ Yes X No

9) Water Supply

A Individual Well X

B Governmental System ____

C Community System

1 Well source ____

2 Governmental source ____

10) Sewage System

House located within 200 feet of public sewer ____ Yes ____ No

House located within 200 feet of community sewer ____ Yes ____ No

11) FHA Case No ____

12) VA Case No ____

13) NAME OF OWNER Funderburk (LAST) Lela (FIRST) Price (MIDDLE)

14) ADDRESS OF OWNER 14808 Idlewild Road, Matthews, N. C. 28105

15) PHONE NO. Home (Son) 847-6122 (Home No.) Office (Daughter-in-law) 847-9851

16) LOCATION OF SYSTEM Idlewild Rd (STREET OR COUNTY ROAD)

17) SUBDIVISION ____ Lot No. ____ Block No. ____

Map Book No ____ Page No. ____

18) DEED REFERENCE — DEED BOOK 958 AT PAGE 121

19) HAS A SOIL INVESTIGATION BEEN RUN? X YES ____ NO DATE RUN 4/7/78

20) PTR NUMBER (See Instructions) 13828

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

April 14, 1978
DATE OF APPLICATION

[signature]
OWNER

EHD-5-76

Environmental Health Department's Copy

Date Issued 4/18/78

Serial No. 1730

LA No. 13828

T C. No. P.O. 215-141-03

Map Date -

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Funderburk (LAST) Lela (FIRST) Price (MIDDLE)

ADDRESS OF OWNER 14808 Idlewild Road, Matthews, N. C. ZIP 28105

LOCATION OF LOT Idlewild Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 13828. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 24 Apr 24

Serial No. 1554


ICAR(S) Permit No. 13928

T C No PC-215-14

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 13928, dated 4/19/24, and this permit shall be void and of no effect if the information provided in the application is not true in all respects. All work shall be completed on or before 24 May, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate

Liquid Capacity of Tank 1500 gal

Tank Construction Precast

Absorption Lines or Nitrification Lines

Total Line Length 330'

Number of Lines 4

Distance from House 10'

Distance from Property Line 20'

Distance from Well 50'

NAME OF OWNER Tom F. Faircloth Trust

LOCATION OF PROPERTY Near to 14800 Idlewild Rd

This system must meet all requirements as set forth in the Regulations of the Mecklenburg County Health Commission in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Comments Fallow trench system

Division or Section Head

Environmentalist Stephen J. Wood

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

Date Issued 24 April 78 **Serial No. 1503** C of A (s) No. 13828

T C No CO. 215-141-03

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Finnebrek (LAST) Lela (FIRST) P. (MIDDLE)

Location of Property Route 14303 Edwards Rd.

Application Number 13828 Permit Number 13828

Inspection Date:

Liquid Capacity of Tank 1500 gal Tank Material Pre Cast

Total Length of Drain Tile 330' Number of Lines 5

Depth of Filter Material 17" Cover Depth 20"

Water Supply Source well Distance from Water Source 50'

Excavation Inspected 24 April 78 (DATE) Tank Inspected 24 April 78 (DATE)

Nitrification Field Inspected 24 April 78 (DATE)

Washing Machine Line Inspected, If Applicable _____ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ~~_____~~ installed or constructed, _____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit, in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments Final —

Stephen J. Wood
Environmentalist

END-5-76

Environmental Health Department's Copy