Date Received 5/24/[illegible]

APT No. See 14281 / 12482

T. C. No. 057-135-15

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Smith (LAST) Allen (FIRST) (MIDDLE)

2) ADDRESS OF OWNER Rt 13 Box 161 (Pineville) ZIP 28246

3) PHONE NO Home 576-6247 Office 376-9541


4) LOCATION OF PROPERTY Ramsey Road (STREET OR COUNTY ROAD)

5) SUBDIVISION Havana Park LOT NO ~~12~~ 2 BLOCK NO. 3

MAP BOOK NO 14 PAGE NO 343

6) DEED REFERENCE DEED BOOK ___ PAGE NO ___

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the property hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Owner Signature

OWNER

END-5-76

Environmental Health Department's Copy

SOIL INVESTIGATION REPORT

Date of Investigation May 24 [illegible] APT NO. [illegible]

Owner Dave Smith T.C. 031-185-15

Location of Property Manns Rd Lot #

Soil Suitability Ratings

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series				
2. Soil Slope				
3. Soil Depth				
4. Soil Texture				
5. Soil Structure				
6. Restrictive Horizons				
7. Soil Drainage				
8. Soil Permeability (Percolation Rate)				
9. Other		Rock		
10. Overall Rating				


Recommendations [illegible]

Soil Mapper [illegible]

[illegible]

3/10/75
PMS 509

DIAGRAM OF PROPERTY



3/18/75

EHD 539

Serial No. 0885

PTR No 12482

Date Issued 6/10/77

T C No 037-185-15

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Smith (LAST) Aaron (FIRST) (MIDDLE)

ADDRESS OF OWNER Route 13, Box 231 Charlotte, N. C. ZIP 28216

LOCATION OF PROPERTY Reames Road

SUBDIVISION Havana Park LOT NO 2 BLOCK NO 3



Provisionally Suitable
90Min./In.

The [illegible] and regulation [illegible] the Mecklen[illegible] time [illegible] regulations are changed such that [illegible] would not have been granted had the new [illegible] been in effect on the issue date.

Soil Scientist

[illegible] Health Director
[illegible] Section Head

Environmental Health Department's Copy

Date Received 5/[illegible]/71

APT No. 1281

T. C. No. [illegible]

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Smith Mikell
LAST FIRST MIDDLE

2) ADDRESS OF OWNER Rte Box 231 Pineville 28134 ZIP 28134

3) PHONE NO Home 596-6547 Office 376 9891


4) LOCATION OF PROPERTY Reames Rd + [illegible]
STREET OR COUNTY ROAD

5) SUBDIVISION Hewitt Pk LOT NO 1 BLOCK NO. 3

MAP BOOK NO 14 PAGE NO 243

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation on site inspection of the property here above described for the purpose of determining the suitability for the installation of an individual septic tank wastewater treatment system with subsurface absorption effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Owner

EHD-5-76

Environmental Health Department's Copy

SOIL INVESTIGATION REPORT

Date of Investigation [illegible] APT NO. [illegible]

Owner [illegible]

Location of Property [illegible]

Soil Suitability Ratings


Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series				
2. Soil Slope				
3. Soil Depth				
4. Soil Texture				
5. Soil Structure				
6. Restrictive Horizons				
7. Soil Drainage				
8. Soil Permeability (Percolation Rate)				
9. Other				
10. Overall Rating				

Recommendations [illegible]

[illegible]

3/[illegible]/75
[illegible] 529

DIAGRAM OF PROPERTY



3/18/75
EHD 539

Serial No. 0885

PTR No. 12481
037-185-14
T C No. _____

Date Issued 6/10/77

Map Date _____


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Smith (LAST) Aaron (FIRST) _____ (MIDDLE)

ADDRESS OF OWNER Rt. 13, Box 231, Charlotte, N. C. ZIP 28216

LOCATION OF PROPERTY Corner: Reames Road & Dayan Drive
(STREET OR COUNTY ROAD)

SUBDIVISION Havana Park LOT NO 1 BLOCK NO 3



Provisionally Suitable
60Min./In.

The [illegible] and regulations [illegible] the Mecklenburg [illegible] at any time [illegible] such that [illegible] the issue date.

Soil Scientist

Health Director
Environmental Section Head

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 9/25/78

ICAR (S) Application No 12481

T C No 37 185 IC 4/5


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge

This application is hereby described hereinafter and applies to the Mecklenburg County Department of Environmental Health for a permit to

✓ Construct 2 Repair an individual septic tank and wastewater treatment system with subsurface soil absorption effluent discharge



3 PLOT PLAN (ACCURATELY DIMENSIONED)

Water Name — Yes — No
Public — ✓ Yes — No
4 No of Bedrooms 4
5 Private Well Yes No
Employees — —
6 Existing Water — Yes ✓ No
7 Community Water — Yes ✓ No
8 Sewer — Yes ✓ No
9 Available — ✓ —
Distance from — —
Water Line — —
Distance from — feet
Property Yes ✓ No
Distance from 100 feet of
Property Yes ✓ No
FHA Case No — —
VA Case No — —

13 NAME OF OWNER Hart (LAST) Alvin (FIRST) L (MIDDLE)

14 ADDRESS OF OWNER 1 Crew Shaw Drive

15 PHONE NO Home 392-9217 Office

16 LOCATION OF SYSTEM Dwight Drive (STREET OR COUNTY ROAD)

17 SUBDIVISION Hal Hyatt Park Lot No 19-2 Block No 3

Map Book No 14 Page No. 343

18 DEED REFERENCE — DEED BOOK 3962 AT PAGE 72

19 HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 9/27/78

20 PTR NUMBER (See instructions) 12421

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

9/22/78
DATE OF APPLICATION

✓ Alvin L. Hart
OWNER

E-HD-5-76

Environmental Health Department's Copy

Serial No. 2250

LA No. 12481

Date Issued September 25, 1978

T. C. No. 037-185-14&15

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Hart (LAST) Alvin (FIRST) L. (MIDDLE)

ADDRESS OF OWNER Crenshaw Drive, Charlotte, NC ZIP

LOCATION OF LOT Dayan Drive (STREET OR COUNTY ROAD)

SUBDIVISION Havana Park LOT NO 1 & 2 BLOCK NO 3

MAP BOOK NO 14 PAGE NO 343

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 12481. This approval is subject to the following terms and conditions

1. That the installation field be installed constructed altered and or repaired in the same area where the soil investigation was run
2. That an Installation Construction, Alteration and or Repair Permit be issued and in full force and effect when the system is installed constructed, altered and or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit issued which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation Construction Alteration, and or Repair Permit is not correct or is untrue or that the septic tank system is not being installed constructed altered and or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Marshall Edwards
Environmentalist

John R Atkinson
Environmental Health Director or Authorized Section Head

EHDIS-76

Environmental Health Department's Copy

Date Issued 3-16-79

Serial No. 2455


ICAR(S) Permit No 12481

T C 037-185-14 & 15

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permit is hereby granted for the ✓ Construct Alter or Repair [illegible] septic tank waste-water [illegible] in accordance with the soil profile log and the effluent discharge [illegible] herein at the described property. This permit is granted based upon the information supplied [illegible] on 12481 with 7-25-78 [illegible] and is void if the [illegible] is not in effect at the [illegible] set in the application for a permit is submitted prior to 4-16-79, after which date this permit shall be null and void.



P/S

1500

P/C

660-167

5-4

10'+

10'+

50'+

PLOT OF SYSTEM DAYAN DR.

NAME OF OWNER ALVIN L. HART

ADDRESS OF PROPERTY DAYAN DR.

[illegible] in accordance with the Regulations of the Mecklenburg [illegible] at the time of the granting of this permit. A certificate [illegible] be issued by the Environmental Health Department before the system can be covered up or [illegible] or connected to any building. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly.** Septic Tank Sized (15'x132x17" stone) Washing machine sized (12x42x17" stone)

Environmentalist

If this permit is for the installation or construction of a new system, it must be signed by the division or section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 12481

Date Issued 4-20-79 Serial No. 2510

T No 037-185-14 & 15

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner HART (LAST) ALVIN (FIRST) L (MIDDLE)

Location of Property DAYAN DR.

Application Number 12481 Permit Number 12481

Inspection Date:

Liquid Capacity of Tank 1500 Tank Material P/C

Total Length of Drain Tile 660-167 Number of Lines 5-4

Depth of Filter Material 17" Cover Depth 24"

Water Supply Source Well Distance from Water Source 50'+


Excavation Inspected 4-20-79 (DATE) Tank Inspected 4-20-79 (DATE)

Installation Final Inspected 4-20-79 (DATE)

Washing Machine Line Inspected If Applicable 4-20-79 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption effluent disposal as described above and it has been ✓ installed or constructed in accordance with the application and the plans submitted and the regulations of the Mecklenburg County Health Department in effect at the date of issuance of this permit. This certificate is not a guarantee that this system will operate properly or that it will not require repairs or replacement. This system must be used and maintained as required by the rules and regulations of the Mecklenburg County Health Department. This Certificate of Approval is issued subject to the restrictions and conditions listed below and those listed on the application. This Certificate of Approval will be void if any of the information contained in the application is found to be false or if any additions or modifications are made which increase the requirements for said system.

Comments



Environmentalist

EHD-5-76

Environmental Health Department's Copy