SEE INSTRUCTIONS ON BACK

Date Received 4-19-83

ICAR(S) Application No. 19577

T. C. No. 205-052-23


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) _ Install or Construct 2) ✓ Alter or Repair on individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____Yes____No
Residence ✓ Yes ____No
4) No of Bedrooms 3
5) Business Use — Max No Employees ____
6) Washing Machine ✓ Yes ____No
7) Garbage Disposal ____Yes ____No
8) Dishwasher ____Yes ____No
9) Water Supply
A) Individual Well ✓
B) Governmental System ____
C) Community System
1) Well source ____
2) Governmental source ____
10) Sewage System
House located within 200 feet of public sewer ____Yes ✓ No
House located within 200 feet of community sewer ____Yes ✓ No
11) FHA Case No. ____
12) VA Case No. ____

13) NAME OF OWNER DAVIS (LAST) NORMAN (FIRST) HENRY (MIDDLE)

14) ADDRESS OF OWNER RT 1 BOX 232 PINEVILLE, NC 28134

15) PHONE NO. Home 566 0493 Office 566 0510 AFTER 2:30

16) LOCATION OF SYSTEM SIMON LANE (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No. _____ Block No. _____

Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ____ YES ____ NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

4-17-83
DATE OF APPLICATION

Norman H. Davis
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 6191

ICAR(S) Permit No. 19577


Date Issued 4-21-83

T. C No. 205-052-23

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ___ Install or Construct, X Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 19577, dated 4-21-83 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before MAY 9E 1983, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS IV4

Liquid Capacity of Tank _____

Tank Construction Repair

Absorption and or Nutrification Lines

Total Line Length 100 Lin FT

Number of Lines Three

Distance from House 10 FT

Distance from Property Line 30 FT

Distance from Well 100 FT

NAME OF OWNER DAVIS NORMAN

LOCATION OF PROPERTY ABBOTT LANE

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Comments: Three Trenches X 60 34 FT x 3FT x 17 inches Stone - Gravel Rd
Hay or Straw Cover. Use DIST BOX AT TANK IF NEEDED + OUT
BOX 25FT from TANK-CUT OFF STRAIGHT PIPE & DITCH-AT

Ralph Millican

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY