Date Received 8/21/74

APT No 16108

T C No 11-281-04

Map Date

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

## APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Christenbury, Mrs. W.B.
(LAST, FIRST, MIDDLE)

2) ADDRESS OF OWNER 3201 Clark Street, Charlotte ZIP 28205

3) PHONE NO. Home Office


4) LOCATION OF PROPERTY corner: Rocky River Road and Camp Stewart Road
(STREET OR COUNTY ROAD)

5) SUBDIVISION LOT NO BLOCK NO

MAP BOOK NO PAGE NO

6) DEED REFERENCE DEED BOOK PAGE NO

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge




7) ACCURATELY DIAGRAM & DIMENSION LOT

see attached letter
OWNER

EHD-5-76

Environmental Health Department's Copy

II

S. I. R. NO. 16108

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX II
SITE EVALUATION

T. C. # 111-281--04

(Ground Absorption Sewage Disposal)

OWNER: W I B CHRISTENBURY
ADDRESS: 3201 Clark St
COUNTY: CHARLOTTE
LOCATION OF SITE: Rocky River & Camp Steward Rd

DATE REQUESTED: 8-21-79
PLAT NO.:
LOT SIZE: 95250 2.84

| FACTORS | AREA 1 | AREA 2 | AREA 3 | AREA 4 |
|---|---|---|---|---|
| 1. SLOPE (%) | S (PS) U — 2-10 | S PS U | S PS U | S PS U + |
| 2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1 Clay) | S (PS) U — Clayey | S PS U | S PS U | S PS U |
| 3. SOIL STRUCTURE (12.36 in.) (Clayey Soils) | S (PS) U — Blocky | S PS U | S PS U | S PS U |
| 4. SOIL DEPTH (In.) | S (PS) U — 48 | S PS U | S PS U | S PS U |
| 5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock) | S (PS) U — NINE | S PS U | S PS U | S PS U |
| 6. SOIL DRAINAGE/GROUNDWATER (External & internal) | S (PS) U — Adequate | S PS U | S PS U | S PS U |
| 7. SOIL PERMEABILITY (Percolation Rate) | S (PS) U — Moderate | S PS U | S PS U | S PS U |
| 8. OTHER (Specify) | S PS U | S PS U | S PS U | S PS U |
| 9. SITE CLASSIFICATION | P. Suitable | | | |
| SOIL SERIES | Cecil | | | |

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies wet areas, fill areas, wells, water bodies, slope patterns, etc.

Recommendations/Comments:

Described By: W. B. Ramsey

Title: Soil Scientist Date: 8-28-79

DHS Form 2601
Sanitation
EHD 539 (3/79)


Camp Sewell Rd
635
150
Cecil
2410
ROCKY RIVER Rd

Serial No. 3077

PTR No. 16108

T C No 111-281-04

Date Issued 8/30/79

Map Date


# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH
## SOIL INVESTIGATION REPORT

NAME OF OWNER [redacted] Christenbury, Mrs. W. B.
LAST FIRST MIDDLE

ADDRESS OF OWNER 3201 Clark Street, Charlotte, NC ZIP 28205

LOCATION OF PROPERTY corner: Rocky River Road and Camp Stewart [redacted] Road
STREET OR COUNTY ROAD

SUBDIVISION LOT NO BLOCK NO




PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot **provisionally**

The permeability rate determined by the investigation was **suitable** The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge subject to the following terms and conditions:

1. A permit for construction of the wastewater treatment system shall be obtained from the Mecklenburg County Department of Environmental Health prior to any construction of the wastewater treatment system on the lot.
2. The plans for the septic tank wastewater treatment system shall be submitted to and approved by the Mecklenburg County Department of Environmental Health prior to the issuance of a permit for the system installation as indicated above, and on the date and time of any inspection thereof.
3. The approved wastewater treatment system shall be installed on the immediate area and shall be the only system installation on the above plot.
4. This approval is valid for sixty days from the date of the soil investigation. Any subsequent soil investigation performed on the lot which is the basis for the Mecklenburg County Department of Environmental Health render the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

W. R. Ramsey
Soil Scientist
EHS-5-74

John Atkinson
Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

K

SEE INSTRUCTIONS ON BACK

Date Received 4-22-97

ICAR(S) Application No 16108

T C No 14-241-04


Map Date

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

**Application for an**
**Installation, Construction, Alteration, and/or Repair Permit**
**Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge**

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) Alter or Repair on individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home Yes ✓ No
Residence ✓ Yes ___ No

4) No of Bedrooms 3

5) Business Use - Max No Employees

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ___ Yes ✓ No

9) Water Supply
A) Individual Well Yes
B) Governmental System
C) Community System
1) Well source
2) Governmental source

10) Sewage System
House located within 200 feet of public sewer ✓ Yes ___ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No

12) VA Case No

13) NAME OF OWNER Broome, Taylor C.
(LAST, FIRST, MIDDLE)

14) ADDRESS OF OWNER 607 Drury Dr. Charlotte 28206

15) PHONE NO Home 596-4547 Office

16) LOCATION OF SYSTEM Rocky River and Camp Stewart Rd.
(STREET OR COUNTY ROAD)

17) SUBDIVISION Lot No Block No

Map Book No Page No.

18) DEED REFERENCE — DEED BOOK AT PAGE

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 4-28-97

20) PTR NUMBER (See Instructions)

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

DATE OF APPLICATION

X Taylor C Broome
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued April 23, 1980 Serial No. 4070

LA No. 16108

T. C. No. 111-281-04

Map Date

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH

**TO THE BUILDING INSPECTION DEPARTMENT**

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Broome, (LAST) Taylor (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 607 Drury Drive, Charlotte, NC ZIP 28206

LOCATION OF LOT Rocky River and Camp Stewart Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an installation, Construction, Alteration, and/or Repair Permit", number. ~~16108~~. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

John Fiscalman
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

**Environmental Health Department's Copy**

Date Issued 7/23/80

Serial No. 4086


ICAR(S) Permit No. 16108

T C No. 111-281-04

Map Date

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH
## INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
### (Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 16108, dated 4/22/80 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 9/15/80, after which date this permit shall be null and void.




PLOT OF SYSTEM

Permeability Rate P5

Liquid Capacity of Tank 1000 gal

Tank Construction PC CONC

Absorption and/or Nitrification Lines

Total Line Length 350'+125'

Number of Lines 4+4

Distance from House 710'

Distance from Property Line 710'

Distance from Well NOT IN yet

NAME OF OWNER TAYLOR C. BROOME

LOCATION OF PROPERTY ROCKY RIVER CHURCH Rd & Camp Stewart Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Comments: 12'X83'X17" of STONE for SEPTIC TANK
12'X32'X17" of STONE for washing MACHINE

Division or Section Head

Environmentalist Adam Winfield

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHO-5-76

**Environmental Health Department's Copy**

C of A (s) No. 16108

Date Issued 8-29-80 Serial 4007 T C No. 111-24-00

# MECKLENBURG COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH
## ENVIRONMENTAL HEALTH DIVISION

### CERTIFICATE OF APPROVAL
**(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)**

Name of Owner Greene (LAST), C. Taylor (FIRST), C (MIDDLE)

Location of Property Rocky River Road & Camp Stewart Road

Application Number 16108 Permit Number 16108

**Inspection Data:**

Liquid Capacity of Tank 1000 gal Tank Material Pvc

Total Length of Drain Tile 330'+125' Number of Lines 4+4

Depth of Filter Material 17" Cover Depth 15"

Water Supply Source well Distance from Water Source 50'

Excavation Inspected 8-29-80 (DATE) Tank Inspected 8-29-80 (DATE)

Nitrification Field Inspected 8-29-80 (DATE)

Washing Machine Line Inspected, If Applicable 8-29-80 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been _____ installed or constructed, _____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments _____

Bob Wilson
Environmentalist

EHD-S-76

**Environmental Health Department's Copy**