Date Received 3-1-84

MECK CO. N.C. DEPARTMENT OF
REGISTERED

SIR No. 20691
T. C. No. 231-111-04
Map Date 8/82

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Providence Woods, Inc.
(LAST, FIRST, MIDDLE)

2) ADDRESS OF OWNER 1740 E. Independence Blvd, Charlotte, NC 28205
(ZIP)

3) PHONE NO. Home _____ Office 704-372-2565

4) LOCATION OF PROPERTY County Court & Amanda Dr.
(STREET OR COUNTY ROAD)

5) SUBDIVISION Providence Woods LOT NO 17 BLOCK NO. U

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK 4571 PAGE NO 693-694

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge

Please see attached map

7) ACCURATELY DIAGRAM & DIMENSION LOT

J. P. Noonan
OWNER Agent

EHO-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20691

T.C. NO. 00231-11-04

(Ground Absorption Sewage Disposal)

OWNER: Providence Woods, Inc.
ADDRESS: 1740 E. Independence Blvd.
Charlotte, N.C. 28205
LOCATION OF SITE: County Court & Amanda Dr.

PLAT NO: 417-BV
LOT SIZE: Approx 56000

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS 2-8% U	S PS complex slopes U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS clay U	S PS clay U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S PS Blocky U	S PS Blocky U	S PS U	S PS U
4. SOIL DEPTH (inches)	S PS 36-48" U	S PS <36" U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS >36" U	S PS <36" U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S >48" PS to ground water U	S Eroded Areas PS channel runoff U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	10A	10A		
9. SITE CLASSIFICATION	Provisionally suitable	unsuitable		
10. SOIL SERIES	Cecil-Little	complex slopes		

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: William R. Martin
Title: Soil Scientist

Date: 3-14-84

EHD 539 (Revised: 6/82)



152'
County Court
400'
Approx
240'
3.70
complex
slopes
150'
Amende Dr.

Serial No. 5523

SIR No. 20691

T. C. No. PO 231-111-04

Date Issued 3-15-84

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Providence Woods, Inc.
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 1740 E. Independence Blvd., Charlotte, NC ZIP 28205

LOCATION OF PROPERTY County Court and Amanda Drive
(STREET OR COUNTY ROAD)

SUBDIVISION Providence Woods LOT NO 17 BLOCK NO 5



PLOT PLAN

This is to certify that a soil investigation and onsite investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot as indicated on the above plot **PROVISIONALLY SUITABLE**

The permeability rate determined by the investigation was . The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install conforming to the soil and site evaluation shall be obtained from the Mecklenburg County Department of Environmental Health prior to any construction of the wastewater treatment system on the said lot.
2. The size of the septic tank and treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to issuance of a permit based on the proposed use, and as indicated above and on the site and type of building contemplated thereon.
3. The soil conditions found on the lot as noted in the remarks and sketch are acceptable for system installation as specified.
4. The [illegible] shall be constructed [illegible] which the lot which [illegible] Mecklenburg County Department of Environmental Health [illegible] rated as acceptable for system installation unless [illegible] construction [illegible] system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the newer revised laws, rules, and regulations been in effect on the issue date.

William E. Wheeler
Soil Scientist

Bill D. Hardister
Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 20691

TC: 0231-111-04

JOB LOCATION

① ADDRESS: 3501 (STREET NO) Bounty Ct (STREET) ② FILE:

③ CITY: ④ TAX PARCEL NO.:

⑤ SUBDIVISION: ⑥ LOT: 17 ⑦ BLOCK: I

OWNER

⑧ NAME: Lewis (FIRST) F (MIDDLE) Carpenter (LAST)

⑨ MAILING ADDRESS: 6117 Carden Drive

⑩ CITY: Charlotte ⑪ STATE: NC ⑫ ZIP: 28212

⑬ PHONE: (WORK) 545 4652 ⑭ (HOME) Same

REQUEST

This request is for a(n):

⑮ ☒ New installation permit ⑰ ☐ Authorization for mobile home exchange

⑯ ☐ Repair or alteration permit ⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☒ Residence ⑳ ☐ Mobile home ㉑ ☐ Business or place of public assembly

㉒ Number of bedrooms? 3 ㉕ Type?

㉓ Maximum occupancy? 3 ㉖ Maximum number of employees?

㉔ Basement? ☐ yes ☐ no ㉗ Maximum number of seats?



㉘ Accurately dimensioned plot

WATER SUPPLY

㉙ Water supply from (present or proposed):

A ☒ Individual well

B ☐ Municipal system

C ☐ Community well

D ☐ Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Lewis F Carpenter

Date: 9-13-85

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

Date Issued 9-17-85

Serial No. 8911

SIR No. 20691

T. C. No. PO 231-111-04

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Carpenter, (LAST) Lewis (FIRST) F. (MIDDLE)

ADDRESS OF OWNER 6117 Carden Dr., Charlotte, NC ZIP 28212

LOCATION OF LOT 3501 Bounty Court (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO 17 BLOCK NO. V

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20691. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

B. R. Ferguson
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 20691

Date Issued 2/17/86 **Serial** 8293 T. C. No. 231-111-04

✓ CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Carpenter (LAST) Lewis (FIRST) (MIDDLE)

Location of Property 3501 Bounty Court

Application Number 20691 Permit Number 20691

Inspection Date:

Liquid Capacity of Tank 1500 gal Tank Material PCC

Total Length of Drain Tile 400 Number of Lines 5

Depth of Filter Material 12" Cover Depth 18"

Water Supply Source well Distance from Water Source 65'

Excavation Inspected 2/17/86 (DATE) Tank Inspected 2/17/86 (DATE)

Nitrification Field Inspected 2/17/86 (DATE)

Washing Machine Line Inspected, If Applicable _____ (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1-186, 1500 ST, CON, 1200 SFT, 12C, CECIL LIKE

Cynthia G. Bass
Environmentalist

EHD-5-76

Environmental Health Department's Copy

Serial No. 08955

ICAR(S) Permit No. 20691 PD

Date Issued 2/13/86

T. C. No. 231-111-04

Map Date 2

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20691, dated 9/13/85 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 3/13/86, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P5

Liquid Capacity of Tank 1500 gal

Tank Construction PCC

Absorption and/or Nitrification Lines:

Total Line Length 400'

Number of Lines 5x80'

Distance from House 5'

Distance from Property Line 10'

Distance from Well 65'

NAME OF OWNER Carpenter, Lewis

LOCATION OF PROPERTY 3501 Bounty Court

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

5 Trenches 3' x 80' x 12" stone with grade boards, straw as cover

Comments: _____

Division or Section Head

Cynthia G. Bass
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

JS

PROPOSED PLOT PLAN

Pd. 25.00
CK# 6029
9-16-91
NB

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 20691

TC: 231-111-34

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE _____

White - Health Department's Copy Canary - Environmentalist's Copy Pink - Owner's Copy

55

APPLICATION FOR AN IMPROVEMENT PERMIT

Pd. 25.00
Ck# 6029
9-16-91
MB

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr 2nd Floor
700 N. Tryon Street
Charlotte, NC 28202

Mecklenburg County services are available without regard to ethnic origin, sex, or disability

(OFFICE USE ONLY)
FILE: 20691
TC: 231-111-34
SERIAL: № 0019866 ☐ L ☑ CRT

JOB LOCATION

① ADDRESS: 3501 (STREET NO) Bounty Ct. (STREET) ② FILE:
③ JURISDICTION: ④ TAX PARCEL NO.: 231-111-34
⑤ SUBDIVISION: Providence Woods ⑥ LOT: ⑦ BLOCK:

OWNER

⑧ NAME: Edward (FIRST) (MIDDLE) Divins (LAST)
⑨ MAILING ADDRESS: 3501 Bounty Ct.
⑩ CITY: Matthews ⑪ STATE: N.C ⑫ ZIP: 28105
⑬ PHONE: (WORK) ⑭ (HOME) 541 1153

REQUEST

This request is for a(n):

⑮ ☐ New permit
⑯ ☐ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☒ Other (specify) Room Addition

DESIGN CRITERIA

System will serve:

⑲ ☒ Residence ⑳ ☐ Mobile home
㉑ ☐ Business or place of public assembly
㉒ Number of bedrooms? 5
㉕ Type?
㉓ Maximum occupancy? 11
㉖ Maximum number of employees?
㉔ Basement? ☐ yes ☒ no
㉗ Maximum number of seats?

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☒ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

㉙ The undersigned owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Nancy L McKee
Date: 9/16/91

IMPROVEMENT PERMIT

The undersigned an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

. No work shall be conducted on the septic tank system until an Installation, Construction Alteration and/or Repair permit is issued by this Department.

. . . This permit is not transferable, and shall become null and void 60 months from the date of issuance

USE EXISTING S.S.

Environmentalist — Date 9-18-91

Director or Authorized Section Head — Date 9-19-91

*This permit must be signed by the Director of Mecklenburg County Health Department or an authorized section head in order to be valid.