Date Received July 5, 1978

APT No. 4269

037-244-13, 037-244-14,
T. C. No 037-244-15, 037-244-16

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Carolina Developers, Inc.
(LAST / FIRST / MIDDLE)

2) ADDRESS OF OWNER 401 Johnston Bldg., 212 S. Tryon, Charlotte ZIP 28281

3) PHONE NO. Home _____ Office 332-5431


4) LOCATION OF PROPERTY Pinewood Drive
(STREET OR COUNTY ROAD)

5) SUBDIVISION Skycrest Park LOT#NO. 14, 15, 16 & 17 BLOCK NO. D

MAP BOOK NO. 11 PAGE NO. 57

6) DEED REFERENCE: DEED BOOK 2434 PAGE NO. 569

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Truman L. Harvey
OWNER

EHD-S-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

Apt # 14269

(Ground Absorption Sewage Disposal)

OWNER: Cowling Development Corp DATE REQUESTED: ---
ADDRESS: 401 Winston Blvd Cary PLAT NO.:
COUNTY: [illegible] LOT SIZE: 34,000 sq ft
LOCATION OF SITE: Pinewood Dr.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 5% U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) CLAY U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) BLOCK U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) PS 76' to rock U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) PS 76' to water U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) [illegible] (60) U	S PS U	S PS U	S PS U
8. OTHER (Specify)	(S) PS granite area U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	Provisional			
SOIL SERIES	Cecil			


S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: _____

Described By: [signature]
Title: Environmentalist Date: 20 July 78

DHS Form 2601 (2/77)
Sanitation


150'
Cecil
200'
Pinewood Drive

V

Serial No. 2067

PTR No. 14269

Date Issued 7/21/78

T. C. No. 037-244413, 037-244-14
Map Date 037-244-15, 037-244-16


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Carolina Develpers, Inc.
(LAST / FIRST / MIDDLE)

ADDRESS OF OWNER 401 Johnston Bldg., 212 S. Tryon Street ZIP 28281

LOCATION OF PROPERTY Pinewood Drive
(STREET OR COUNTY ROAD)

SUBDIVISION Skycrest Park LOT NO 14, 15, 16 & BLOCK NO. D



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. Provisionally Suitable

The permeability rate determined by the investigation was _____. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction including the drilling of a well, is performed on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

J M Reynolds
Environmentalist

J M Reynolds
Environmental Health Director or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy

MECK COUNTY DEPARTMENT OF
Date Received
RECEIVED
OCT 1 [illegible]
ENVIRONMENTAL HEALTH

Apt. No. (S) _____ Application No. (W) 14269

T. C. No. 037-244-

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Gulick (LAST) John (FIRST) William (MIDDLE)

ADDRESS OF OWNER 4415 Oak Drive ZIP 28213

PHONE NO. Home 596-6935 Office _____


LOCATION OF PROPERTY 8020 Pine Wood Drive Charlotte, NC
STREET OR COUNTY ROAD

WELL CONTRACTOR Collins Well Drilling LICENSE NO. 240

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of ___ individual, ___ semi public, or ___ public water supply.

10-6-78
DATE OF APPLICATION

John William Gulick
OWNER



ACCURATELY DIAGRAM & DIMENSION LOT

Remarks: _____

Application approved and permit hereby granted

Permit No: _____

John B. Johnson
ENVIRONMENTALIST

EHO-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH
Date Received
RECEIVED
OCT 1 1 1978
ENVIRONMENTAL HEALTH


ICAR (S) Application No. 14269
T. C. No. 037-244-
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No
No. of Bedrooms 2
5) Business Use – Max No Employees 4
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ___ No
8) Dishwasher ___ Yes ___ No
9) Water Supply:
A) Individual Well ✓
B) Governmental System ___
C) Community System
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Black (LAST) Joan (FIRST) William (MIDDLE)

14) ADDRESS OF OWNER 4415 - 201 Olde Colonial Ct

15) PHONE NO. Home 536-6235 Office ___

16) LOCATION OF SYSTEM 8621 pine wood Drive (STREET OR COUNTY ROAD) Off 115

17) SUBDIVISION Sky Crest Park Lot No. 14-15-16-17 Block No. D

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 7/21/78 → 85

20) PTR NUMBER (See Instructions) 14269

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

10-6-78
DATE OF APPLICATION

John William Black
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 2722

LA No. 14269

Date Issued March 5, 1979

T. C. No. 037-244-13,14,15,16

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

IMPROVEMENT PERMIT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Bolick, (LAST) John (FIRST) William (MIDDLE)

ADDRESS OF OWNER 4415 Oak Drive, Charlotte ZIP

LOCATION OF LOT 8020 Pine Wood Drive (STREET OR COUNTY ROAD)

SUBDIVISION Skycrest Park LOT NO. 14,15,16,17 BLOCK NO. D

MAP BOOK NO. PAGE NO.

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14269. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit' be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Marshall Edwards
Environmentalist

John R. Hinson
Environmental Health Director, or Autherized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 3-8-79

Serial No. 2436


ICAR(S) Permit No. 14269

T C No. 037-244-14 15 16 17

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14269 dated 10-6-78 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 4-8-79, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P/S

Liquid Capacity of Tank 1000

Tank Construction P/C

Absorption and or Nitrification Lines

Total Line Length 345

Number of Lines 5

Distance from House 10'+

Distance from Property Line 10'+

Distance from Well 50'+

NAME OF OWNER John William Bolick

LOCATION OF PROPERTY Pine Wood DR. 077 115

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Septic Tank Field (15' X 69 X 17' Stove) with washing machine line into Septic Tank Field Distribution Box

Division or Section Head

Environmentalist Marshall Edwards

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

READY TO INSTALL. SEE INSTRUCTIONS ON BACK

Date Received 7/29/80

ICAR(S) Application No. 14269

T. C. No. 037-244, 14, 15, 16, 17


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No

4) No of Bedrooms 2
5) Business Use -- Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ✓ No
8) Dishwasher ___ Yes ✓ No
9) Water Supply
A) Individual Well ✓
B) Governmental System ___
C) Community System.
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER Chavis (LAST), Roy (FIRST) Lee (MIDDLE)

14) ADDRESS OF OWNER 10430 Albemarle Road Charlotte

15) PHONE NO. Home 545-4168 Office 596-8132 Call — Lava Taylor

16) LOCATION OF SYSTEM Pinewood Drive (STREET OR COUNTY ROAD)

17) SUBDIVISION Skycrest Park Lot No. 14, 15, 16 + 17 Block No. "D"

Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 7/21/28 P.S

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

7-29-80
DATE OF APPLICATION

Roy Lee Chavis
OWNER

EHD-S-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 4288

LA No. 14269

Date Issued July 29, 1980

T. C. No. 037-244-14,15,16,17

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Chavis, (LAST) Roy (FIRST) Lee (MIDDLE)

ADDRESS OF OWNER 10430 Albemarle Road, Charlotte ZIP Lot 69

LOCATION OF LOT PINEWOOD DRIVE (STREET OR COUNTY ROAD)

SUBDIVISION Skycrest Mobile Home Park, LOT NO 14,15,16,17 BLOCK NO. "D"

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 14269 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit (s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

*****MOBILE HOME*******

Mike Sexton
Environmentalist

John R. Adkisson
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 7-29-80

Serial No. 4118


ICAR(S) Permit No. 14269

T. C. No. 037-244-14,15,16,17

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14269, dated 7-29-80 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 8-29-80, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P.S.

Liquid Capacity of Tank 1500 gallons

Tank Construction precast concrete

Absorption and/or Nitrification Lines

Total Line Length 345'

Number of Lines 5

Distance from House >15'

Distance from Property Line >10'

Distance from Well >50'

NAME OF OWNER Charles Keyser

LOCATION OF PROPERTY Pinewood Drive

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Comments: 1250 gal. tank, 17" of stone

_____ Division or Section Head

Mike Sitton Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 14269

Date Issued 10-24-80 Serial 4099

T. C. No 037-244-14, 15, 16 + 17

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Chavis (LAST), Roy (FIRST) Lee (MIDDLE)

Location of Property Pinewood Drive

Application Number 14269 Permit Number 14269

Inspection Data:

Liquid Capacity of Tank 1500 gallons Tank Material precast concrete

Total Length of Drain Tile 345' Number of Lines 5

Depth of Filter Material 17" Cover Depth 36" to 18"

Water Supply Source well Distance from Water Source 51'

Excavation Inspected — (DATE) Tank Inspected 10-23-80 (DATE)

Nitrification Field Inspected 10-24-80 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Mike Sexton
Environmentalist

EHD-S-76

Environmental Health Department's Copy