Date Received 7-13-83

SIR No. 19860

T. C. No. 011-[redacted] 171-05

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Perrenter, Charles Lawyer
LAST FIRST MIDDLE

2) ADDRESS OF OWNER [illegible] ZIP [illegible]

3) PHONE NO. Home 366-[illegible] Office [illegible]


4) LOCATION OF PROPERTY [illegible]
STREET OR COUNTY ROAD

5) SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO 2272 PAGE NO 339

6) DEED REFERENCE. DEED BOOK 2893 PAGE NO. 520

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Charles Lawyer Perrenter
OWNER

EHD-5-76

Environmental Health Department's Copy

Serial No. 5118

SIR No. 19860

Date Issued 7-18-83

T. C. No. 011-171-05

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Permenter, (LAST) Charles (FIRST) L. (MIDDLE)

ADDRESS OF OWNER 4538-A Simsbury Road, Charlotte, NC ZIP 28226

LOCATION OF PROPERTY 12416 McCord Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO. BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. Provisionally Suitable
The permeability rate determined by the investigation was . The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction activity, including the drilling of a well, is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William A. Mueller
EHD-5-76 Soil Scientist

Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 8 19860

T.C. NO. 001-171-05

(Ground Absorption Sewage Disposal)

OWNER: Charles L. Parmenter
ADDRESS: 4536 A Simsbury Road
Charlotte, NC 28226

PLAT NO:
LOT SIZE: 43,560

LOCATION OF SITE: 12416 McCoy Rd

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 6-10%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) Clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 36-40" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S >36" PS U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	(S) 40"+ PS U	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	1 U A			
9. SITE CLASSIFICATION	Provisionally Suitable			
10. SOIL SERIES	Cecil-L. Ms			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: _____

Described by: William R. Marlin
Title: Soil Scientist

Date: 7-19-83

EHD 539 (Revised: 6/82)


982'
94'
Cecil-Like
107'
40'
456'
McCord Road

SEE INSTRUCTIONS ON BACK

Date Received 10-12-83

MECK C Y DEPARTMENT OF RECEIVED OCT 12 1983 ENVIRONMENTAL HEALTH

CAR(S) Application No. 1986 6

T. C. No. 04-171-05


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ____ Yes ____ No
Residence ✓ Yes ____ No
5) No. of Bedrooms 3
6) Business Use — Max No Employees ____
7) Washing Machine ✓ Yes ____ No
8) Garbage Disposal ✓ Yes ____ No
9) Dishwasher ✓ Yes ____ No
Water Supply:
A) Individual Well ✓
B) Governmental System ____
C) Community System
1 Well source ____
2 Governmental source ____
10) Sewage System:
House located within 200 feet of public sewer ____ Yes ✓ No
House located within 200 feet of community sewer ____ Yes ✓ No
11) FHA Case No. 381209754
12) VA Case No. ____

13) NAME OF OWNER Ef Permenter, Charles Lauder (LAST, FIRST, MIDDLE)

14) ADDRESS OF OWNER 4538-A Simsbury Road, City 282-

15) PHONE NO. Home 364-4973 Office 333-6691

16) LOCATION OF SYSTEM 12416 McCord Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION ____ Lot No. ____ Block No. ____

Map Book No. 3172 Page No. 139

18) DEED REFERENCE — DEED BOOK 2893 AT PAGE 530

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ____ NO DATE RUN ____

20) PTR NUMBER (See Instructions) 1960

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

10-12-83
DATE OF APPLICATION

Charles L. Permenter
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

RT-10-14-83

Serial No. 6845

SIR No. 19860

Date Issued 10-12-83

T. C. No. 011-171-05

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Permenter, (LAST) Charles (FIRST) Lauder (MIDDLE)

ADDRESS OF OWNER 4538-A Simsbury Road, Charlotte, NC ZIP 28226

LOCATION OF LOT 12416 McCord Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number ~~19860~~. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit (s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

R Phelps
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy

Date Issued 3-6-84

Serial No. 07017


ICAR(S) Permit No. 19860

T. C. No. 011-17105

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 19860, dated 10-12-83 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before April 6th, 1984, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS IVA

Liquid Capacity of Tank 1500 gal

Tank Construction Pre Cast Concrete

Absorption and/or Nitrification Lines:

Total Line Length 300 Lin FT

Number of Lines Three

Distance from House 10 FT.

Distance from Property Line 16 FT

Distance from Well 160 FT

NAME OF OWNER PERMENTER, CHARLES

LOCATION OF PROPERTY 12416 McCORD RD.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Three Trenches @ 100 FT X 3 FT X 12 inches Less Stone-Lay Extra

Comments: Cover - Plumb w/ 4" Line to Dist. Box

W. B. Kennedy
Division or Section Head

Robert Willis
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 19860

Date Issued 4-6-84 **Serial** 6531 T. C. No. 011-171-05

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CRT 4/9/84

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner PERMENTER, CHARLES (LAST, FIRST, MIDDLE)

Location of Property 12416 McCORD ROAD

Application Number 19860 Permit Number 19860

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material Pre Cast Concrete

Total Length of Drain Tile 300 lin. ft Number of Lines THREE

Depth of Filter Material 12 inches Cover Depth 12 inches

Water Supply Source 4-6-84 Distance from Water Source 150 FT

Excavation Inspected 4-6-84 (DATE) Tank Inspected 4-6-84 (DATE)

Nitrification Field Inspected 4-6-1984 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been X installed or constructed, ——— altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments ———

Ralph Nobles
Environmentalist

END-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY