Date Received 4-16-84

MECK COUNTY DEPARTMENT OF
RECEIVED
APR 16 1984
ENVIRONMENTAL HEALTH

SIR No. 20913

T. C. No. [illegible]

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER [illegible] (LAST) [illegible] (FIRST) [illegible] (MIDDLE)

2) ADDRESS OF OWNER [illegible] ZIP

3) PHONE NO. Home [illegible] Office


4) LOCATION OF PROPERTY [illegible] (STREET OR COUNTY ROAD)

5) SUBDIVISION [illegible] LOT NO. [illegible] BLOCK NO.

MAP BOOK NO. [illegible] PAGE NO.

6) DEED REFERENCE DEED BOOK [illegible] PAGE NO.

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20413

T.C. NO. 037-011-12

(Ground Absorption Sewage Disposal)

OWNER: J. D. Cribb
ADDRESS: Rt. 3, Box 204 Davidson, N.C. 28036
PLAT NO: 109
LOT SIZE: 1.43 ac
LOCATION OF SITE: James Rd

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U 2-8-8	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U Clay	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) U Blocky	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) U 36-48"	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) U >36"	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	(S) PS U 48" to ground water	S PS U	S PS U	S PS U
7. OTHER (Specify)	S (PS) U 2.3gpm/ 40 ft.	S PS U	S PS U	S PS U
8. SOIL GROUP	16 A			
9. SITE CLASSIFICATION	Unsuitable			
10. SOIL SERIES	Cecil Clay			


S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: Lot is less than 20,000 sq. ft. Right to use well if water supply other than individual well

Described by: William R. Mayhew
Title: Soil Scientist
Date: 6/22/84

14


31
259'
231'
115'
Jones ST

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SIR. NO. 20913
T.C. NO. 037-011-12
DATE: 6-27-84

J. D. Pickler
Route 3, Box 804
Randleman, NC 27317

RE: Property located at James Street, Lots 9 & PO 2

Dear Mr. Pickler:

At your request, a field investigation was conducted on the property designated above. The soils on the property were found to contain a limited area of provisionally suitable soil for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit plot plans for the proposed construction, well, and ground absorption sewage disposal system to this office. They will be reviewed and if it is found that there is an adequate area of provisionally suitable soil to accommodate the proposed installation, an Improvements Permit will be issued by this office.

If I may be of assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.
Environmental Health Supervisor

BDH/kbg

Enclosure

APPLICATION FOR AN IMPROVEMENT PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

MECK COUNTY DEPARTMENT OF
RECEIVED
OCT 22 1985
ENVIRONMENTAL HEALTH

(OFFICE USE ONLY)

FILE: 20913

TC: 037-011-12

L

JOB LOCATION

① ADDRESS: 1114 (STREET NO) James St. (STREET) ② FILE: 20913

③ CITY: Meck Co. (Paw Creek township ④ TAX PARCEL NO: 037-011-12

⑤ SUBDIVISION: Oakdale ⑥ LOT: 9 ⑦ BLOCK:

OWNER

⑧ NAME: Terry (FIRST) Lamar (MIDDLE) Linebergee (LAST)

⑨ MAILING ADDRESS: R.t. 6 Box 747-B

⑩ CITY: Charlotte ⑪ STATE: N.C. ⑫ ZIP: 28214

⑬ PHONE: (WORK) 399-0695- Beth ⑭ (HOME) 894-1994

REQUEST

This request is for a(n):

⑮ [X] New installation permit ⑰ [ ] Authorization for mobile home exchange

⑯ [ ] Repair or alteration permit ⑱ [ ] Other (specify)

DESIGN CRITERIA

System will serve:

⑲ [X] Residence ⑳ [ ] Mobile home ㉑ [ ] Business or place of public assembly

㉒ Number of bedrooms? 3 ㉕ Type?

㉓ Maximum occupancy? 3 ㉖ Maximum number of employees?

㉔ Basement? [ ] yes [X] no ㉗ Maximum number of seats?

WATER SUPPLY

㉙ Water supply from (present or proposed):

A [ ] Individual well

B [ ] Municipal system

C [X] Community well

D [ ] Community system

㉚ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Terry Lamar Linebergee

Date: 10/21/85

㉘ Accurately dimensioned plot

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

Date Issued 11-7-85

Serial No. 9054

SIR No. 20913

T. C. No. 037-011-12

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Lineberger, (LAST) Terry (FIRST) L. (MIDDLE)

ADDRESS OF OWNER Rt. 6, Box 747-B, Charlotte, NC ZIP 28214

LOCATION OF LOT 1114 James Street (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number ~~20913~~. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Kelly Randall
Environmentalist

Bill D. Hunter
Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy


Date Issued 5-1-86 Serial No. 09259 ICAR(S) Permit No. 20913

T. C. No. 037-01-12

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20913, dated 10-21-86 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 6-1-86, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate PS

Liquid Capacity of Tank 1500

Tank Construction PCC

Absorption and/or Nitrification Lines:

Total Line Length 400'

Number of Lines 5 x 80

Distance from House 5'+

Distance from Property Line 10'+

Distance from Well 100'+

NAME OF OWNER LINE BERGER, TERRY

LOCATION OF PROPERTY 1114 JAMES ST

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

5 line x 80' long x 3' wide x 12" stone

Comments:

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

BHD-5-76

Environmental Health Department's Copy

C of A (s) No. 20913

Date Issued 5-8-86 Serial 8557 T C. No. 037-011-12

U CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner LINEBERGER (LAST) TERRY (FIRST) [redacted] (MIDDLE)

Location of Property 1114 JAMES ST

Application Number 20913 Permit Number 2093

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 400' Number of Lines 5

Depth of Filter Material 12" Cover Depth 3'-2'-1'

Water Supply Source Comm WSCC Distance from Water Source <10mm WSCC

Excavation Inspected 5-8-86 (DATE) Tank Inspected 5-8-86 (DATE)

Nitrification Field Inspected 5-8-86 (DATE)

Washing Machine Line Inspected, If Applicable (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1956, 1500 ST, CON, 1200 SFT, 12 C, ECC IC

Kelly Randall

Environmentalist

EHD-5-76

Environmental Health Department's Copy