

BLACK BELT ROAD

7/9/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

File #7661A 12/04/91 CK# 0363 $200.00

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

Pc 12A ELECT

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202

(704)336-5102

PERSON FILING APPLICATION:
NAME: Parker (last) Donald (first) S (mi)
ADDRESS: 839-4A Scaleyback PHONE: (704) 525 5753
CITY: Charlotte STATE: NC ZIPCODE: 28209

Date: 12-4-91

PROPERTY INFORMATION (FROM ENGINEERING FORM):
TAX/PARCEL NUMBER: 011-061-02
STREET ADDRESS: 15015 ~~1534~~ Black Belt Rd
ZONING:

PROPERTY OWNER:
NAME: Camponnelli (last) Joel (first) (mi)
ADDRESS: 839-4A Scaleyback PHONE: (__) 577 7296
CITY: Charlotte STATE: NC ZIPCODE: 28209

SUBDIVISION OR MOBILE HOME PARK NAME:

Township (check one):
[] 0 Mecklenburg County [] 2 Davidson [] 4 Pineville [] 6 Huntersville
[] 1 Charlotte [] 3 Cornelius [] 5 Matthews [] 7 Mint Hill

TYPE APPLICATION (check one):

LOT NUMBER: LOT SIZE (in acres):

[] SOIL TEST - INDIVIDUAL LOT (D)
(•) NEW CONSTRUCTION ON VACANT LOT - 4 BEDROOMS OR LESS (N)
[] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[] COMMERCIAL OR INDUSTRIAL (N)
[] SOIL TEST DEVELOPMENT (P)
[] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X)
[] MODIFIED /ALTERNATIVE/ OR RESIDENCE > 4 BEDROOMS (Z)
[] REPAIR TO SYSTEM (R)

RESIDENTIAL PROPERTY (Type Building, check one):
[] SINGLE MOBILE HOME (S) (•) HOUSE (H) [] MULTIPLE FAMILY (U)
[] DOUBLE WIDE (D) [] MODULAR HOME (M) [] OTHER _____ (O)

NUMBER BEDROOMS: 3 NUMBER OCCUPANTS: 2
SYSTEM CLASSIFICATION:

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[] Community (C) [] Shared Well (S)
[] Municipal (M) [] Other 'spring' (O)
[X] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[] Swimming Pool [] Jacuzzi [] Stable/Barn [] Workshop (•) None
[] Garage [] Storage Building [] Deck/Patio [] Bedrooms [] Other

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Donald S Parker Date: 12-4-91

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair permit is issued by this Department.

...This permit is not transferable.

...

[] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE

Philo A. Walker R.S. 112192
Environmentalist Date

Director or Authorized Section Head 12-5-92 Date

WWATER : 112991

CERTIFICATE OF COMPLETION/OPERATION PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 7661A DATE: 5/15/92

TC: 001-061-02 ☐ L ☐ CRT

SERIAL № 12908

Name of Owner Joel Camponnelli Juris.:

Address of Property 15311 Black Belt Rd

Inspection Data:

Tank Material PCC

Total Length of Drainfield 400

Number of Lines 3 @ 133'

Cover Depth 10"

Water Supply Source well

Distance to Water Source >50

Excavation Inspected 5/15/92

Tank(s) Inspected 5/15/92

Wash Line Inspected NA

High Water Alarm Inspected NA

PLOT

Design: 1992, 1500ST, CON, 1200SFT, 12"stone cecil CTR# 104 Erwin

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☒ installed or constructed ☐ altered or repaired

☒ in accordance with the permit issued ☐ as detailed in the plot above

and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this

☒ Certificate of Completion ☐ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: System designed for 3 bedroom house

STILL

Thilo A. Walker R.S.
Environmentalist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT


HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 7661A DATE: 5/12/92

TC: 001-061-02 ☐ L

SERIAL Nº 15265

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 12/4/91. All work shall be completed on or before 6/12/92, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank – gallons

Tank Construction PCC

Absorption and/or Nitrification Lines:

Trench Width 3 feet

Total Line Length 400 feet

Number of Lines 3 (133' long)

Depth of Stone 12 inches

Distance from House 5 feet

Distance from Property Line 10 feet

Distance from Well >50 feet

NAME OF OWNER Joel Campbell

LOCATION OF PROPERTY 15015 ~~1551~~ Black Belt Rd

Comments: 3 lines x 133' long x 3' wd x 12" stone
Keep lines on contour of land

Division or Section Head

Philo S. Walker R.S.
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Mecklenburg County Health Department in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER OR AGENT'S COPY


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 7661-A

TC: 011-061-0102

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



APPROVAL DATE 7Bw 11/2/11 appr

White - Health Department's Copy Canary - Environmentalist's Copy Pink - Owner's Copy

DEPT. OF ENVIRONMENTAL PROTECTION/
SOLID AND HAZARDOUS WASTE

1/14/92

FROM: COUNTY ENGINEERING DEPARTMENT

EHD FILE 7661-A JURISDICTION CODE Mack

PARCEL NUMBER 011-061-02

ASSIGNED ADDRESS 15015 Black Belt Rd

EXISTING ADDRESS 15100 Black Belt Rd

PROJECT NAME N/A

THE ABOVE DESCRIBED LOCATION HAS BEEN CHECKED CONCERNING:

	APPROVED	DISAPPROVED
1. SUBDIVISION REGULATIONS	/ ✓ /	/ / *
2. FLOODWAY REGULATIONS	/ /	/ ✓ *
3. EROSION CONTROL REGULATIONS	/ ✓ /	/ / *
4. PUBLIC UTILITY EASEMENT	/ ✓ /	/ / *

	PRESENT	NOT PRESENT
5. PUBLIC UTILITY EASEMENT	/ / *	/ ✓ /
6. PROPERTY FRONTS ON THOROUGHFARE	/ / *	/ ✓ /
7. DRIVEWAY PERMIT REQUIRED	/ / *	/ ✓ /

*If checked, further investigation will be required to determine whether a building permit can be issued by Building Standards for the site.

REMARKS: Will Septic

NOTE: THIS FORM MUST BE TURNED IN AT THE CASHIER'S OFFICE AT BUILDING STANDARDS WHEN PAYING PERMIT FEES.
A CERTIFICATE OF OCCUPANCY WILL NOT BE GRANTED UNTIL THE TRANSPORTATION DIVISION GRANTS FINAL APPROVAL ON DRIVEWAY(S).

SIGNED: [signature]

OPWEAR 06-88

NEW ADDRESS / /*

FORM 100

Mecklenburg County
Health Department

December 16th, 1991

Joel Camponelli
839 4A Scalebark Road
Charlotte, NC 28209

RE: Property located at 15100 Black Belt Road
FILE: 7661A
PARCEL: 011-061-01,02

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as PROVISIONALLY SUITABLE for such an installation. A copy of the Site Evaluation Report (Serial Number 12384) is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit an Application For An Improvement Permit with an ACCURATELY dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems to this office. The plan will be reviewed and if it is found that the area of provisionally suitable soils is adequate for the proposed construction, an Improvement Permit will be issued by this Department.

If there are any questions concerning this matter, do not hesitate to contact me.

Sincerely,

Gene Vaughan, R.S., Supervisor
Individual Water and Wastewater Systems

Enclosure

Mecklenburg County
Health Department

December 16th, 1991

Joel Camponelli
839 4A Scalebark Road
Charlotte, NC 28209

RE: Property located at 15100 Black Belt Road
FILE: 7661A
PARCEL: 011-061-01,02

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as PROVISIONALLY SUITABLE for such an installation. A copy of the Site Evaluation Report (Serial Number 12384) is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit an Application For An Improvement Permit with an ACCURATELY dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems to this office. The plan will be reviewed and if it is found that the area of provisionally suitable soils is adequate for the proposed construction, an Improvement Permit will be issued by this Department.

If there are any questions concerning this matter, do not hesitate to contact me.

Sincerely,

Gene Vaughan, R.S., Supervisor
Individual Water and Wastewater Systems

Enclosure

APPLICATION FOR SOIL INVESTIGATION

CR# 0363 $50.00 12/04/91

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 7661-A

TC: 011-061-01,02

☑ PC ☐ REPT

JOB LOCATION

① ADDRESS: 15100 Black Belt RD

② SUBDIVISION: _____ ③ LOT: _____ ④ BLOCK: _____

⑤ PARCEL REFERENCE: BOOK NO.: _____ PAGE NO.: _____ PARCEL NO.: _____

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: Joel (FIRST) Camponelli (MIDDLE) (LAST)

⑧ MAILING ADDRESS: 839 4A Scaleybark RD

⑨ CITY: CHARLOTTE ⑩ STATE: NC ⑪ ZIP: 28209

⑫ PHONE: (WORK) 527-7296 (HOME) 525-5793

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Ann W. Camponelli Joel Camponelli

Date: 11/25/91

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY

APPLICATION FOR SOIL INVESTIGATION

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: A

TC:

☒ PC ☐ REPT

JOB LOCATION

① ADDRESS: 15100 Black Belt RD

② SUBDIVISION: ③ LOT: ④ BLOCK:

⑤ PARCEL REFERENCE: BOOK NO.: PAGE NO.: PARCEL NO.:

⑥ DEED REFERENCE: BOOK NO.: PAGE NO.:

OWNER


⑦ NAME: Inel (FIRST) Campbell (MIDDLE) (LAST)

⑧ MAILING ADDRESS: R29 4A Scaleybark

⑨ CITY: CHARLOTTE ⑩ STATE: C ⑪ ZIP: 28209

⑫ PHONE: (WORK) 527-7296 (HOME) -5793

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.


Signed: Ann H Campbell

Date: 11/25/91

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY

BK. 07
PG. 05
PG. 07
Book 11
DEWEESE
MAYES
HUNTERSVILLE RD.
TWP.
#2433
#2430
#2428
SAM FURR RD.
WESTMORELAND RD.
MAYES RD.
BLACK BELT RD.
RAMAH CREEK
62
61
1040.58
811.96
842.39
1080.89
735.29
656.08
980.91
1040
1325
1180
1115
1900
2359.5
1284.28
1040.58
1080.89
811.96
842.39
735.29
656.08
980.91
1325
1115
1900
2359.5
1284.28


B
A

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
SITE EVALUATION REPORT
SERIAL NUMBER 12384

File: 7661 A Action 1

Parcel: PO 041-061-01,02 PC

Location: 15100 Black Belt Road

Subdivision:


Lot: Block: Acres: Approx. .7 inv.

Owner: Joel Camponelli
Address: 839 4A Scalebark Road
Charlotte, N.C. 28209

Comments: 100% Repair

Described by: William R. Marlin

Date: 12-10-91



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	S (PS) U 8-20%	S PS U	S PS U	S PS U	S PS U	S PS U
Texture	S (PS) U Slightly Expansive clay	S PS U	S PS U	S PS U	S PS U	S PS U
Structure	S (PS) U Sub Blocky	S PS U	S PS U	S PS U	S PS U	S PS U
Drainage	S (PS) U 740" To water	S PS U	S PS U	S PS U	S PS U	S PS U
Depth	S (PS) U 740"	S PS U	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	S (PS) U 740"	S PS U	S PS U	S PS U	S PS U	S PS U
Available Space	S (PS) U	S PS U	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	IV Cecil-Lilly					
Area Classification	S (PS) U	S PS U	S PS U	S PS U	S PS U	S PS U

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
SITE EVALUATION REPORT
SERIAL NUMBER [illegible] 29504

File: [illegible] Action 1

Parcel: [illegible] ☐ PC

Location: [illegible]

Subdivision:


Lot: Block: Acres: [illegible]

Owner: [illegible]
Address: [illegible]

Comments: [illegible]

Described by: [illegible]

Date: 12-16-21




***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	S PS U [illegible]	S PS U	S PS U	S PS U	S PS U	S PS U
Texture [illegible]	S PS U [illegible]	S PS U	S PS U	S PS U	S PS U	S PS U
Structure	S PS U [illegible]	S PS U	S PS U	S PS U	S PS U	S PS U
Drainage	S PS U [illegible]	S PS U	S PS U	S PS U	S PS U	S PS U
Depth	S PS U [illegible]	S PS U	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	S PS U [illegible]	S PS U	S PS U	S PS U	S PS U	S PS U
Available Space	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	[illegible]					
Area Classification	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U

Pre-Preliminary (PO 011-061-01,02)



☐ Soils Appearing To Be Dominantly Acceptable For septic Tank System Installation

☐ soils Appearing To Be Dominantly Unacceptable For septic Tank System Installation

W.R. Manlin

Mecklenburg County
Health Department

August 19, 1991

Ms. Marie D. Black
15100 Black Belt Road
Huntersville, North Carolina 28078

Dear Ms. Black: Re: File No. 7661A

A pre-preliminary investigation of soils and topography has been made on a portion of the tracts (Tax Parcel No. 011-061-01,02), located on Black Belt Road, Huntersville, North Carolina. A soils map was prepared and a copy is enclosed.

The soils noted on the tracts have clay subsoils that are blocky with respect to structure. Depth to saprolite and ground water is greater than 40 (forty) inches in the borings made. Somewhat shallower areas of soils might be present. Slopes range to approximately 15 (fifteen) percent on the steeper portions, but are generally flatter 6-10 (six-ten) percent. The soils described above are found in the unshaded areas on the enclosed map.

The areas shaded yellow on the enclosed map appear to be dominantly unacceptable for the installation of septic tank systems. These areas consist of two drainageway-depressions and a shallow depression. These areas collect and channel surface runoff during periods of precipitation. They are not adaptable for the installation of septic tank systems.

Based on this investigation, the majority of the soils in the area investigated appear to be dominantly acceptable for the installation of septic tank systems. Please note that the report does not express or imply individual lot or site approval for septic tank system installation. Individual lot or site approval is dependent in part on the satisfactory completion of an investigation of a designated site. As of August 16, 1991, no specific sites or house locations were identified on the tract. Note also that inclusions of soils other than those discussed may occur pending additional investigation with established reference points.

Environmental Health Division
1200 Blythe Boulevard • Charlotte, North Carolina 28203 • (704) 376-4603

August 19, 1991

Please contact me if there are any questions regarding this report.

Sincerely,

William R. Marlin

William R. Marlin
Soil Scientist

WM:lw

Memorandum

Marie O. Black
15100 Black Belt Road
Huntersville, N.C. 28078 file 7661A

Dear Mrs Black:

A pre-preliminary investigation of soils and topography has been made on a portion of the tracts (011-061-01, 02) located on Black Belt Road. A soils map was prepared and a copy is enclosed.

The soils noted on the tracts have clay subsoils that are blocky with respect to structure. Depth to saprolite and ground water ~~is~~ is greater than 48 inches in the borings made. Somewhat shallower areas of soils might be present. Slopes range to approximately 15 percent on the steeper portions, but are generally ~~flat~~ flatter (6-10 percent). The ~~about mentioned~~ soils described above are found in the unshaded areas on the enclosed map.

The areas shaded yellow on the enclosed map appear to be dominately unacceptable for the installation of septic tank systems. These areas consist of two drainageway-depressions and a shallow depression. These areas collect and channel surface runoff during periods of precipitation. They are not adaptable for the installation of septic tank systems.

Based on this investigation, the majority of the soils in the area investigated appear to be domestically acceptable for the installation of septic tank systems. Please note that this report does not express or imply individual lot or site approval for septic tank system installation. Individual lot or site approval is dependent in part on the satisfactory completion of an investigation of a designated site. As of August 16, 1991, no specific sites or house locations were identified on the tract. Note also that inclusions of soils other than those discussed may occur pending additional investigation with established reference points. Please contact me if there are any questions regarding this report.

Sincerely,

William R. Martin
Soil Scientist

APPLICATION FOR SOIL INVESTIGATION

(5 acres) Pre-Preliminary
CRH 08/30
7+100.00
08/08/91
EW

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 7661A

TC: _____

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: Black Belt Rd

② SUBDIVISION: N/A ③ LOT: N/A ④ BLOCK: N/A

⑤ PARCEL REFERENCE: BOOK NO.: 011 BLK PAGE NO.: 061 PARCEL NO.: PART OF 12

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: Marie (FIRST) D (MIDDLE) Black (LAST)

⑧ MAILING ADDRESS: 15100 Black Belt Rd

⑨ CITY: Huntersville ⑩ STATE: N.C. ⑪ ZIP: 28078

⑫ PHONE: (WORK) 355-4380 (HOME) 892-1320

⑬ Accurately diagram and dimension lot.



± 5 ACRES TO BE TESTED

PRE-PRELIMINARY

⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.


Signed: Marie D Black

Date: 8/8/91

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY

Pre-Preliminary (PO 011-061-01,02)



☐ Soils Appearing To Be Dominantly Acceptable For septic Tank System Installation

☐ Soils Appearing To Be Dominantly Unacceptable For Septic Tank System Installation

W.R. Marlin

APPLICATION FOR SOIL INVESTIGATION

(5 acres) Pre-Preliminary

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY) ✓ CK#0880 $100.00

FILE: 7661A 08/08/91

TC: EW

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: Black Belt Rd

② SUBDIVISION: N/A ③ LOT: N/A ④ BLOCK: N/A

⑤ PARCEL REFERENCE: BOOK NO.: 011 PAGE NO.: BLK 061 PARCEL NO. PART OF 02

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: Marie (FIRST) D (MIDDLE) Black (LAST)

⑧ MAILING ADDRESS: 15100 Black Belt Rd

⑨ CITY: Huntersville ⑩ STATE: N.C. ⑪ ZIP: 28078

⑫ PHONE: (WORK) 355-4380 (HOME) 892-X320

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: Marie D. Black

Date: 8/8/91

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY

APPLICATION FOR SOIL INVESTIGATION

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 76b1A

TC:

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: BLACK BELT RD

② SUBDIVISION: N/A ③ LOT: N/A ④ BLOCK: N/A

⑤ PARCEL REFERENCE: BOOK NO.: 511 PAGE NO.: BLK 061 PARCEL NO.: 02 PART OF 1

⑥ DEED REFERENCE: BOOK NO.: PAGE NO.:

OWNER


⑦ NAME: MARIE (FIRST) D (MIDDLE) BLACK (LAST)

⑧ MAILING ADDRESS: 15100 BLACK BELT RD

⑨ CITY: HUNTERSVILLE ⑩ STATE: N.C. ⑪ ZIP: 28078

⑫ PHONE: (WORK) 355-4380 (HOME) 892-1720

⑬ Accurately diagram and dimension lot.



± 5 ACRES TO BE TESTED

PRE-PRELIMINARY

⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.


Signed: Marie D. Black

Date: 8/8/91

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - HEALTH DEPARTMENT'S COPY • CANARY - ENVIRONMENTALIST'S COPY • PINK - OWNER'S COPY

Pre-Preliminary (PO 011-061-01,02)



☐ Soils Appearing To Be Dominantly Acceptable For septic Tank System Installation

▨ Soils Appearing To Be Dominantly Unacceptable For Septic Tank System Installation

W.R. Marlin

Mecklenburg County
Health Department

August 19, 1991

Ms. Marie D. Black
15100 Black Belt Road
Huntersville, North Carolina 28078

Dear Ms. Black: Re: File No. 7661A

A pre-preliminary investigation of soils and topography has been made on a portion of the tracts (Tax Parcel No. 011-061-01,02), located on Black Belt Road, Huntersville, North Carolina. A soils map was prepared and a copy is enclosed.

The soils noted on the tracts have clay subsoils that are blocky with respect to structure. Depth to saprolite and ground water is greater than 40 (forty) inches in the borings made. Somewhat shallower areas of soils might be present. Slopes range to approximately 15 (fifteen) percent on the steeper portions, but are generally flatter 6-10 (six-ten) percent. The soils described above are found in the unshaded areas on the enclosed map.

The areas shaded yellow on the enclosed map appear to be dominantly unacceptable for the installation of septic tank systems. These areas consist of two drainageway-depressions and a shallow depression. These areas collect and channel surface runoff during periods of precipitation. They are not adaptable for the installation of septic tank systems.

Based on this investigation, the majority of the soils in the area investigated appear to be dominantly acceptable for the installation of septic tank systems. Please note that the report does not express or imply individual lot or site approval for septic tank system installation. Individual lot or site approval is dependent in part on the satisfactory completion of an investigation of a designated site. As of August 16, 1991, no specific sites or house locations were identified on the tract. Note also that inclusions of soils other than those discussed may occur pending additional investigation with established reference points.

Environmental Health Division
1200 Blythe Boulevard • Charlotte, North Carolina 28203 • (704) 376-4603

August 19, 1991

Please contact me if there are any questions regarding this report.

Sincerely,

William R. Marlin

William R. Marlin
Soil Scientist

WM:lw

892-5517
Charlie Merrymen