Date Received 7/20/79

APT No. 15957

T. C. No. 005-042-10

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

LOCAL CONTACT
K. FRANK KNOX
892-1628

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER FULLER (LAST) JOHN (FIRST) L. (MIDDLE)

2) ADDRESS OF OWNER 36 FAIRFIELD DRIVE NE, NEWARK, OHIO ZIP 43055

3) PHONE NO Home 614-345-6463 Office _____

4) LOCATION OF PROPERTY 10211 SAM FURR (STREET OR COUNTY ROAD) Rd

5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER John L Fuller

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

APT 15957

(Ground Absorption Sewage Disposal)

OWNER: John L. Fuller
ADDRESS: 36 Fairfield Dr. N.E.
COUNTY: Licking, Ohio 43055
LOCATION OF SITE: Sam Fuller Rd

DATE REQUESTED:
PLAT NO.: 005-042-10
LOT SIZE: 43,560

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) 2-6% PS U	S PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) Clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) 40" PS U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	(S) None PS U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) 76" To PS groundwater U water	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	Provisionally Suitable			
SOIL SERIES	Coril			

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: William R. Martin

Title: Soil Scientist Date: 7-26-77

DHS Form 2601 (2/77)
Sanitation


Existing well
Approx 300
cecil
2-8%
204
235
Sam Farr Rd

Serial No. 2991

PTR No. 15957

T. C. No. 005-042-10

Date Issued 7/31/79

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Fuller (LAST) John (FIRST) L. (MIDDLE)

ADDRESS OF OWNER 36 Fairfield Drive NE Newark, Ohio ZIP 43055

LOCATION OF PROPERTY 10211 Sam Furr Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot **provisionally**

The permeability rate determined by the investigation was **suitable** The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William R. Marlin
SOIL SCIENTIST

John R. Atkinson
Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

Date Received 7/20/79

SEE INSTRUCTIONS ON BACK

ICAR(S) Application No. 15957

T. C. No. 005-042-10

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No
Residence ✓ Yes ___ No
4) No. of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ✓ No
8) Dishwasher ___ Yes ✓ No
9) Water Supply
A) Individual Well _____
b Governmental System _____
C Community System
1 Well source _____
2 Governmental source ✓
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No. _____
12) VA Case No. _____

13) NAME OF OWNER FULLER (LAST) JOHN (FIRST) L. (MIDDLE)

14) ADDRESS OF OWNER 36 FAIRFIELD DR. NE NEWARK OHIO

15) PHONE NO. Home 614 345 0463 Office _____

16) LOCATION OF SYSTEM 10211 SAM FURR ROAD (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No _____ Block No. _____

Map Book No. _____ Page No. _____ PARCEL NO 005-042-10

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN ___

20. PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true it is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

20 July 79
DATE OF APPLICATION

John L Fuller
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 3317

LA No. 15957

Date Issued July 31, 1979

T. C. No. 005-042-10

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Fuller, (LAST) John (FIRST) L. (MIDDLE)

ADDRESS OF OWNER 36 Fairfield Drive, Newark, Ohio 43055

LOCATION OF LOT 10211 Sam Furr Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 15957 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to re-oke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Michael G. Sexton
Environmentalist

John R Adkisson
Environmental Health Director, or Autherized Section Head

EHC-5-76

Environmental Health Department's Copy

R

Date Issued 22 July 1980

Serial No. 4112

ICAR(S) Permit No. 15957

T. C No 005-042-10

Map Date —

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 15957, dated 20 July 1979 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 1 Sept 80, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate prev unit

Liquid Capacity of Tank 1000 gal

Tank Construction pre cast

Absorption and/or Nitrification Lines

Total Line Length 330 ℄ 125

Number of Lines 4 ℄ 4

Distance from House 10'

Distance from Property Line 10' ± * abandoned

Distance from Well 50'

NAME OF OWNER Fuller, John L.

LOCATION OF PROPERTY 10211 Sam Furr Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

in bed 12x82'x17" 4 wash line in bed 12x32'x17"

Comments: —

John R Atkinson

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 15951

Date Issued 7-23-80 Serial 3909

T C. No. 005-042-10

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Fuller (LAST), John (FIRST), L. (MIDDLE)

Location of Property 10211 Sam Furr Road

Application Number 15951 Permit Number 15951

Inspection Data:

Liquid Capacity of Tank 1000 gallons Tank Material precast concrete

Total Length of Drain Tile 330'+125' Number of Lines 4+4

Depth of Filter Material 17" Cover Depth >15"

Water Supply Source city water Distance from Water Source >50'

Excavation Inspected — (DATE) Tank Inspected 7-23-80 (DATE)

Nitrification Field Inspected 7-23-80 (DATE)

Washing Machine Line Inspected, If Applicable 7-23-80 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Mike Sexton
Environmentalist

EHD-5-76

Environmental Health Department's Copy