Date Received 11/27/79

APT No 16338

T C No. 113-193-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER JONES (LAST) EVERETTE (FIRST) MAYNARD (MIDDLE)

2) ADDRESS OF OWNER 2630 NEWELL-HICKORY GROVE RD ZIP 28215

3) PHONE NO Home 536-9418 Office 847-9881


4) LOCATION OF PROPERTY W. DIXIE DRIVE (STREET OR COUNTY ROAD)

5) SUBDIVISION DIXIE LANE MHP LOT NO 8 BLOCK NO. 193

MAP BOOK NO 113 PAGE NO 19

6) DEED REFERENCE DEED BOOK 8 PAGE NO 54

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining the suitability for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge.



7) ACCURATELY DIAGRAM & DIMENSION LOT

Everette M. Jones
OWNER

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX II
SITE EVALUATION

S. I. R. NO. 16338

T. C. # 113-193-[redacted]07

(Ground Absorption Sewage Disposal)

OWNER: EVERETTE JONES
ADDRESS: 2630 NEWELL-HICKORY GROVE RD.
COUNTY: MECK. 28215
LOCATION OF SITE: W. DIXIE DR. AND DIXIE LANE LOT #8

DATE REQUESTED:
PLAT NO.:
LOT SIZE: 20,000

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(PS) 2–10	(PS) 2–10	(PS) 2–10	
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	CLAYEY	Blocky To 2–1 clay	2–1	
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	(PS) Blocky	Massive	Massive	
4. SOIL DEPTH (In.)	(PS) *48	(U) 48	(U) 48	
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	(PS) None	(U) Clays	(U) Saprolite	
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(PS) Adequate	(U) Slow	(U) Slow	
7. SOIL PERMEABILITY (Percolation Rate)	(PS) Moderate	(U) Slow	(U) Slow	
8. OTHER (Specify)				
9. SITE CLASSIFICATION	✓ Suitable	Unsuitable	Unsuitable	
SOIL SERIES	Cecil	HELENA – WILKES		

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies wet areas, fill areas, wells, water bodies, slope patterns, etc.

Recommendations/Comments:

Described By: W. B. Ramsey

Title: Soil Scientist Date: 11-23-79

DHS Form 2601
Sanitation
EHD 539 (3/79)


DIXIE LANE
100
Cecil
2-10
200
HELEN
2-5
Mobile Home
WILKES
2-10

Serial No. 3222

PTR No 16338

I C No 113-193-07

Date Issued Nov. 29, 1979

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER (LAST) Jones, (FIRST) Everette (MIDDLE) Maynard

ADDRESS OF OWNER 2630 Newell-Hickory Grove Rd. ZIP

LOCATION OF PROPERTY West Dixie Drive (STREET OR COUNTY ROAD)

SUBDIVISION Dixie Lane Mobile Home Park LOT NO #8 BLOCK NO.



PLOT PLAN

This report is the result of an on-site investigation made by the Mecklenburg County Department of Environmental Health. The investigation was conducted

Provisionally Suitable

The soil lot is approved

for a subsurface, soil ab-

sorption sewage disposal system with the following conditions:

1. Approval is for the Mecklenburg County Depart-
2. Approval is for the wastewater treatment
3. Approval is for the system as determined by the Mecklenburg
4. Approval is for the system installation
5. Approval is for the system installation performed on the lot which
6. Approval is for the system installation performed on the lot which is designated as acceptable

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

W. B. Ramsey
Soil Scientist

John C. Atkinson
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 12/16/79

ICAR(S) Application No 16238

T C No 113-193 (3)


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ✓ Yes ___ No
4) No of Bedrooms 3
5) Business Use Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ✓ Yes ___ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A Individual Well ___
B Governmental System ___
C Community System
1 Well source ✓
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER JONES (LAST) EVERETTE (FIRST) MAYNARD (MIDDLE)

14) ADDRESS OF OWNER 2630 NAVELL-HICKORY GROVE RD CITY 28215

15) PHONE NO Home 536-9415 Office 527-9581

16) LOCATION OF SYSTEM W DIXIE DRIVE (DIXIE LAKE) (STREET OR COUNTY ROAD)

17) SUBDIVISION DIXIE LAKE MHP Lot No 6 Block No 193

Map Book No 113 Page No 19 PARK LOT #4

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 11/29/79

20) PTR NUMBER (See Instructions) 16338

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

12/16/79
DATE OF APPLICATION

Everette M. Jones
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial 3486

Date Issued 31 Dec 1979


ICAR(S) Permit No. 16338

T C No 113-193-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct. __ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 16338, dated 12/14/79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 15 Jan 1979, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate prov suit

Liquid Capacity of Tank 1500 gal.

Tank Construction pre cast

Absorption and or Nitrification Lines

Total Line Length 495'

Number of Lines 5

Distance from House 10'

Distance from Property Line 10'

Distance from Well 100'

NAME OF OWNER Jones, Everette M.

LOCATION OF PROPERTY Dixie Lane #8

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

John R Atkisson
Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy

Date Issued 31 Dec 1979 Serial 3377 C of A (s) No 16338

T C No 113-193-07

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Jones, Everette M.
LAST FIRST MIDDLE

Location of Property Dixie Lane #8

Application Number _____ Permit Number 16338

Inspection Date:

Liquid Capacity of Tank 1500 gal Tank Material precast

Total Length of Drain Tile 495 Number of Lines 5

Depth of Filter Material 17" Cover Depth 18"

Water Supply Source well Distance from Water Source 100'

Excavation Inspected — DATE Tank Inspected 12-31-79 DATE

Nitrification Field Inspected 12-31-79 DATE

Washing Machine Line Inspected, If Applicable — DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

John R Adkinson
Environmentalist

EHD-S-76

Environmental Health Department's Copy

Serial No. 3879

LA No 16338

Date Issued Jan. 30, 1980

T C No 113-193-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Jones, Everette M.
(LAST, FIRST, MIDDLE)

ADDRESS OF OWNER 2630 Newell-Hickory Grove Road ZIP

LOCATION OF LOT West Dixie Drive (Dixie Lane)
(STREET OR COUNTY ROAD)

SUBDIVISION Dixie Lane Mobile Home Park LOT NO #8 or Park Lot #4 BLOCK NO.

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, or an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number
This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permits which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

******MAY USE THE EXISTING SYSTEM***MOBILE HOME**

Environmentalist

John R Atkisson
Environmental Health Director, or Authorized Section Head

EHD-S-75

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 18 Apr 1980

ICAR(S) Application No. _____

T C No.: 3-193-07

Map Date _____


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

THALE LOT #5

Application for an USE EXISTING SYSTEM
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to USE EXISTING SYSTEM

1. Install or Construct 2. Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3 PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ✓ Yes ___ No

4. No. of Bedrooms 2
5. Business Use Max No. Employees _____
6. Washing Machine ✓ Yes ___ No
7. Garbage Disposal ___ Yes ___ No
8. Dishwasher ___ Yes ___ No
9. Water Supply
   A. Individual Well _____
   B. Governmental System _____
   C. Community System
      1. Well Source ✓
      2. Governmental Source _____
10. Sewage System
    House located within 200 feet of public sewer: Yes ✓ No
    House located within 200 feet of community sewer: ___ Yes ✓ No
11. FHA Case No. _____
12. VA Case No. _____

13) NAME OF OWNER JONES (LAST) EVERETTE (FIRST) MAYNARD (MIDDLE)

14) ADDRESS OF OWNER 2630 NEWELL-HICKORY GROVE RD CITY 28215

15) PHONE NO. Home 536-9418 Office 847-9841

16) LOCATION OF SYSTEM WEST DIXIE DRIVE (DIXIE LANE)
(STREET OR COUNTY ROAD)

17. SUBDIVISION DIXIE LANE MHP Lot No. 8 Block No. 193

Map Book No. 113 Page No. 19 THALE LOT #5

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19. HAS A SOIL INVESTIGATION BEEN RUN? YES NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

4/14/80
DATE OF APPLICATION

Everette M. Jones
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued April 18, 1980 **Serial No. 4051**

LA No. 16338

T C No 113-193-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Jones, (LAST) Everette, (FIRST) Maynard (MIDDLE)

ADDRESS OF OWNER 2630 Newell-Hickory Grove Rd., Charlotte 28215

LOCATION OF LOT West Dixie Drive (STREET OR COUNTY ROAD)

SUBDIVISION Dixie Lane Mobile Home Park LOT NO #8 BLOCK NO

MAP BOOK NO. PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16338 This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permits which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

*****MAY USE THE EXISTING SYSTEM***

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 4/3/81

ICAR(S) Application No 16338

I C No. 113-193-7


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ✓ Yes ___ No

4) No of Bedrooms 3
5) Business Use — Max No Employees
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ___ No
8) Dishwasher ___ Yes ___ No
9) Water Supply
A) Individual Well
B) Governmental System
C) Community System
1 Well source ✓
2 Governmental source
10) Sewage System
House located within 200 feet of public sewer ✓ Yes ___ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No
12) VA Case No.

13) NAME OF OWNER JONES (LAST) EVERETTE (FIRST) MAYNARD (MIDDLE)

14) ADDRESS OF OWNER 2630 NEILL-HICKORY GROVE RD CITY CHARLOTTE 28213

15) PHONE NO Home 536-9446 Office 547-9561

16) LOCATION OF SYSTEM WEST DIXIE DRIVE (DIXIE LANE) (STREET OR COUNTY ROAD)

17) SUBDIVISION DIXIE LANE WEST Lot No 8 Block No. 193

Map Book No 113 Page No. 19 TRAILER LOT #

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN

20) PTR NUMBER (See Instructions)

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

4/3/81
DATE OF APPLICATION

Everette M. Jones
OWNER

EHD-5-76 ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued April 6, 1981

Serial No. 4894

LA No 16338

T C No 113-193-07

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Jones (LAST), Everette (FIRST) Maynard (MIDDLE)

ADDRESS OF OWNER 2630 Newell-Hickory Grove Road, Charlotte, NC 28215

LOCATION OF LOT West Dixie Drive (STREET OR COUNTY ROAD)

SUBDIVISION Dixie Lane Mobile Home Park LOT NO #8 BLOCK NO. 193 [redacted]

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16338 This approval is subject to the following terms and conditions

1 That the nitrification field be installed, constructed altered and/or repaired in the same area where the soil investigation was run

2 That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

****MAY USE THE EXISTING SYSTEM**MOBILE HOME PARK****

Environmentalist

John R Atkisson
Environmental Health Director, or Authorized Section Head

EHD-5-76

[redacted]

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 8-11-81

ICAR(S) Application No 16338

T C No 113-193-07(8)

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

USE EXISTING SYSTEM

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ✓ Yes ___ No
4) No of Bedrooms 2
5) Business Use Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ✓ Yes ___ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply
A) Individual Well ___
B) Governmental System ___
C) Community System ✓
1) Well source ___
2) Governmental source ___
10) Sewage System
Is property within 200 feet of public sewer? Yes ✓ No
Is property within 200 feet of community sewer? ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER JONES (LAST) EVERETTE (FIRST) MAYNARD (MIDDLE)

14) ADDRESS OF OWNER 9630 NEWELL-HICKORY GROVE RD CITY 28213

15) PHONE NO Home 536-9414 Office 847-9881

16) LOCATION OF SYSTEM WEST DIXIE DRIVE (DIXIE LANE) (STREET OR COUNTY ROAD)

17) SUBDIVISION DIXIE LANE MHP Lot No 8 Block No. 193

Map Book No 113 Page No 19 PARK LOT #4

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 11/20/79

20) PTR NUMBER (See Instructions) 16338

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

8/10/81
DATE OF APPLICATION

Everette Maynard Jones
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued 8-12-81

Serial No. 5187

LA No 16338

I C No 113-193-07 (08)

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Jones, (LAST) Everette (FIRST) Maynard (MIDDLE)

ADDRESS OF OWNER 2630 Newell-Hickory Grove Rd., Charlotte, NC ZIP 28215

LOCATION OF LOT West Dixie Drive (STREET OR COUNTY ROAD)

SUBDIVISION Dixie Lane MHP LOT NO 8 BLOCK NO 193

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16338. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

John R. Atkinson

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 11-23-82 ICAR (S) Application No 16338

Map No ... T C No 13-193-07 ok


Map Date ____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to 1) [illegible] EXISTING SYSTEM

1) Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ✓ Yes ___ No
4) No of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ___ Yes ✓ No
8) Dishwasher ___ Yes ___ No
9) Water Supply
A) Individual Well ___
B) Governmental System ___
C) Community System
1 Well source ✓
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No ___

13) NAME OF OWNER JONES (LAST) EVERETTE (FIRST) MAYNARD (MIDDLE)

14) ADDRESS OF OWNER 2620 NEWELL-HICKORY GROVE RD. CITY 28215

15) PHONE NO Home 536-9414 Office 847-9841

16) LOCATION OF SYSTEM W DIXIE DRIVE (DIXIE LANE)
STREET OR COUNTY ROAD

17) SUBDIVISION DIXIE LANE MHP Lot No 8 Block No. 193
Map Book No 113 Page No. 10 (PARK LOT #4)

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 11/29/79

20) PTR NUMBER (See Instructions) 1633

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

11/22/82
DATE OF APPLICATION

Everette Maynard Jones
OWNER

EHD-5-76

SE 11-24-82

SIR No. 16338

Serial No. 6049

Date Issued 11-24-82

T C. No 113-193-07,08

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Jones, (LAST) Everette (FIRST) Haynard (MIDDLE)

ADDRESS OF OWNER 2630 Hewell-Hickory Grove Rd., Charlotte, NC ZIP 28215

LOCATION OF LOT W. Dixie Road (STREET OR COUNTY ROAD)

SUBDIVISION Dixie Lane MHP LOT NO 45 BLOCK NO. 193

MAP BOOK NO _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 16338. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

*** USE EXISTING SYSTEM - EXCHANGING MOBILE HOMES ***

Environmentalist

Mike Sexton
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy