Date Received 4-13-84

MECK CO HEALTH DEPARTMENT OF
PRESENTED

SIR No. 20900
PO No. 135-301-01,05
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER MORRIS Zebulon
LAST FIRST MIDDLE

2) ADDRESS OF OWNER 4404 Lebanon Rd. ZIP

3) PHONE NO. Home 545-3385 Office 525-5562


4) LOCATION OF PROPERTY 4475 Morris Park Dr. Charlotte
STREET OR COUNTY ROAD

5) SUBDIVISION Morris Park LOT NO. BLOCK NO.

MAP BOOK NO. PAGE NO.

6) DEED REFERENCE DEED BOOK PAGE NO.

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Zebulon Morris Jr
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 7446

SIR No. 20900

Date Issued 5-1-84

T. C. No. PO 135-301-01,05

Map Date L

Held on CRT 10/24/84

MECKLENBURG COUNTY
RTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUA 2 Farms
WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DI

NAME OF OWNER Morris, Jr. (LAST) Zebulon (FIRST)

ADDRESS OF OWNER 4409 Lebanon Road, Charlotte, NC ZIP 28212

LOCATION OF LOT ~~4600~~ 4475 Morris Park Drive (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ Type business?

Hold pending call from property owner re: type business, number tenants, industrial waste etc.

The above specified lot ... alth for
the installation of an ... scharge
based on the soil invest ... pplied
in the "Application for ... 1900
This approval is subject

1. That the nitrif ... e area where the soil

2. That an "Instc ... n full force and effe ... at the system be instc


This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Drainageway
250'
proposed system location
320'
160'
proposed building site
4475
199'
Cul-de-sac
125
125
230'
10'
10'
Mavis Park Dr.


Date Issued 11-15-84 Serial No. 07736 ICAR (S) Permit No. 20900

T. C. No. PO 135-301-01-5

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 20900, dated 4-13-84 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 12-15-84, after which date this permit shall be null and void.



Permeability Rate PS

	SYSTEM 1	SYSTEM 2
Liquid Capacity of Tank	1500	1500
Tank Construction	PCC	
Absorption and/or Nitrification Lines:	SYSTEM 1	SYSTEM 2
Total Line Length	420'	420'
Number of Lines		
Distance from House	5'	
Distance from Property Line	10'	
Distance from Well	50'	

NAME OF OWNER MORRIS, ZEBULON

LOCATION OF PROPERTY ~~4600~~ 4775 MORRIS PARK DR

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

EACH SYSTEM 1 1500 gal TANK - 4 line x 105' long x 3' wide x 12" stone

Comments:

B. Hartsfield
Division or Section Head

Kelly Randall
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

BHD-5.76

Environmental Health Department's Copy

C of A (s) No. 20900

Date Issued 11-16-84 **Serial** 7098 T C. No PO-135301-01-05

L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
CERTIFICATE OF COMPLETION
CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner MORRIS (LAST) ZEBULON (FIRST) (MIDDLE)

Location of Property 4600 MORRIS PARK DR

Application Number 20900 Permit Number 20900

Inspection Date: system 1 system 2

Liquid Capacity of Tank 1500+1500 Tank Material PCC

Total Length of Drain Tile 420+420 Number of Lines 8 4 x 105' each system

Depth of Filter Material 12" 12" Cover Depth 1-2'

Water Supply Source well Distance from Water Source 50'+

Excavation Inspected 11-16-84 (DATE) Tanks Inspected 11-16-84 (DATE)

Nitrification Field Inspected 11-16-84 (DATE)

Washing Machine Line Inspected, If Applicable (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Kelly Randall
Environmentalist

EHD-S-76

Serial No. 5620

SIR No. 20900

T. C. No. PO 135-301-01,05

Date Issued 5-1-84

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Morris, Jr. (LAST) Zebulon (FIRST) (MIDDLE)

ADDRESS OF OWNER 4409 Lebanon Road, NC ZIP

LOCATION OF PROPERTY 4600 Morris Park Drive (STREET OR COUNTY ROAD)
4911

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. **PROVISIONALLY SUITABLE**

The permeability rate determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to construct a septic tank system must be obtained from the Mecklenburg County Department of Environmental Health prior to construction. The plot plan must be approved by the Health Department prior to the issuance of the permit.
2. The size of the septic tank and subsurface soil absorption system must be determined by the Mecklenburg County Department of Environmental Health in accordance with the laws and regulations governing the size of septic tank systems in effect at the time of issuance of the permit.
3. This approval is for the location indicated on the attached plot plan only. Failure to construct on the above plot
4. This lot is suitable for a conventional system in the event that the Mecklenburg County Department of Environmental Health determines that the soil conditions in which system installation is unsuitable for installation of a conventional system and requires a subsurface system

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system these laws rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William R. Mueller
Soil Scientist

Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

DEPARTMENT OF ENVIRONMENTAL HEALTH MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20900

T.C. NO. PO 135-301-0105

(Ground Absorption Sewage Disposal)

OWNER: Zebredon Morris PLAT NO:

ADDRESS: 4409 Lebanon Road LOT SIZE: Approx 130.00

LOCATION OF SITE: Charlotte, N.C. 28212 4405 Morris Park Dr.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS U 2-10%	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 36-48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) >36" U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	(S) PS U 48" to ground water	S PS U	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IIA			
9. SITE CLASSIFICATION	Provisionally Suitable			
10. SOIL SERIES	Cecil-Like			

S - Suitable PS - Provisionally Suitable U - Unsuitable


**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: _____

Described by: William G. Rankin

Title: Soil Scientist

Date: 4-27-84


Driveway
250'
proposed system location
320'
400'
proposed building site
199'
Cecil Lane
135
125
230'
10'
10'
Morris Park Dr.

SEE INSTRUCTIONS ON BACK

Date Received 4-13-84

ICAR(S) Application No. 20960

T.C. No. 135-301-01,05


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____Yes ____No
Residence ____Yes ____No
4) No. of Bedrooms _____
5) Business Use - Max No Employees 30
6) Washing Machine ____Yes ____No
7) Garbage Disposal ____Yes ____No
8) Dishwasher ____Yes ____No
9) Water Supply
A) Individual Well _____
B) Governmental System _____
C) Community System
1 Well source _____
2 Governmental source _____
10) Sewage System
House located within 200 feet of public sewer ____Yes ____No
House located within 200 feet of community sewer ____Yes ____No
11) FHA Case No _____
12) VA Case No _____

13) NAME OF OWNER Nicholls Sr. Zebulon —
LAST FIRST MIDDLE

14) ADDRESS OF OWNER 4404 Lebanon Rd. Charlotte, NC 28212

15) PHONE NO Home 537-3353 Office 537-3567

16) LOCATION OF SYSTEM 4425 Nicks Park DR
STREET OR COUNTY ROAD

17) SUBDIVISION Nicks Park Lot No. _____ Block No. _____

Map Book No. _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ____ YES _____ NO DATE RUN _____

20) PTR NUMBER (See Instructions) _____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

4/13/84
DATE OF APPLICATION

Zebulon Nicholls Jr.
OWNER

EHD-5-76

Environmental Health Department's Copy

October 25, 1984
Morris Park
4521 Morris Park Drive
Charlotte, N.C. 28212

Mecklenburg County Health Dept.
1200 Blythe Boulevard
Charlotte, North Carolina 28234

Attention: Department of Environmental Health


To whom it may concern:

No manufacturing or industrial water usage is allowed on buildings one or two at 4521 Morris Park Drive.

There are approximately thirty (30) employees in buildings one and two.

Sincerely,

Zeb Morris



COPY

PRESENTED FOR REGISTRATION
Nov 14 4 18 PM '84
CHARLES E. ROWDER
REGISTER OF DEEDS
MECKLENBURG CO. N.C.

Morris Park
4409 Lebanon Road
Charlotte, N.C. 28212

I, Zebulon Morris, Jr. grant a 100 x 50 foot easement below building #4475 on Morris Park Drive, for the use of a drainage field for the septic tank.

Zebulon Morris Jr.
Zebulon Morris, Jr.

I, Joyce B. Blount, a Notary Public for said County and State, do hereby certify that Zebulon Morris, Jr., personally appeared before me this day and acknowledged the due execution of the foregoing instrument.

Witness my hand and official seal, this the 14 day of November, 1984.

Joyce B. Blount
Notary Public

My commission expires February 21, 1988.

PROPOSED PLOT PLAN


MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 20900

TC: _____

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



Signed: _____

Date: 15 December 1986