

10322 WINDTREE LN

11132138

5/17/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

MECKLENBURG COUNTY

Department of Environmental Health

January 6th, 1988

Northlake Development Group, Inc.
3345 Mintwood Drive
Charlotte, NC 28212

RE: Property located at 10322 Windtree Lane 28-5
FILE: 4258A
PARCEL: 11109115 PO

Dear Sir:

At your request, a field investigation was conducted on the property designated above for the purpose of determining site suitability for the installation of a ground absorption sewage disposal system. The property was found to contain a limited area of soils which were classified as provisionally suitable for such an installation. A copy of the Site Evaluation Report (Serial Number 14926) is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit an Application For An Improvement Permit with an ACCURATELY dimensioned plot plan detailing the location of current and/or proposed buildings, wells and sewage disposal systems to this office. The plan will be reviewed and if it is found that the area of provisionally suitable soils is adequate for the proposed construction, an Improvement Permit will be issued by this Department.

If I may be of assistance, please do not hesitate to contact me.

Sincerely,

Sylvia D. Daniel, R.S.
Environmental Health Supervisor
Environmental Resources Division

Enclosure

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
SITE EVALUATION REPORT
SERIAL NUMBER 14926

File: 4258A Action 1

Parcel: 11109116 PO ☐ PC

Location: 10322 Windtree Lane

Subdivision:


Lot: 29-5 Block: Acres: .57

Owner: Northlake Development Group, Inc.
Address: 3345 Mintwood Drive
Charlotte, NC 28212

Comments: System may need lift pump

Described by: William A. Martin

Date: 1-6-88



***** EVALUATION KEY *****

S = Suitable U = Unsuitable
PS = Provisionally Suitable
The "Area Classification" below indicates the suitability of areas in the diagram.

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4	AREA 5	AREA 6
Topography	(S) PS U 2-10%	S PS (U) complex slopes	S PS U	S PS U	S PS U	S PS U
Texture	S (PS) U clay	S PS U —	S PS U	S PS U	S PS U	S PS U
Structure	S (PS) U blocky	S PS U —	S PS U	S PS U	S PS U	S PS U
Drainage	S (PS) U 7 36" to water	S PS U —	S PS U	S PS U	S PS U	S PS U
Depth	S (PS) U 36" +	S PS U —	S PS U	S PS U	S PS U	S PS U
Restrictive Horizons	S (PS) U 7 36"	S PS U —	S PS U	S PS U	S PS U	S PS U
Available Space	S (PS) U very limited	S PS U —	S PS U	S PS U	S PS U	S PS U
Other (specify)	S PS U	S PS U	S PS U	S PS U	S PS U	S PS U
Soil Group/Series	IVA Cecil-like	complex slopes				
Area Classification	S (PS) U	S PS (U)	S PS U	S PS U	S PS U	S PS U

APPLICATION FOR SOIL INVESTIGATION

$300 CK#1423

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

(OFFICE USE ONLY)

FILE: 4258A

TC: _____

☐ PC ☐ REPT

JOB LOCATION

① ADDRESS: 10322 Windtree Lane

② SUBDIVISION: Northlake ③ LOT: 29 ④ BLOCK: 5

⑤ PARCEL REFERENCE: BOOK NO.: 111 PAGE NO.: 59 PARCEL NO.: 16

⑥ DEED REFERENCE: BOOK NO.: _____ PAGE NO.: _____

OWNER


⑦ NAME: Northlake Development Group Inc.
(FIRST) (MIDDLE) (LAST)

⑧ MAILING ADDRESS: 3345 Mintwood Drive

⑨ CITY: Charlotte ⑩ STATE: NC ⑪ ZIP: 28212

⑫ PHONE: (WORK) 537-5576 (HOME) 545-9599

⑬ Accurately diagram and dimension lot.



⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: _____

Date: 12/10/90

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY