Date Received 6/6/79

APT No. 15688

T. P. No. 001-014-17

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER (LAST, FIRST, MIDDLE) Sixth Development Corp.

2) ADDRESS OF OWNER 411 S. Church St. Clover, N.C. ZIP 28204

3) PHONE NO. Home _____ Office 372-5878


4) LOCATION OF PROPERTY Hwy 73, Lake Norman (STREET OR COUNTY ROAD) (BAYshore Dr.)

5) SUBDIVISION _____ LOT NO 13 BLOCK NO _____

MAP BOOK NO 19 PAGE NO. 3

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER

EHO-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION
(Ground Absorption Sewage Disposal)

APT 15688
PO 001-014-17

OWNER: SIXTH DEVELOPMENT CORP DATE REQUESTED: 6-6-79
ADDRESS: 417 S. CECIL ST PLAT NO.:
COUNTY: MECK 28204 LOT SIZE: 24256
LOCATION OF SITE: HWY 73 LAKE NORMAN BAYSHORES
Lot 13

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) 2-10 U	S (PS) 2-10 U	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) clayey U	S PS 2-1 (U)	S PS U	S PS U
3. SOIL STRUCTURE (12-36 in.) (Clayey Soils)	S (PS) Blocky U	S PS massive (U)	S PS U	S PS U
4. SOIL DEPTH (In.)	S (PS) 48> U	S PS 48/ (U)	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	S (PS) NONE U	S (PS) Rock (U)	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S (PS) Adequate U	S PS slow (U)	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S PS slow (U)	S PS U	S PS U
8. OTHER (Specify) *	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	Provisionally Suitable	Unsuitable		
SOIL SERIES	Cecil	ENON		


S - Suitable PS - Provisionally Suitable U - Unsuitable

* Site Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: Suit Soil Very Limited

Signed By: W.B. Rainey
Title: Soil Scientist Date: 6-25-79

(Form 3601 (3/77))


Lake
108
Lot 13
ENON
2-10
Area
II
42
20
37
52
LAKE
190
I
CECIL
2-40
136
30
BAYSHORE DRIVE

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1,00 BLYTHE BOULEVARD
CHARLOTTE NORTH CAROLINA 28203

SITE INVESTIGATION REPORT
INDIVIDUAL SEPTIC TANK SYSTEM
WITH SUBSURFACE,
SOIL ABSORPTION,
EFFLUENT DISCHARGE

SIR.NO. 15688
T.C.NO. po 001-014-17
MAP DATE
DATE July 3, 1979

NAME OF OWNER Sixth Development Corporation

ADDRESS OF OWNER 417 Cecil Street, Charlotte 28204

LOCATION OF LOT Bayshore Drive, Lot 14

At your request and pursuant to Section .1900 of the North Carolina Administrative Code, Title 10, Department of Human Resources, Chapter 10, Health Services, Subchapter 10A, a site evaluation has been made for an on premises ground absorption sewage disposal system on the property designated above and the following conditions were found:

Gentlemen:

Even though an area of Provisionally Suitable soils was found on this lot (13), before a site approval can be issued, we will need to see plans of your proposed building. Also, we will need to see where you plan on drilling your well and the proposed location of the septic tank system..

If you have any questions, concerning this, please feel free to call at anytime.

Stephen J. Wood, Environmentalist

SEE INSTRUCTIONS ON BACK 700 E. STONE STREET 874-2718

Date Received 23 July 1982

ICAR(S) Application No. 15688

T. C. No. 001-014-57


Map Date ——→

MECKLENBURG COUNTY & P.O. TC-001-014-60
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ✓ No
Residence ✓ Yes ___ No

4) No. of Bedrooms 3
5) Business Use — Max No Employees ___
6) Washing Machine ✓ Yes ___ No
7) Garbage Disposal ✓ Yes ___ No
8) Dishwasher ✓ Yes ___ No
9) Water Supply:
A) Individual Well ✓
B) Governmental System ___
C) Community System:
1. Well source ___
2. Governmental source ___
10) Sewage System:
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No
11) FHA Case No ___
12) VA Case No. ___

13) NAME OF OWNER Sidi (LAST) Robert (FIRST) Reynold (MIDDLE)

14) ADDRESS OF OWNER 2240 Loch Braemar Dr, Richmond VA 23236

15) PHONE NO. Home (804) 745 9376 Office (804) 274-3423 (704) 789-5022

16) LOCATION OF SYSTEM 15924 Bayshore Drive (STREET OR COUNTY ROAD)

17) SUBDIVISION Bayshore Estates Lot No. 13 & P.O. 16 Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___

19) HAS A SOIL INVESTIGATION BEEN RUN? ___ YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

7/28/82
DATE OF APPLICATION


(Robert R. Sidi)
OWNER

EHD-S-76


ENVIRONMENTAL HEALTH DEPARTMENT COPY


DESIGN SPECIFICATIONS FOR 15929 BAYSHORE DRIVE
Low Pressure Pipe System requested by owner

Daily Waste Flow	360 gallons/day
Septic Tank Size	1500 gallons
Pumping Tank Size	800 gallons
Effluent Loading Rate	0.18 gal./ft^2/day
Absorption Area	2000 ft^2
Total Length of Laterals	400 ft
Lateral Diameter	1.25 inch sch. 40 pvc
Lateral Configuration	10 - 40 ft lines
Supply Line Length	270 ft
Supply Line Diameter	2 inch sch. 40 pvc
Manifold Placement	center
Hole Size	5/32 inch
Hole Spacing	6.67 ft
Number of Holes	60
Pressure Head	3 ft
Flow Per Hole	0.50 gpm
Total Flow	30 gpm
Elevation Head	10.5 ft
Friction Head	5 ft
Pressure Head	3 ft
Total Head	18.5 ft
Pump Requirements	30 gpm at 18.5 ft of head, effluent pump
Storage Volume in Laterals	25.6 gallons
Storage Volume in Supply Line	43.74 gallons
Total Storage Volume	69.34 gallons
Dosing Volume	170 gallons
Dosing Depth	10.2 inches
Check Valve Needed	No
Earthen Dams	Between laterals and manifold, and every twenty feet in laterals.



15688






P.O. LOT 16 USED FOR

LPP NITRIFICATION FIELD

SCALE 1"=30'

15688


LAKE NORMAN
HOUSE
1500 GAL SEPTIC TANK
1000 GAL DOSING TANK W/SUBM. PUMP (½ H.P ZOLA PUMP)
WELL
LOT 13
CHECK VALVE
DRIVEWAY
190'
SLOPE 2½'/100'
SCALE 1" = 30'
TO NITRIFICATION FIELD

15688

ROUTE SR 2330 PROJECT N/A STATE OF NORTH CAROLINA COUNTY OF Mecklenburg

DEPARTMENT OF TRANSPORTATION

-AND-

Robert R. Sidi

2240 Lock Reserve Drive, Richmond VA 23226

RIGHT OF WAY ENCROACHMENT AGREEMENT

PRIMARY AND SECONDARY HIGHWAYS

THIS AGREEMENT, made and entered into this the 20 day of August, 19 80, by and between the Department of Transportation, party of the first part; and Robert R. Sidi party of the second part,

WITNESSETH:

THAT WHEREAS, the party of the second part desires to encroach on the right of way of the public road designated as Route SR 2330, located off NC 73 Reames Ford Road with the construction and/or erection of 2" Diameter PVC SEPTIC LINE, 5 feet from paved surface, 2 feet ground cover from lot 13 to lot 16

WHEREAS, it is to the material advantage of the party of the second part to effect this encroachment, and the party of the first part in the exercise of authority conferred upon it by statute, is willing to permit the encroachment within the limits of the right of way as indicated, subject to the conditions of this agreement;

NOW, THEREFORE, IT IS AGREED that the party of the first part hereby grants to the party of the second part the right and privilege to make this encroachment as shown on attached plan sheet (s), specifications and special provisions which are made a part hereof upon the following conditions, to wit:

That the installation, operation, and maintenance of the above described facility will be accomplished in accordance with the party of the first part's latest POLICIES AND PROCEDURES FOR ACCOMMODATING UTILITIES ON HIGHWAY RIGHTS-OF-WAY, and such revisions and amendments thereto as may be in effect at the date of this agreement. Information as to these policies and procedures may be obtained from the Division Engineer or State Utility Agent of

upon it by statute, is willing to permit the encroachment within the limits of the right of way as indicated, subject to the conditions of this agreement;

NOW, THEREFORE, IT IS AGREED that the party of the first part hereby grants to the party of the second part the right and privilege to make this encroachment as shown on attached plan sheet (s), specifications and special provisions which are made a part hereof upon the following conditions, to wit:

That the installation, operation, and maintenance of the above described facility will be accomplished in accordance with the party of the first part's latest POLICIES AND PROCEDURES FOR ACCOMMODATING UTILITIES ON HIGHWAY RIGHTS-OF-WAY, and such revisions and amendments thereto as may be in effect at the date of this agreement. Information as to these policies and procedures may be obtained from the Division Engineer or State Utility Agent of the party of the first part.

That the said party of the second part binds and obligates himself to install and maintain the encroaching facility in such safe and proper condition that it will not interfere with or endanger travel upon said highway, nor obstruct nor interfere with the proper maintenance thereof, to reimburse the party of the first part for the cost incurred for any repairs or maintenance to its roadways and structures necessary due to the installation and existence of the facilities of the party of the second part, and if at any time the party of the first part shall require the removal of or changes in the location of the said facilities, that the said party of the second part binds himself, his successors and assigns, to promptly remove or alter the said facilities, in order to conform to the said requirement, without any cost to the party of the first part.

That the party of the second part agrees to provide during construction and any subsequent maintenance proper signs, signal lights, flagmen and other warning devices for the protection of traffic in conformance with the latest Manual on Uniform Traffic Control Devices for Streets and Highways and Amendments or Supplements thereto. Information as to the above rules and regulations may be obtained from the Division Engineer of the party of the first part.

That the party of the second part hereby agrees to indemnify and save harmless the party of the first part from all damages and claims for damage that may arise by reason of the installation and maintenance of this encroachment.

That the party of the second part agrees to restore all areas disturbed during installation and maintenance to the satisfaction of the Division Engineer of the party of the first part. The party of the second part agrees to exercise every reasonable precaution during construction and maintenance to prevent eroding of soil; silting or pollution of rivers, streams, lakes, reservoirs, other water impoundments, ground surfaces or other property; or pollution of the air. There shall be compliance with applicable rules and regulations of the North Carolina Division of Environmental Management, North Carolina Sedimentation Control Commission, and with ordinances and regulations of various counties, municipalities and other official agencies relating to pollution prevention and control. When any installation or maintenance operation disturbs the ground surface and the existing ground cover, the party of the second part agrees to remove and replace the sod or otherwise reestablish the grass cover to meet the satisfaction of the Division Engineer of the party of the first part.

That the party of the second part agrees to assume the actual cost of any inspection of the work considered to be necessary by the Division Engineer of the party of the first part.

That the party of the second part agrees to have available at the construction site, at all times during construction, a copy of this agreement showing evidence of approval by the party of the first part. The party of the first part reserves the right to stop all work unless evidence of approval can be shown.

Provided the work contained in this agreement is being performed on a completed highway open to traffic; the party of the second part agrees to give written notice to the Division Engineer of the party of the first part when all work contained herein has been completed. Unless specifically requested by the party of the first part, written notice of completion of work on highway projects under construction will not be required.

That in the case of noncompliance with the terms of this agreement by the party of the second part, the party of the first part reserves the right to stop all work until the facility has been brought into compliance or removed from the right of way at no cost to the party of the first part.

That it is agreed by both parties that this agreement shall be and void if actual construction of the work contemplated herein is not begun within one (1) year from the date of authorization by the party of the first part unless written waiver is secured by the party of the second part from the party of the first part.

During the performance of this contract, the second party, for itself, its assignees and successors in interest (hereinafter referred to as the "Contractor"), agrees as follows:

a. Compliance with Regulations: The Contractor shall comply with the Regulations relative to nondiscrimination in federally-assisted programs of the U. S. Department of Transportation, Title 49, Code of Federal Regulations, Part 21, as they may be amended from time to time, (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this contract.

b. Nondiscrimination: The contractor, with regard to the work performed by it during the contract, shall not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor shall not participate either directly or indirectly in the discrimination prohibited by Section 21.5 of the Regulations, including employment practices when the contract covers a program set forth in Appendix B of the Regulations.

c. Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations either by competitive bidding or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor or supplier shall be notified by the contractor of the contractor's obligations under this contract and the Regulations relative to nondiscrimination on the grounds of race, color, or national origin.

d. Information and Reports: The contractor shall provide all information and reports required by the Regulations, or directives issued pursuant thereto, and shall permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Department of Transportation or the Federal Highway Administration to be pertinent to ascertain compliance with such Regulations or directives. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish this information, the contractor shall so certify to the Department of Transportation, or the Federal Highway Administration as appropriate, and shall set forth what efforts it has made to obtain the information.

e. Sanctions for Noncompliance: In the event of the contractor's noncompliance with the nondiscrimination provisions of this contract the Department of Transportation shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to,

(1) withholding of payments to the contractor under the contract until the contractor complies, and/or

(2) cancellation, termination or suspension of the contract, in whole or in part.

f. Incorporation of Provisions: The contractor shall include the provisions of paragraphs "a" through "f" in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Regulations, or directives issued pursuant thereto. The contractor shall take such action with respect to any subcontract or procurement as the Department of Transportation or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, that, in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the contractor may request the Department of Transportation to enter into such litigation to protect the interests of the State, and, in addition, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

DEPARTMENT OF TRANSPORTATION

BY: _____
DIVISION ENGINEER

ATTEST OR WITNESS:

_____ _____ (Robert R. Sibi)

_____ _____

_____ _____
Second Party

INSTRUCTIONS

When the applicant is a corporation or a municipality, this agreement must have the corporate seal and be attested by the corporation secretary or by the empowered city official, unless a waiver of corporate seal and attestation by the secretary or by the empowered City official is on file in the Raleigh office of the Manager of Right of Way. In the space provided in this agreement for execution, the name of the corporation or municipality shall be typed above the name and title of all persons signing the agreement should be typed directly below their signature.

This agreement must be accompanied, in the form of an attachment, by plans or drawings showing the following applicable information:

1. All roadways and ramps
2. Right of way lines and where applicable, the control of access lines
3. Location of the existing and/or proposed encroachment
4. Length, size and type of encroachment
5. Method of installation
6. Dimensions showing the distance from the encroachment to edge of pavement, shoulders, structures, etc.
7. Location by highway survey station number. If station number cannot be obtained, location should be shown by distance from some identifiable point, such as a bridge, road, intersection, etc. (To assist in preparation of the encroachment plan, the Department's roadway plans may be seen at the various Highway Division Offices, or at the Raleigh office.)
8. Drainage structures or bridges if affected by encroachment (show vertical and horizontal dimensions from encroachment to nearest part of structure)
9. Method of attachment to drainage structures or bridges.
10. Manhole design
11. On underground utilities, the depth of bury under all traveled lanes, shoulders, ditches, sidewalks, etc.
12. Length, size and type of encasement where required.
13. On underground crossings, notation as to method of crossing - boring and jacking, open cut, etc.
14. Location of vents

GENERAL REQUIREMENTS

1. Any attachment to a bridge or other drainage structure must be approved by the Head of Structure Design in Raleigh prior to submission of encroachment agreement to the Division Engineer.
2. All crossings should be as near as possible normal to the centerline of the highway.
3. Minimum vertical clearances of overhead wires and cables above all roadways must conform to clearances set out in the National Electric Safety Code.
4. Encasements shall extend from ditch line to ditch line in cut sections and 5' beyond toe of slopes in fill sections.
5. All vents should be extended to the right of way line or as otherwise required by the Department.
6. All pipe encasements as to material and strength shall meet the standards and specifications of the Department.
7. Any special provisions or specifications as to the performance of the work or the method of construction that may be required by the Department must be shown on a separate sheet attached to encroachment agreement provided that such information cannot be shown on plans or drawings.
8. The Department's Division Engineer should be given notice by the applicant prior to actual starting of installation included in this agreement.

Serial No. 5909

LA No. 15688

Date Issued 9-13-82

T. C. No. 001-014-57

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Sidi, (LAST) Robert (FIRST) Reynolds (MIDDLE)

ADDRESS OF OWNER 2240 Loch Braemar Dr., Richmond, VA ZIP 23236

LOCATION OF LOT 15929 Bayshore Drive (STREET OR COUNTY ROAD)

SUBDIVISION Bayshore Estates LOT NO 13 & PO 16 BLOCK NO.

MAP BOOK NO. PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration and/or Repair Permit", number 15688. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Mike Sexton
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Serial No. 5953

ICAR(S) Permit No. 15688


Date Issued ~~2-3-83~~ 2-1-83

T C No 001-014-57

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 15688, dated 7-27-82 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 3-1-83, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate P.S

Liquid Capacity of Tank 1500 gal + 800 gal Lift

Tank Construction P/C concrete

Absorption and or Nitrification Line

Total Line Length 400'

Number of Lines 10

Distance from House 7200'

Distance from Property Line 710'

Distance from Well 7100'

NAME OF OWNER Robert R. Sidi

LOCATION OF PROPERTY 15929 Bay Shore Dr.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

10-40 ft long x 6" wide x 12" stone trenches

Comments: _____

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHC-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

C of A (s) No. 15688

Date Issued 3-11-83 Serial 5649 T C. No. 001-014-57

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Sidi (LAST) Robert (FIRST) R. (MIDDLE)

Location of Property 15929 BAY Shore DR

Application Number 15688 Permit Number 15688

Inspection Data:

Liquid Capacity of Tank 1500 + 1000 gal Tank Material P/C concrete

Total Length of Drain Tile 400' Number of Lines 10

Depth of Filter Material 12" Cover Depth 1 ft

Water Supply Source well Distance from Water Source 750'

Excavation Inspected — (DATE) Tank Inspected 3-11-83 (DATE)

Nitrification Field Inspected 3-11-83 (DATE)

Washing Machine Line Inspected, If Applicable — (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments EPP system set to 2 ft pressure head
Complete the grading + seeding over nitrification field

R Oh Sr
Environmentalist

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY