Date Received 6/18/79

MECK COUNTY DEPARTMENT OF
RECEIVED
JUN 11 1979
ENVIRONMENTAL HEALTH

APT No. 15809
PO
T. C. No. 227-094-04
Map Date 9/9/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER KLEIN (LAST) WALTER (FIRST) JULIAN (MIDDLE)

2) ADDRESS OF OWNER 201 LANCELOT DRIVE, MATTHEWS, N.C. ZIP 28105

3) PHONE NO. Home 704-847-4342 Office 704-542-1403


4) LOCATION OF PROPERTY CARILLON WAY (STREET OR COUNTY ROAD)

5) SUBDIVISION CAMELOT LOT NO _____ BLOCK NO. _____

MAP BOOK NO 10 PAGE NO. 273

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____ See attached plat

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER

EHD-5-76

Environmental Health Department's Copy

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

TC 15809

(Ground Absorption Sewage Disposal)

OWNER: Walter J. Klein
ADDRESS: 201 Jamestown Drive
COUNTY: Matthews, N.C. 28105
LOCATION OF SITE: Carillon Way

DATE REQUESTED:
PLAT NO.: PO 227-07404
LOT SIZE: 80 acre

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 2-10% U	S PS complex slopes (U)	S PS U	S PS U
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) clay U	S (PS) clay U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) Blocky U	S (PS) Blocky U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	S Depth PS Variable (U)	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In. (Imprevious Strata, Rock)	(S) None PS U	(S) None PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) Fair to PS ground U water	S Eroded PS Areas (U) channel water	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) moderate U	S (PS) moderate U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	✓ Provisionally suitable	unsuitable		
SOIL SERIES	Cat. I	Eroded-complex slopes		

S - Suitable PS - Provisionally Suitable U - Unsuitable


* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: William R. Martin

Title: Soil Scientist Date: 7-23-79

DHS Form 2601 (2/77)
Sanitation


200'
Cov. Ilon
complex slopes
Cec. I
4-10%
400'
complex slopes
400'
4-10%
300'

Serial No. 2978

PTR No. 15809

Date Issued 7/24/79

T. C. No. pe 227-096-04

Map Date 9/9/78


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Klein (LAST) Walter (FIRST) Julian (MIDDLE)

ADDRESS OF OWNER 201 Lancelot Drive Matthews, NC ZIP 28105

LOCATION OF PROPERTY Carillon Way (STREET OR COUNTY ROAD)

SUBDIVISION Camelot LOT NO. BLOCK NO.



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. The permeability rate determined by the investigation was provisionally suitable. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter, or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Mecklenburg County Department of Environmental Health, renders the area indicated as acceptable for system installation unsuitable for installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

William A. Medlin
Soil Scientist
EHO-5-76

Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

R

Date Received 10/14/80

SEE INSTRUCTIONS ON BACK
MECK COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH
RECEIVED
OCT 14 1980

Application No. 15809

T. C. No. 227-094-04


Map Date 9/9/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) ___ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes X No
Residence X Yes ___ No
4) No. of Bedrooms 4
5) Business Use — Max No Employees ___
6) Washing Machine X Yes ___ No
7) Garbage Disposal X Yes ___ No
8) Dishwasher X Yes ___ No
9) Water Supply
A) Individual Well X
B) Governmental System ___
C) Community System:
1 Well source ___
2 Governmental source ___
10) Sewage System
House located within 200 feet of public sewer ___ Yes X No
House located within 200 feet of community sewer ___ Yes X No
11) FHA Case No. ___
12) VA Case No. ___

13) NAME OF OWNER Klein (LAST) Richard (FIRST) A. (MIDDLE)

14) ADDRESS OF OWNER 6816 Newhall Road

15) PHONE NO. Home 364-7437 Office 542-1403

16) LOCATION OF SYSTEM Carillon Way (STREET OR COUNTY ROAD) Matthews, N.C.

17) SUBDIVISION Camelot Lot No. ___ Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK ___ AT PAGE ___ A.S.

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 7/24/79

20) PTR NUMBER (See Instructions) 15809

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for hereon shall be void and of no effect if any of the above facts are not true.

10/13/80
DATE OF APPLICATION

Richard A Klein
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 4530

LA No. 15809

Date Issued Oct. 14, 1980

T. C. No. po 227-094-04

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Klein, (LAST) Richard (FIRST) A. (MIDDLE)

ADDRESS OF OWNER 6816 Hewhall Road Charlotte, NC ZIP 28211

LOCATION OF LOT Carillon Way (STREET OR COUNTY ROAD)

SUBDIVISION (Matthews) "Camelot" LOT NO. BLOCK NO.

MAP BOOK NO. PAGE NO

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 15809 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run

2 That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Marshall Edwards
Environmentalist

Michael A. Sexton
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Serial No. 4494

ICAR(S) Permit No. 15809

Date Issued 1-27-81


T. C. 227-094-10.28

Map Date

P.O. 227-094-04

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 15809 dated 10-14-80 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 2-27-81, after which date this permit shall be null and void.



PLOT OF SYSTEM CARILLON WAY

Permeability Rate P/S

Liquid Capacity of Tank 1500

Tank Construction P/C

Absorption and/or Nitrification Lines:

Total Line Length 660-167

Number of Lines 5-4

Distance from House 10'+

Distance from Property Line 10'+

Distance from Well 50'+

NAME OF OWNER Klein, Richard A.

LOCATION OF PROPERTY CARILLON WAY

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Comments: Septic Tank (1500) System 15'X132'X17' Stone
Washing Machine 12'X42'X17' Stone

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

C of A (s) No. 15809 1

Date Issued 1-28-81 Serial 4270

T. C 227-099-00-28

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner KLEIN (LAST) Richard (FIRST) A. (MIDDLE)

Location of Property CARILLON WAY

Application Number 15809 Permit Number 15809

Inspection Date:

Liquid Capacity of Tank 1500 Tank Material PC

Total Length of Drain Tile 660-167 Number of Lines 5-4

Depth of Filter Material 17" Cover Depth 24"-24"

Water Supply Source WELL Distance from Water Source


Excavation Inspected 1-28-81 (DATE) Tank Inspected 1-28-81 (DATE)

Nitrification Field Inspected 1-28-81 (DATE)

Washing Machine Line Inspected, If Applicable 1-28-81 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments CARILLON WAY



Michael Edwards
Environmentalist

EHD-5-76

Environmental Health Department's Copy