Date Received 1-9-74

APT No. 7405

T. C No 139-041-04

Map Date —

call 545-4427

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Map Thomas

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Dennis (LAST) James (FIRST) Mack (MIDDLE)

2) ADDRESS OF OWNER Route 1 - Box 642, Charlotte, N.C. ZIP 28212

3) PHONE NO. Home 545-4096 Office _____


4) LOCATION OF PROPERTY Beard Road (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

James Mack Dennis
OWNER

FORM NO E-1-9-1-72

HEALTH DEPARTMENT'S COPY

MECKLENBURG COUNTY HEALTH DEPARTMENT
INTER-OFFICE COMMUNICATION

DATE: January 10, 1974

TO: John Adkisson

FROM: W. Everette Lynn, Jr. WEL
Soil Scientist

SUBJECT: APT #7405 (J. M. Dennis)
Corner of Brief Road and Arlington Church Road
1-10-74

Soils were found to be of the Cecil series. These soils have good drainage, good aeration and moderate permeability.

Based on this investigation, it is recommended that the lot be granted approval for installation of a septic tank system. Design should be based on a 60 min./in. perc. rate.

WEL:jdg

Serial No. 3996

PTR No 7405

Date Issued January 11, 1974

T C No 139-041-04

Map Date 5-11-73

Do Not Issue A Building Permit Based On This Form

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION


PERCOLATION TEST REPORT

NAME OF OWNER Dennis (LAST) James (FIRST) Mack (MIDDLE)

ADDRESS OF OWNER Route 1, Box 642 ZIP 28212

LOCATION OF PROPERTY Brief Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that a percolation test has been run and an on site inspection made by the Mecklenburg County Health Department on the lot described above. The said test was conducted on that portion of the lot as indicated on above plot

The percolation rate determined by the test was(is) *results in/hr. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions

1. A permit to install, construct, alter or repair the specific system shall be obtained from the Mecklenburg County Health Department prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Health Department prior to installation based on the percolation rate obtained above, and on the size and type of building constructed thereon
3. This approval is valid only if the system is installed in the immediate area where the percolation test was run
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Health Department, renders the area where the percolation test was run unsuitable for the installation, construction, alteration, and/or repair of such a system

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina State Board of Health and the Mecklenburg County Board of Health which were in effect on the date of issuance and is void if at any time in the future, prior to the completion of the system, these laws, rules, and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date

*Results determined by soil analysis.

W. Scott Lyon Jr. Soil Scientist

John R. Atkisson
Director Environmental Health Division or Authorized Section Head

FORM NO. E-2-9-1-72

HEALTH DEPARTMENT'S COPY

SEE INSTRUCTIONS ON BACK

Date Received 1-9-74

ICAR'S Application No 7405

T C No 139-041-01

Map Date

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge

The owner of that property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to

1 Install or Construct 2 Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4 Number of bedrooms 2

5 Type of Water Supply Well
Engineer

6 Water Supply Meter Yes No

7 Garbage Disposal Yes No

8 Dishwasher Yes No

9 Water supply
A Individual Well ✓
B Government
C Community System
1 Well
2 Government

Sewage Treatment
Distance to nearest sewer Yes No
Distance to nearest sewer Yes No

11 FHA Case No

12 VA Case No

13) NAME OF OWNER Dennis James Mack
LAST FIRST MIDDLE

14) ADDRESS OF OWNER Rt. 1 Box 642 Charlotte N.C.

15) PHONE NO Home 545-4096 Office

16) LOCATION OF SYSTEM Briar Road
STREET OR COUNTY ROAD

17) SUBDIVISION Lot No Block No

Map Book No Page No.

18) DEED REFERENCE — DEED BOOK AT PAGE

19) HAS A PERCOLATION TEST BEEN RUN? YES NO DATE RUN

20) PTR NUMBER (See Instructions)

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for hereunder shall be void and of no effect if any of the above facts are not true.

1-9-74
DATE OF APPLICATION

James Mack Dennis
OWNER

FORM NO E-4-9-1-72

HEALTH DEPARTMENT'S COPY

Serial No. 3751

LA No 7405

Date Issued January 11, 1974

T C No 139-041-04

IMPROVEMENTS PERMIT

Map Date 5-11-73

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Dennis (LAST) James (FIRST) Mack (MIDDLE)

ADDRESS OF OWNER Route 1, Box 642 ZIP 28212

LOCATION OF LOT Brief Road (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Health Department for the installation of an individual septic tank system with subsurface, soil absorption effluent discharge based on the percolation test results which yielded a percolation rate of 60 min/in on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration and/or Repair Permit", number 7405. This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered, and/or repaired in the same area where the percolation test was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

R. M. Reynolds
Environmentalist

John R. Adkisson
Director, Environmental Health Division or Authorized Section Head

FORM NO E-3-8-1-72

HEALTH DEPARTMENT'S COPY

Date Issued 15 Jan 74 **Serial No. 4789** ICAR(S) Permit No. 7405

T. C. No 139-041-04

Map Date


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

INSTALLATION, CONSTRUCTION, ALTERATION, AND OR REPAIR PERMIT

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 7405, dated 1-9-74 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 15 Feb 74, after which date this permit shall be null and void.



PLOT OF SYSTEM

Percolation Rate 60

Liquid Capacity of Tank 1500 gal

Tank Construction Precast Concrete

Absorption and/or Nitrification Lines.

Total Line Length 450'

Number of Lines (4) 10' X 112'

Distance from House 10'

Distance from Property Line 10'+

Distance from Well 100'

NAME OF OWNER DENNIS, Mack

LOCATION OF PROPERTY Briley Rd

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Board of Health which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

Comments: Approx 4' deep  12" = grade boards

Use #1 CRUSHED washed stone - 24" cover from top of stone to ground surface. Approx 15 Tons stone for each 100' excavation pit - 2½' X 7' X 4' stone

Division or Section Head

R. M. Reynolds
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Environmental Health Division in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

FORM NO. E-5-4-1-71

HEALTH DEPARTMENT'S COPY

Date Issued 15 JAN '74 Serial 4378

C of A (s) No. 7405

T C No. 139-04/-04

Map Date

CERTIFICATE OF COMPLETION

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner DENNIS (LAST) HICK (FIRST) (MIDDLE)

Location of Property BRIEF Rd.

Application Number 7405 Permit Number 7405

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material PC

Total Length of Drain Tile 450' Number of Lines 4 10'x112'

Depth of Filter Material 12" Cover Depth 24"

Water Supply Source WELL Distance from Water Source 100'+/

Excavation Inspected 19 JAN 74 (DATE) Tank Inspected 19 JAN 74 (DATE)

Nitrification Field Inspected 19 JAN 74 (DATE)

Washing Machine Line Inspected, If Applicable (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Board of Health in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments: aeration pit 2½' x 7' x 4' w/stone

G. M. Reynolds
Environmentalist

FORM NO. E-6-4-1-71

HEALTH DEPARTMENT'S COPY

Date Received 12-9-82

DEC 9 1982

ICAR(S) Application No. 7405

P.O. T.C. No. 139-041-01


Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to: use existing system - replacing mobile home with house

1) ___ Install or Construct 2) ✓ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4) Mobile Home ___ Yes ✓ No
Residence ✓ Yes ___ No

4) No. of Bedrooms 3

5) Business Use — Max No Employees ___

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ✓ Yes ___ No

9) Water Supply:
A) Individual Well ✓
B) Governmental System ___
C) Community System:
1. Well source ___
2. Governmental source ___

10) Sewage System:
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No. ___

12) VA Case No. ___

13) NAME OF OWNER Thomas (LAST), Ricky E (FIRST) & Barbara M. (MIDDLE)

14) ADDRESS OF OWNER 9225 Brief Rd

15) PHONE NO. Home 545-5495 Office 537-5005

16) LOCATION OF SYSTEM 9225 Brief Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION ___ Lot No. ___ Block No. ___

Map Book No. ___ Page No. ___

18) DEED REFERENCE — DEED BOOK 4596 AT PAGE 978

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 1-7-74

20) PTR NUMBER (See Instructions) 9382

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

11-30-82
DATE OF APPLICATION

Ricky E Thomas
OWNER Barbara M. Thomas

EHD-5-76

HEALTH DEPARTMENT COPY

BF 4042

SIR No. 7405

Date Issued December 9, 1982 Serial No. 6084

T. C. No. PO 139-041-01 04

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
IMPROVEMENT PERMIT
TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Thomas (LAST) Rickey E. & Barbara H. (FIRST MIDDLE)

ADDRESS OF OWNER 9225 Brief Road, Charlotte, N. C. ZIP _____

LOCATION OF LOT 9225 Brief Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 7405. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit. "USE EXISTING SYSTEM"

Environmentalist

Mike Sexton
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy