

11324 ARTHUR AUTEN RD

02301201

8/13/08

marliwr

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

MECKLENBURG COUNTY
LAND USE AND ENVIRONMENTAL SERVICES
Payment Receipt

Receipt Information

Date:	03/18/09	**Amount:**	250.00
Receipt #:	62066	**Tendered:**	250.00
Check / Auth #:	MC 045596	**Returned:**	0.00
Received By:	WALKEVA		

Account Information

Account #:	200000
Contractor:	RETIANU, LIA
Attn:	
Address:	11324 ARTHUR AUTEN ROAD
Address:	
City/State/Zip:	HUNTERSVILLE, NC 28078

Item	Description	Permit#	Quantity	Unit Price	Total Price
0701	Improvment Permit App-Residen 11324 ARTHUR AUTEN ROAD		1	250.00	250.00

----------Outstanding Balances----------

Month-To-Date	Prior Month	30 Days	60 Days	90 Days	Balance
30.00					

Pd. $250.00
Master Card
3/18/09
VAM

File #17030

MECKLENBURG COUNTY
GROUNDWATER & WASTEWATER SERVICES

APPLICATION FOR A RESIDENTIAL SITE IMPROVEMENT PERMIT/ CONSTRUCTION AUTHORIZATION FOR AN ON-SITE WASTEWATER SYSTEM, NEW WELL INSTALLATION, OR REPAIR OF EXISTING WELL

1. SEPTIC / TYPE APPLICATION: ☒ N/A ☒ NEW SYSTEM ☐ ALTERATION ☐ REPAIR ☐ MODIFIED PLOT PLAN

2. WELL / TYPE APPLICATION: ☒ N/A ☐ NEW WELL ☐ MAJOR REPAIR ☐ ABANDONMENT

3. JOB LOCATION INFORMATION:

TAX PARCEL NUMBER:
STREET ADDRESS: 11324 Arthur Auten Rd
CITY: Huntersville
STATE: NC ZIP: 28078
SUBDIVISION NAME:
LOT #: LOT SIZE (acres):
TOWNSHIP:
☒ 0-MECKLENBURG ☐ 3-CORNELIUS ☐ 6-HUNTERSVILLE
☐ 1-CHARLOTTE ☐ 4-PINEVILLE ☐ 7-MINT HILL
☐ 2-DAVIDSON ☐ 5-MATTHEWS

4. BUILDING INFORMATION:

BUILDING TYPE:
☐ SINGLE MOBILE HOME ☐ MODULAR HOME
☐ DOUBLE WIDE ☐ MULTIPLE FAMILY
☐ HOUSE ☐ OTHER _____
HEATED SQUARE FOOTAGE:
NUMBER OF BEDROOMS: 3
NUMBER OF OCCUPANTS:
FOUNDATION TYPE:
☐ CONCRETE SLAB ☐ BASEMENT WITH PLUMBING
☐ CRAWL SPACE ☐ BASMENT WITH NO PLUMBING

5. IF PLANNING TO EXPAND OR ALTER THE EXISTING SEPTIC SYSTEM PLEASE COMPLETE THE FOLLOWING SECTION: ☒ N/A

NUMBER OF BEDROOMS TO BE ADDED: _____ NUMBER OF ADDITIONAL OCCUPANTS IN THE RESIDENCE: _____

6. WATER SUPPLY: ☐ MUNICIPAL ☒ PRIVATE WELL ☐ PUBLIC WELL ☐ SHARED WELL ☐ OTHER _____

7. PROPOSED USE OF WELL: ☒ N/A ☐ IRRIGATION ☐ POTABLE (DRINKING WATER) ☐ OTHER _____

8. PLEASE INDICATE AND RANK DESIRED SEPTIC SYSTEM TYPE(S) IN ORDER OF PREFERENCE *(1-MOST DESIRED 5-LEAST DESIRED)*:

☐ N/A ☒ ANY TYPE ☐ CONVENTIONAL ☐ ACCEPTED ☐ INNOVATIVE ☐ ALTERNATIVE ☐ OTHER _____

8A. RANK: ____ ____ ____ ____ ____

9. DO ANY OF THE FOLLOWING APPLY TO THE PROPERTY IN QUESTION? IF "YES" PLEASE ATTACH SUPPORTING DOCUMENTATION.

BURIED CABLES, LANDFILLS, STUMPHOLES	☐ YES	☒ NO	GRADING/SOIL REMOVAL PERFORMED	☐ YES	☒ NO
EXISTING WASTEWATER (SEPTIC) SYSTEMS	☒ YES	~~☐ NO~~	JURISDICTIONAL WETLANDS	☐ YES	☒ NO
WELLS, SPRINGS, OR WATER LINES	☐ YES	☒ NO	APPROVAL REQUIRED BY ANY OTHER PUBLIC AGENCY	☐ YES	☒ NO
EASEMENTS OR RIGHT-OF-WAYS	☐ YES	☒ NO	WASTEWATER OTHER THAN DOMESTIC SEWAGE	☐ YES	☒ NO
CHEMICAL/PETROLEUM STORAGE TANKS	☐ YES	☒ NO	KNOWN UNDERGROUND CONTAMINATION	☐ YES	☒ NO
WASTE STORAGE	☐ YES	☒ NO	GROUNDWATER USE RESTRICTIONS/VARIANCES	☐ YES	☒ NO

10. WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? 1984 ☐ UNKNOWN

11. WHAT IS THE ANTICIPATED CLOSING DATE FOR THIS PROPERTY? _____ ☒ N/A

12. PROPERTY OWNER:

NAME: Viorel + Lia Retianu
ADDRESS: 11324 Arthur Auten Rd
CITY: Huntersville
STATE: NC ZIP: 28078
HOME PHONE: 704-948-4431
WORK PHONE:
MOBILE PHONE:
FAX:

13. OWNER'S LEGAL REPRESENTATIVE, IF APPLICABLE: N/A

NAME:
ADDRESS:
CITY:
STATE: ZIP:
HOME PHONE:
WORK PHONE:
MOBILE PHONE:
FAX:

MECKLENBURG COUNTY – GROUNDWATER & WASTEWATER SERVICES
700 N. TRYON ST. SUITE 211 CHARLOTTE, NC 28202, OFFICE: 704-336-5103, FAX: 704-336-6894


Revised on: 7/1/08

Mecklenburg County, North Carolina

POLARIS

Property Ownership Land Records Information System

Date Printed: Wed Mar 18 10:33:41 EDT 2009



This map is prepared for the inventory of real property within Mecklenburg County and is compiled from recorded deeds, plats, tax maps, surveys, planimetric maps, and other public records and data. Users of this map are hereby notified that the aforementioned public primary information sources should be consulted for verification. Mecklenburg County and its mapping contractors assume no legal responsibility for the information contained herein.

Department of Environment, Health, and Natural Resources
Division of Environmental Health
On-site Wastewater Section

Page 1
Property ID: 2301201
Lot #: 2
File #: 17030
AppID: 4111

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Viorel & Lia Retianu
Applicant: Viorel & Lia Retianu
Address: 11324 Arthur Auten Road
Date Evaluated: 4/9/09
Proposed Facility: residence
Design Flow (.1949) 360 GPD
Property Size: 1 acre
Location of Site: 11324 Arthur Auten Road
Property Recorded:
Water Supply: [ ] Public [x] Individual [x] Well [ ] Spring [ ] Other
Evaluation Method: [ ] Auger Boring [x] Pit [ ] Cut
Type of Wastewater: [x] Sewage [ ] Industrial Process [ ] Mixed

PROFILE #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 .1941 Structure/ Texture	.1941 Consistence Mineralogy	b PROFILE FACTORS .1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
A	LS	0-18	ABK/SBK C	FR/SS/SP/SEXP	>60" TO SOIL WETNESS	43	SCL	NONE	US
	4%	18-43	ABK/SBK C	FI/VS/VP/MIXED					
		43-60	M/SCL	FI/VS/VP/MIXED					
B	LS	0-10	ABK/SBK SCL	FR/SS/SP/SEXP	>56" TO SOIL WETNESS	24	CL	NONE	US
	5%	10-24	ABK/SBK C	FI/S/P/SEXP					
		24-56	M/CL	FI/SS/SP/SEXP					
C	LS	0-14	SBK/SCL	FR/SS/SP/SEXP	>59" TO SOIL WETNESS	44	CL	NONE	US
	5%	14-44	ABK/SBK/C	FI/VS/VP/EXP					
		44-59	M/CL	FI/SS/SP/SEXP					
D	LS	0-17	ABK/C	FI/S/P/SEXP	>53" TO SOIL WETNESS	17	CL	NONE	US
	8%	17-33	M/CL	FI/S/P/SEXP					
		33-53	M/CL	FI/S/P/SEXP					
E	LS	0-12	SBK/ABK/SCL	FI/SS/SP/SEXP	>57" TO SOIL WETNESS	32	L	NONE	PS, IV
	5%	12-32	ABK/SBK/C	FI/S/P/SEXP					.25 GPD/FT2
		32-57	M/LOAM	FI/NS/NP/SEXP					

Description	Initial System	Repair System
Available Space (.1945)		
System Type(s)		
Site LTAR		


Other Factors (.1946):
Soil Evaluation By:
Others Present:
Site Classification (.1948):
Site Evaluation By:
Others Present:

COMMENTS:

Landscape Position	Group	Texture	.1955 LTAR	Structure
R-Ridge	I	S-Sand	1.2 - 0.8	SG-Single Grain
SS-Shoulder Slope		LS-Loamy Sand		M-Massive
LS-Linear Slope				CR-Crumb
FS-Foot Slope	II	SL-Sandy Loam	0.8 - 0.6	GR-Granular
NS-Nose Slope		L-Loam		SBK-Subangular Blocky
HS-Head Slope				ABK-Angular Blocky
CC-Concave Slope	III	SI-Silt	0.6 - 0.3	PL-Platy
CV-Convex Slope		SICL-Silty Clay Loam		PR-Prismatic
T-Terrace				
FP-Flood Plain		CL-Clay Loam		
		SCL-Sandy Clay Loam		
	IV	SC-Sandy Clay	0.4 - 0.1	
		SIC-Silty Clay		
		C-Clay		

Consistence Moist	Consistence Wet	Mineralogy
VFR-Very Friable	NS-Non-Sticky	SEXP-Slightly Expansive
FR-Friable	SS-Slightly Sticky	EXP-Expansive
FI-Firm	S-Sticky	
VFI-Very Firm	VS-Very Sticky	
EFI-Extremely Firm	NP-Non-Plastic	
	SP-Slightly Plastic	
	P-Plastic	
	VP-Very Plastic	

11324 Arthur Auten Road
File # 17030



Jeremy Michelone, R.S.
4/9/09

0 55 110 220 Feet

Department of Environment, Health, and Natural Resources
Division of Environmental Health
On-site Wastewater Section

Sheet: 4
File #: 17030

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM
CONTINUED

PROFILE #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 .1941 Structure/ Texture	.1941 Consistence Mineralogy	OTHER PROFILE FACTORS .1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
F	LS	0-8	ABK/SBK/SCL	FI/SS/SP/SEXP	>60" TO SOIL WETNESS	24	CL	NONE	US
	5%	8-24	ABK/SBKC	FI/S/P/SEXP					
		24-60	M/CL	FI/S/P/SEXP					
G	LS	0-16	ABK/C	FI/SS/SP/SEXP	>54" TO SOIL WETNESS	16	LOAM	NONE	PS, IV
	5%	16-54	M/LOAM	FI/NS/NP/SEXP					0.3 GPD/FT2
H	LS	0-15	SBK/SCL	FI/SS/SP/SEXP	>55" TO SOIL WETNESS	15	LOAM	NONE	PS/ IV
	5%	15-31	SBK/C	FI/S/P/SEXP					0.3 GPD/FT2
		31-55	M/LOAM	FI/NS/NP/SEXP					

Report Number:
R09106-0161
Acount Number:
46867

A&L Eastern Laboratories, Inc.

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401
Fax No. (804) 271-6446 Email: office@al-labs-eastern.com

TO: MECKLENBURG COUNTY GOVERNMENT
700 N TRYON ST - STE 211
FINANCE DEPARTMENT 11TH FLOOR
CHARLOTTE, NC 28202

Grower: VIOREL RETINANU
11324 ARTHUR AUTEN RD
HUNTERSVILLE NC 28078

Submitted By: JEREMY MICHELONE

ATTN: GWS LAND USE & ENV S

Date Received: 4/16/09 **Date Reported:** 04/21/2009

REPORT OF ANALYSIS

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD
20429	A	Sand	40	%	Bouyoucos 1962
		Silt	36	%	Bouyoucos 1962
		Clay	24	%	Bouyoucos 1962
		Soil Textural Class	Loam		Bouyoucus 1962
20430	B	Sand	28	%	Bouyoucos 1962
		Silt	40	%	Bouyoucos 1962
		Clay	32	%	Bouyoucos 1962
		Soil Textural Class	Clay Loam		Bouyoucus 1962
20431	C	Sand	28	%	Bouyoucos 1962
		Silt	40	%	Bouyoucos 1962
		Clay	32	%	Bouyoucos 1962
		Soil Textural Class	Clay Loam		Bouyoucus 1962
20432	D	Sand	66	%	Bouyoucos 1962
		Silt	24	%	Bouyoucos 1962
		Clay	10	%	Bouyoucos 1962

ALE-MISC

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Paul Chu, Ph.D.

Report Number:
R09106-0161
Acount Number:
46867

A&L Eastern Laboratories, Inc.

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401
Fax No. (804) 271-6446 Email: office@al-labs-eastern.com

TO: MECKLENBURG COUNTY GOVERNMENT
700 N TRYON ST - STE 211
FINANCE DEPARTMENT 11TH FLOOR
CHARLOTTE, NC 28202

Grower: VIOREL RETINANU
11324 ARTHUR AUTEN RD
HUNTERSVILLE NC 28078

Submitted By: JEREMY MICHELONE

ATTN: GWS LAND USE & ENV S

Date Received: 4/16/09 **Date Reported:** 04/21/2009

REPORT OF ANALYSIS

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD
20432		Soil Textural Class	Sandy Loam		Bouyoucus 1962
20433	E	Sand	16	%	Bouyoucos 1962
		Silt	44	%	Bouyoucos 1962
		Clay	40	%	Bouyoucos 1962
		Soil Textural Class	Silty Clay		Bouyoucus 1962
20434	G	Sand	28	%	Bouyoucos 1962
		Silt	38	%	Bouyoucos 1962
		Clay	34	%	Bouyoucos 1962
		Soil Textural Class	Clay Loam		Bouyoucus 1962

ALE-MISC

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Paul Chu, Ph.D.

On-Site Wastewater System Design Consultants

Atlantic Geoscience & Engineering, PC
D. Bruce Nothdurft, MSCE, PE, PG
PO Box 620937
Charlotte NC 28262
Phone: (704) 241-8612
Fax: (704) 455-2707
DrKnowDirt@AtlanticGeoscience.net

Michael Athanas & Associates
Michael Athanas, LSS
109 Maxwell Ave.
Huntersville NC 28078
Phone: (704) 576-3887
Fax:

Piedmont Design Associates, PA
Donald Munday, PE
125 East Plaza Dr.
Mooresville NC 28115
Phone: (704) 664-7888
Fax: (704) 664-1778

Rollans Soil & Environmental Services, PA.
Ashley Rollans, LSS
470 North Broad St., Suite D
Mooresville NC 28115
Phone: (704) 658-1723
Fax: (704) 658-1724
rollans.ashley@yahoo.com

S&ME, Inc.
Paul Penninger, LSS
385 Timber Rd.
Mooresville NC 28115
Phone: (704) 662-8625
Fax: (704) 662-8735


Soil & Environmental Consultants, Inc.
Wendell Overby, LSS
236 LePhillip Ct., Suite C
Concord NC 28205
Phone: (704) 720-9405
Fax: (704) 720-9406
emutterer@sandec.com

Thompson Environmental Consulting
Larry Thompson, RS, PWS
114 Orchard Ridge Rd.
Locust NC 28097
Phone: (704) 301-4881
Fax: (704) 888-1496
larry@thompsonenv.com

Tim Whittaker
Tim Whitaker
1112 Queensgate St.
Gastonia NC 28054
Phone: (704) 866-9540
Fax: (704) 866-9540

Ralph Parks

SOIL EVALUATION LOCATIONS FOR
13246 BELLE GROVE MANOR
WAPSPS APPLICATION # 3837



Map Created By: J. Michael
Map Created On: 2/25/09

0 45 90 180 Feet

MECKLENBURG COUNTY
Health Department

April 28, 2009

Viorel & Lia Retianu
11324 Arthur Auten Road
Huntrsville, NC 28078

Re: Application for improvement permit for:
Property Site: 11324 Arthur Auten
Health Department file number: **17030**

Dear Property Owner or Owner's Agent:

The Mecklenburg County Health Department, Environmental Health Division on April 09, 2009 evaluated the above-referenced property at the site designated on the site plan that accompanied your improvement permit application. According to your application the site is to serve a three bedroom house, with a daily design flow of 360 gallons per day. The evaluation was done in accordance with the laws and rules governing wastewater systems in North Carolina General Statute 130A-333 and related statutes and Title 15A, Subchapter 18A, of the North Carolina Administrative Code, Rule .1900 and related rules.

Based on the criteria set out in Title 15A, Subchapter 18A, of the North Carolina Administrative Code, Rules .1940 through .1948, the evaluation indicated that the site is **UNSUITABLE** for a ground absorption sewage system. Therefore, your request for an improvement permit is **DENIED.** A copy of the site evaluation is enclosed. The site is unsuitable based on the following:

- ☒ Unsuitable soil topography and/or landscape position (Rule .1940)
- ☒ Unsuitable soil characteristics (structure or clay mineralogy) (Rule .1941)
- ☐ Unsuitable soil wetness condition (Rule .1942)
- ☒ Unsuitable soil depth (Rule .1943)
- ☐ Presence of restrictive horizon (Rule .1944)
- ☒ Insufficient space for septic system and repair area (Rule .1945)
- ☐ Unsuitable for meeting required setbacks (Rule .1950)
- ☐ Other (Rule .1946)

These severe soil or site limitations could cause premature system failure, leading to the discharge of untreated sewage on the ground surface, into surface waters, directly to ground water or inside your structure.

The site evaluation included consideration of possible site modifications, and modified, innovative or alternative systems. However, the Health Department has determined that none of the above options will overcome the severe conditions on this site. A possible option might be a system designed to dispose of sewage to another area of suitable soil or off-site to additional property.

For the reasons set out above, the property is currently classified **UNSUITABLE,** and an improvement permit shall not be issued for this site in accordance with Rule .1948 (c).

However, the site classified as **UNSUITABLE** may be classified as **PROVISIONALLY SUITABLE** if written documentation is provided that meets the requirements of Rule .1948(d). A copy of this rule is enclosed. You may hire a consultant to assist you if you wish to try to develop a plan under which your site could be reclassified as **PROVISIONALLY SUITABLE.**

You have a right to an informal review of this decision. You may request an informal review by the soil scientist or environmental health supervisor at the local health department. You may also request an informal review by the N. C. Department of Environment and Natural Resources regional soil specialist. A request for informal review must be made in writing to the local health department.

You also have a right to a formal appeal of this decision. To pursue a formal appeal, you must file a petition for a contested case hearing with the Office of Administrative Hearings, 6714 Mail Center, Raleigh, NC 27699-6714. To get a copy of a petition form, you may write the Office of Administrative Hearings or call the office at (919) 733-0926 or from the OAH web site at www.oah.state.nc.us/form.htm. The petition for a contested case hearing must be filed in accordance with the provision of North Carolina General Statutes 130A-24 and 150B-23 and all other applicable provisions of Chapter 150B. N. C. General Statue 130A-335(g) provides that your hearing would be held in the county where your property is located.

Please note: If you wish to pursue a formal appeal, you must file the petition form with the Office of Administrative Hearings **WITHIN 30 DAYS OF THE DATE OF THIS LETTER.** The date of this letter is April 28, 2009. Meeting the 30-day deadline is critical to your right to a formal appeal. Beginning a formal appeal within 30 days will not interfere with any informal review that you might request. Do not wait for the outcome of any informal review if you wish to file a formal appeal.

If you file a petition for a contested case hearing with the Office of Administrative Hearings, you are required by law (N.C. General Statute 150B-23) to send a copy of your petition to the North Carolina Department of Environment and Natural Resources. Send the copy to: Office of General Counsel, N. C. Department of Environment and Natural Resources, 1601 Mail Service Center, Raleigh, NC. 27699-1601. Do **NOT** send the copy of the petition to your local health department. Sending a copy of your petition to the local health department will **NOT** satisfy the legal requirement in N.C. General Statute 150B-23 that you send a copy to the Office of General Counsel, NCDENR.

You may call or write the local health department if you need any additional information or assistance.

Sincerely,

Jeremy Michelone, R.S.
Authorized Agent - DENR

Encl: (2)

Gd. 100.00 #1062 and 2/29/00

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR SERVICES

AES

[ ] CRT

Mecklenburg County Health Dept.
Environmental Health Division
c/o Hal Marshall Ctr., Suite 211
700 N. Tryon St.
Charlotte, NC 28202

(704)336-5102 17030

Date:

PERSON FILING APPLICATION:
NAME: Retianu LIA L.
(last) (first) (mi)
ADDRESS: 11324 Arthur Auten Rd PHONE: (704) 948-4431
CITY: Huntersville STATE: NC ZIPCODE: 28078

PROPERTY INFORMATION (FROM ENGINEERING FORM):
TAX/PARCEL NUMBER: 023-012-01
STREET ADDRESS: 11324 Arthur Auten Rd
ZONING:

PROPERTY OWNER:
NAME: Retianu Viorel & Lia
(last) (first) (mi)
ADDRESS: 11324 Arthur Auten Rd PHONE: (704) 948-4431
CITY: Huntersville STATE: NC ZIPCODE: 28078

SUBDIVISION OR MOBILE HOME PARK NAME:

Township (check one):
[X] 0 Mecklenburg County [ ] 2 Davidson [ ] 4 Pineville [ ] 6 Huntersville
[ ] 1 Charlotte [ ] 3 Cornelius [ ] 5 Matthews [ ] 7 Mint Hill

LOT NUMBER: [redacted] LOT SIZE (in acres): 5 Ac.

TYPE APPLICATION (check one):

[redacted] 1984

[ ] EXCHANGE MOBILE HOME - SAME # BEDROOMS (Y)
[X] ADDITION - INCREASE ROOMS/OCCUPANCY/MOBILE HOME SIZE (A or M)
[ ] COMMERCIAL OR INDUSTRIAL (N)

[redacted] [ ] ADDITION - GARAGE OR RENOVATION/NO MAJOR CHANGES (X) Family Room

RESIDENTIAL PROPERTY (Type Building, check one):
[ ] SINGLE MOBILE HOME (S) [X] HOUSE (H) [ ] MULTIPLE FAMILY (U)
[ ] DOUBLE WIDE (D) [ ] MODULAR HOME (M) [ ] OTHER _____ (O)

NUMBER BEDROOMS: 3 NUMBER OCCUPANTS: 4

SYSTEM CLASSIFICATION:

COMMERCIAL/INDUSTRIAL PROPERTY:
Type Business _____ # Employees ___ Per Shift ___ ___ ___
Industrial Wastes (Y/N) ___
Underground Storage Tanks On Property (Y/N) ___ Type _____

WATER SUPPLY (check one):
[ ] Community (C) [ ] Shared Well (S)
[ ] Municipal (M) [ ] Other 'spring' (O)
[X] Private Well (P)

FUTURE ADDITIONS - ALL PLANNED ADDITIONS MUST BE ENTERED (check all that apply):
[ ] Swimming Pool [ ] Jacuzzi [ ] Stable/Barn [ ] Workshop [ ] None
[ ] Garage [ ] Storage Building [ ] Deck/Patio [ ] Bedrooms [X] Other Family Room

The undersigned, owner, or legal agent for the owner, of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY HEALTH DEPARTMENT to enter onto the property for the purpose of processing this request.

Signed: [signature] Date: 02/29/00

NOTICE:

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

...No work shall be conducted on the septic tank system until an installation, Construction, Alteration and/or Repair approval is granted by this Department.

...This permit is not transferable.

... Approval granted for a family room addition

Use existing system


[ ] IMPROVEMENT PERMIT - VALID 60 MONTHS FROM ISSUANCE
[ ] MOBILE HOME EXCHANGE APPROVAL - VALID 6 MONTHS FROM ISSUANCE
[X] ADDITION/RENOVATION APPROVAL - VALID 1 YEAR FROM ISSUANCE


Philip S. Welker RS 3/7/2000
Environmentalist Date

WATER : 122791

Lia L. Retianu
11324 Arthur Auten Rd.
Huntersville, NC 28078
~~Ho: 948-4433~~
~~Fax~~ W. 393-4131

Parcel # 023-012-01




11324
Arthur Auten Rd
Hunterssville, NC 28078
5 Ac.
N
500 ft
Road
Elec. Pole
Light
Light
Wooded
Wooded
-fenced-
well
CP
G
425 ft
425 ft
Wooded
Dirt Rd.
Woods
Woods
Parking for Lake Accsess