Date Received 1/29/79 Apt. No. (S) _____ Application No. (W) 14894

T. C. No. _____

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR WELL WATER SUPPLY PERMIT

NAME OF OWNER Livingston (LAST) William (FIRST) Wesley (MIDDLE)

ADDRESS OF OWNER 3004 Preston Dr E #4 ZIP 28205

PHONE NO. Home 568-5713 Office 536-3220


LOCATION OF PROPERTY Dyson Dr & Nevin Oaks Dr (STREET OR COUNTY ROAD) (Corner lot Grid Block No. 63 Parcel No. 24)

WELL CONTRACTOR _____ LICENSE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for a permit to drill a water well on the hereinabove described lot to be used as a source of ✓ individual, ___ semi public, or ___ public water supply.

1/29/79
DATE OF APPLICATION

William Wesley Livingston
OWNER



APPROXIMATELY ACREAGE & DIMENSION LOT

Remarks: well on one lot, 1 private

Application is hereby granted and permit

Permit No. 14894

ENVIRONMENTALIST

Env-5 76

Environmental Health Department's Copy

Date Received Dec. 13, 1978

APT No. 14894
P.O.
T. C. No. 105-181-07 ?
Map Date 9/9/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Livingston (LAST) Wilson (FIRST) Wesley (MIDDLE)

2) ADDRESS OF OWNER 3634 Dorsett Dr. # [illegible] ZIP 28215

3) PHONE NO. Home 563 5713 Office 596 3260 Bancom Nurses


4) LOCATION OF PROPERTY CORNER Begonia Dr. (STREET OR COUNTY ROAD) and Acorn Dr. [illegible]

5) SUBDIVISION Oak Lawn Woods LOT NO 1 BLOCK NO B

MAP BOOK NO 2 PAGE NO 1

6) DEED REFERENCE DEED BOOK PAGE NO

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on-site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge.



7) ACCURATE PLAN DIAGRAM & DIMENSION OF LOT

William Livingston
OWNER

$100

EHS 5-74

Environmental Health Department's Copy

Apt. 14899

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: William Wesley Livingston DATE REQUESTED: Dec. 13, 1978
ADDRESS: 3634 Dundee Apt. A PLAT NO.: R.O. 105-181-07
COUNTY: LOT SIZE: 20,900 Sq. Ft. (APPROX.)
LOCATION OF SITE: Fuquay

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	(S) PS 2-10% U	S PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) Clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	(S) PS 48" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Imprevious Strata, Rock)	(S) ≥ 4' PS U Rock	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	(S) ≥ 4' PS U to Water	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	Provisionally Suitable			
SOIL SERIES				

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments: Location of system & well should be based on location and size of house.

Described By: Eddie Reynolds

Title: Environmental Tech. Date: Jan 8, 1979

DHS Form 2601 (2/77)
Sanitation

Serial No. 2432

PTR No. 14894

Date Issued January 8, 1979

T. C. No. po 105-181-07

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Livingston, (LAST) William (FIRST) Wesley (MIDDLE)

ADDRESS OF OWNER 3634 Dresden Drive, Charlotte, N.C. ZIP

LOCATION OF PROPERTY Begonia Drive (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO 1 BLOCK NO B



PLOT PLAN

This is to certify that the soil investigation and site evaluation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The soil investigation was conducted on that portion of the lot indicated on the above plot plan.

Provisionally Suitable

The soil on the lot, as determined by the investigation was The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge subject to the following terms and conditions:

1. Approval shall not be construed to repair the soil on the lot. It shall be the responsibility of the owner to maintain the lot and the wastewater treatment system in order to prevent the soil from becoming unsuitable for the wastewater treatment system.
2. The wastewater treatment system shall be installed in accordance with the laws and rules and regulations governing the Mecklenburg County Department of Environmental Health and the Commission for Health Services, and no deviation from these laws and rules and regulations shall be made without the written approval of the Mecklenburg County Department of Environmental Health.
3. The Mecklenburg County Department of Environmental Health shall be notified at least 24 hours prior to the installation of the wastewater treatment system.
4. The Mecklenburg County Department of Environmental Health shall be notified when the wastewater treatment system is complete and ready for inspection prior to backfilling.

This approval is granted pursuant to the laws of the State of North Carolina and the rules and regulations of the Commission for Health Services and the Mecklenburg County Board of Health. This approval may be withdrawn at any time if sanitary conditions result from the operation of the wastewater treatment system or if the laws and rules and regulations governing the issuance of this approval are changed such that the lot would not be approved if the new laws and rules and regulations been in effect on the date of this approval.

Eddie Reynolds, Env.

Environmental Health Director or Authorized Section Head

Mecklenburg County Department of Environmental Health

SEE INSTRUCTIONS ON BACK

Date Received 1/16/79

ICAR(S) Application No. 14894

T C. No. PO 105-181-07


Map Date 9/9/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) ✓ Install or Construct 2) Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN ACCURATELY DRAWN

Mobile Home ___Yes ___No
Residence Yes ___No
4 No of Bedrooms 3
5 Business Use - Max No Employees
6 Washing Machine ✓Yes ___No
7 Garbage Disposal ✓Yes ___No
8 Dishwasher ✓Yes ___No
9 Water Supply
A Individual Well ✓
B Environmental System
Community System
Well Source
Environmental Source
Type System
feet
Yes ✓No
feet of
Yes ✓No

13) NAME OF OWNER [illegible] LAST [illegible] FIRST [illegible] MIDDLE

14) ADDRESS OF OWNER [illegible]

15) PHONE NO Home [illegible] Office [illegible]

16) LOCATION OF SYSTEM [illegible] STREET OR COUNTY ROAD

17) SUBDIVISION [illegible] Lot No 1 Block No B

Map Book No ___ Page No. 1

18) DEED REFERENCE -- DEED BOOK ___ AT PAGE

= P.S.

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 1/8/79

20) PTR NUMBER (See Instructions) 14894

The undersigned property owner agrees that he has read the foregoing application and that the contents of same are true. He understands that any permit applied for herein shall be void and of no effect if any of the above facts are not true

DATE OF APPLICATION 1/16/79 OWNER [illegible]

EHS-5 76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued January 16, 1979

Serial No. 2616

LA No. 14894

T. C. No. po 105-181-07

Map Date 9/9/78

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Livingston, (LAST) Angela & Wesley W. (FIRST MIDDLE)

ADDRESS OF OWNER 3634 Dresden Drive, East ZIP Apt. A

LOCATION OF LOT corner: Begonia Dr., and Acorn Oaks Drive (STREET OR COUNTY ROAD)

SUBDIVISION Carol Ann Woods LOT NO. 1 BLOCK NO. B

MAP BOOK NO. _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration and/or Repair Permit", number 14894. This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permits which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Eddie Reynolds
Environmentalist

Environmental Health Director or Authorized Section Head

THP 7A

Environmental Health Department's Copy

R

Date Issued 26 Jan 74

Serial No. 2709


ICAR(S) Permit No. 14894

T. C. No. [illegible]

Map Date 1 Sep 75

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 14894, dated 16 Jan 74 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before ___ __ ____, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate 1"/5

Liquid Capacity of Tank 1500 Gal.

Tank Construction CC

Absorption and/or Nitrification Lines

Total Line Length 472' + 132' + 96' = 700'
3(42'x32"x17")
Number of Lines 4(15'x24"x17")

Distance from Building 10'

Distance from Property Line 10'

Distance from Well 75'

NAME OF OWNER Lexington Apts. & Wesley

LOCATION OF PROPERTY Ingram Rd.

This system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered unacceptable or out of sight.

Comments: [illegible]

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM AUTHORIZED TO BE CONSTRUCTED WILL OPERATE PROPERLY OR RELIEVE ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SAID SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

[illegible]

R. A. Lindley
Environmentalist

If this permit is for the installation or construction of a new system it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHS-5 76

Environmental Health Department's Copy

Date Issued 11 Jul 79

Serial No. 2827

C of A (s) No. 14894

T C. No. 10 105-181-07

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Livingston, Gayla H. Wesley
(LAST, FIRST, MIDDLE)

Location of Property Bryants Circle

Application Number 14894 Permit Number 14894

Inspection Data:

Liquid Capacity of Tank 1500 Tank Material PC

Total Length of Drain Tile 495' & 125' WAH Number of Lines 3 & 4

Depth of Filter Material 17" Cover Depth 15"-24"

Water Supply Source Well Distance from Water Source 160'

Excavation Inspected 11 Jul 79 (DATE) Tank Inspected 11 Jul 79 (DATE)

Nitrification Field Inspected 11 Jul 79 (DATE)

Washing Machine Line Inspected If Applicable 11 Jul 79 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments Jeanie Stewart (Contr.)

Environmentalist

EHD-5-76

Environmental Health Department's Copy