MECK COUNTY DEPARTMENT OF
RECEIVED
AUG 26 1983
ENVIRONMENTAL HEALTH

Date Received

SIR No. 19983

T. C. No. 037-225-11

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER _____ (LAST / FIRST / MIDDLE)

2) ADDRESS OF OWNER _____ ZIP _____

3) PHONE NO. Home _____ Office _____

4) LOCATION OF PROPERTY 105 LaBORDE ST (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO. G BLOCK NO. 22

MAP BOOK NO. 3 PAGE NO. 625-626

6) DEED REFERENCE DEED BOOK 851 PAGE NO. 537

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
1300 BLYTHE BOULEVARD
CHARLOTTE, NORTH CAROLINA 28203

SIR. NO. 19983
T.C. NO. 037-225-11
DATE: 9-2-83

Ms. Tamara L. Blevins
1109 Interurban Avenue
Charlotte, NC 28208

Re: Property located at Laborde Street

Dear Ms. Blevins:

At your request, a field investigation was conducted on the property designated above. The soils on the property were found to contain a limited area of provisionally suitable soil for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

Should you desire to file for permission to install a ground absorption sewage disposal system, please submit plot plans for the proposed construction, well, and ground absorption sewage disposal system to this office. They will be reviewed and if it is found that there is an adequate area of provisionally suitable soil to accommodate the proposed installation, an Improvements Permit will be issued by this office.

If I may be of assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.

Bill D. Hardister, Jr.
Environmental Health Supervisor

BDH/kbg

Enclosure

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 19983

T.C. NO. 037-225-11

(Ground Absorption Sewage Disposal)

OWNER: Tamara L. Blevins
ADDRESS: 1109 Interurban Ave. Charlotte, N.C. 28208
LOCATION OF SITE: Lebanon Dr.

PLAT NO: Lot 6, Block 22
LOT SIZE: 10,000

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS 2-8% U	S PS U	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS clay U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S PS Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (inches)	S PS 36-40" U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS >36" U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S >36" to PS ground U water	S PS U	S PS U	S PS U
7. OTHER (Specify)	S only PS 10,000 sq. ft. U restricted	S PS U Area	S PS U	S PS U
8. SOIL GROUP	IVA			
9. SITE CLASSIFICATION	Unsuitable			
10. SOIL SERIES	Cecil-Like			

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: William A. Martin
Title: Soil Scientist

Date: 9-1-83

END 539 (Revised: 6/82)

14


100'
Cecil Little
Existing House
100'
100'
Labonde
100'
offset well
supposedly in this area

41

SEE INSTRUCTIONS ON BACK

Date Received 10-5-83

ICAR (S) Application No. 19983

T. C. No 037-225-11

Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No

4) No of Bedrooms 2

5) Business Use — Max No Employees _____

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ___ Yes ✓ No

9) Water Supply
A) Individual Well ✓
B) Governmental System _____
C) Community System
1 Well source _____
2 Governmental source _____

10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No _____

12) VA Case No. _____

13) NAME OF OWNER Blevins, Tamara Louise Harold Lingle
LAST FIRST MIDDLE

14) ADDRESS OF OWNER 1109 Interurban Ave NC 28208

15) PHONE NO. Home 334 3831 Office 372 3580 ext 154

*16) LOCATION OF SYSTEM 5528 LaboRDe [redacted] Rd
STREET OR COUNTY ROAD

17) SUBDIVISION _____ Lot No. G Block No. 22

Map Book No. 3 Page No. 625-626

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 9/83 45

20) PTR NUMBER (See Instructions) 19983

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

X 10-5-83
DATE OF APPLICATION

X Tamara L Blevins
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued Aug 1st 1984

Serial No. 07464

ICAR(S) Permit No. 19983

T. C. No. 037-225-11

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to X Install or Construct, ____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 19983, dated _____ ~~and this permit shall be void and of~~ no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before Aug 30th 1984, after which date this permit shall be null ~~and void~~.



PLOT OF SYSTEM

Permeability Rate PS IVA

Liquid Capacity of Tank 1500 gal

Tank Construction Pre Cast Concrete

Absorption and/or Nitrification Lines:

Total Line Length 300 lin FT

Number of Lines FOUR

Distance from House 5 FT

Distance from Property Line 10 FT

Distance from Well NOT IN NET KEEP 775 FT AWAY

NAME OF OWNER BLEVINS, TAMARA

LOCATION OF PROPERTY 5528 LABORDE ROAD

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Comments: ONE BED TO BE 75 FT X 12 FT X 18 inches stone - hay or STRAW COVER - GRADE BDS

Division or Section Head _____

Ralph Nelles
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy

SI 11-83

SIR No. 19983

Serial No. 6839

Date Issued 10-10-83

T. C. No. 037-225-11

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
IMPROVEMENT PERMIT
TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Blevins, (LAST) Tamara (FIRST) Louise (MIDDLE)

ADDRESS OF OWNER 1109 Interurban Ave., Charlotte, NC ZIP 28208

LOCATION OF LOT 5528 Laborde Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. G BLOCK NO. 22

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 19983. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit (s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-S-76

Environmental Health Department's Copy

MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·

MECK COUNTY DEPARTMENT OF
RECEIVED
MAY 18 1987
ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

APPLICATION FOR SOIL INVESTIGATION

(OFFICE USE ONLY)
FILE: 19983
TC: 037-225-11
☐ PC ☐ REPT

MECK COUNTY DEPARTMENT OF
RECEIVED
MAY 07 1987
ENVIRONMENTAL HEALTH

JOB LOCATION

① ADDRESS: 5600 LaBorde St

② SUBDIVISION: _____ ③ LOT: G ④ BLOCK: 2-2

⑤ PARCEL REFERENCE: BOOK NO.: 3 PAGE NO.: 625-626 PARCEL NO.: 0372511

⑥ DEED REFERENCE: BOOK NO.: 4438 PAGE NO.: 537 109

OWNER

⑦ NAME: Tamara (FIRST) Louise (MIDDLE) Griffith Blevins (LAST)

⑧ MAILING ADDRESS: 5600 LaBorde St

⑨ CITY: Charlotte ⑩ STATE: N.C ⑪ ZIP: 28213

⑫ PHONE: (WORK) 372-8150 ext 13 (HOME) 393-7118

⑬ Accurately diagram and dimension lot.



Lot 47

Lot 42

Copy Mailed DK

2367 To w Holly Vista DR

⑭ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Tamara L. Blevins

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

Date: 5-4-87

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER'S COPY

MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH
RECEIVED
FEB 1987

APPLICATION FOR AN IMPROVEMENT PERMIT

MECK COUNTY DEPARTMENT OF
RECEIVED
JAN 6 '87
ENVIRONMENTAL HEALTH

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

(OFFICE USE ONLY)

FILE: 19983

TC:

SERIAL: № 11476

☑ L ☐ CRT

JOB LOCATION

① ADDRESS: 5600 LABORde St (STREET NO / STREET) ② FILE:

③ JURISDICTION: ④ TAX PARCEL NO.: Account # 037-225-11

⑤ SUBDIVISION: ⑥ LOT: [illegible] ⑦ BLOCK: G

OWNER

⑧ NAME: Tamara Louise Blevins (FIRST) (MIDDLE) (LAST)

⑨ MAILING ADDRESS: 5600 LABORde St

⑩ CITY: Charlotte ⑪ STATE: NC ⑫ ZIP: 28213

⑬ PHONE: (WORK) 372-3580 ⑭ (HOME) 393-7418

REQUEST

This request is for a(n):

⑮ ☑ New permit ⑰ ☑ Authorization for mobile home exchange

⑯ ☐ Repair or alteration permit ⑱ ☐ Other (specify)

DESIGN CRITERIA

System will serve:

⑲ ☐ Residence ⑳ ☑ Mobile home ㉑ ☐ Business or place of public assembly

㉒ Number of bedrooms? 2 ㉕ Type?

㉓ Maximum occupancy? 3 ㉖ Maximum number of employees?

㉔ Basement? ☐ yes ☑ no ㉗ Maximum number of seats?

WATER SUPPLY

㉘ Water supply from (present or proposed):

A ☑ Individual well

B ☐ Municipal system

C ☐ Community well

D ☐ Community system

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: Tamara L Blevins

Date: 9-14-86

IMPROVEMENT PERMIT

The undersigned, an authorized agent of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

. . . No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and, or Repair permit is issued by the Department.

. . . This permit is not transferable, and shall become null and void 3 months from the date of issuance.

W. B. Rapney 5-29-87
Environmentalist Date

S D David 5-29-87
Director or Authorized Section Head Date

*This permit must be signed by the Director of Environmental Health or an authorized section head in order to be valid.

Mecklenburg County

Department Of Building Standards
And Code Enforcement

P. O. Box 31037

Charlotte, North Carolina 28231

To: ENVIRONMENTAL HEALTH DEPARTMENT
BLYTH BLVD.
MECKLENBURG COUNTY
CHARLOTTE, N.C.

Reference: MOBILE HOME PLACEMENT

Dear MR. SEXTON,

The parcel of land located at 5528 LABORDE RD.
and further identified by tax parcel number 037-225-11
is zoned RMH (Residential Mobile-home).

Permitted uses in this district include: mobile homes on individual lots.

If this office can be of further assistance, please contact us.

Very truly yours,

Sherri A. Williamson

Zoning Inspector

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 14983 DATE: 5-26-87

TC: 037-235-11 ☐ L

SERIAL № 10966

Permission is hereby given to ✓ Install or Construct, ____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 10-10-86. All work shall be completed on or before 6-23-87, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank ____ gallons

Tank Construction Concrete

Absorption and/or Nitrification Lines:

Trench Width 3 feet

Total Line Length 266 feet

Number of Lines 4

Depth of Stone 12 inches

Distance from House 10 feet

Distance from Property Line 10 feet

Distance from Well 50 feet

NAME OF OWNER TAMARA BLEVINS

LOCATION OF PROPERTY 5528 Laborde Rd

Comments: ____

Division or Section Head

William B. Ramsey
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY

CERTIFICATE OF COMPLETION/OPERATION PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 19983 DATE: 6-19-87
TC: 037-225-11 ☐ L ☐ CRT
SERIAL № 10335

Name of Owner Tamara Blevins Juris.:
Address of Property 5528 Lafonde Rd

Inspection Data:

Tank Material PVC
Total Length of Drainfield 268'
Number of Lines 4 @ 67'
Cover Depth 18"-21"
Water Supply Source well
Distance to Water Source 50
Excavation Inspected 6-19-87
Tank(s) Inspected 6-19-87
Wash Line Inspected
High Water Alarm Inspected

PLOT

Design: 1987, KDA ST, con, 804SFT, 12G, recil CTR# 74

The undersigned has inspected the Septic Tank System described above, and certifies it has been
☑ installed or constructed ☐ altered or repaired
☑ in accordance with the permit issued ☐ as detailed in the plot above
and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this
☑ Certificate of Completion ☐ Operation Permit
does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: Installed as permitted

B. R. Ferguson
Environmentalist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability

I 44