Date Received 3-21-72

APT No. 18048 3428

T. C. No. _____

Map Date _____

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Hough (LAST) Carl (FIRST) Bennett Jr. (MIDDLE)

2) ADDRESS OF OWNER 3444 Selwyn Ave, Charlotte ZIP 28209

3) PHONE NO Home 523-7841 Office _____


4) LOCATION OF PROPERTY Creemore Dr. (STREET OR COUNTY ROAD)

5) SUBDIVISION Rolling Acres LOT NO 6 BLOCK NO. D

MAP BOOK NO 15 PAGE NO. 239

6) DEED REFERENCE DEED BOOK 3328 PAGE NO. 424

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Carl Bennett Hough
OWNER

FORM NO. E-1-11-1-70

HEALTH DEPARTMENT'S COPY

MECKLENBURG COUNTY
Department of Public Health
1200 Blythe Boulevard
Charlotte, North Carolina 28203

Telephone 374-2113

Date Issued
1. April 14, 1972
2. _____
3. _____

SITE DISAPPROVAL REPORT
INDIVIDUAL SEPTIC TANK SYSTEM WITH SUBSURFACE,
SOIL ABSORPTION, EFFLUENT DISCHARGE

SDR No. 3478
T.C. No. _____

NAME OF OWNER Lovell, Carl Perrett, Jr.

ADDRESS OF OWNER 3444 Selwyn Avenue ZIP 28209

LOCATION OF LOT Greerere Drive, Lot 6-I

The lot described above has been disapproved for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge due to the following:

FAILURE TO PASS PERCOLATION TEST (60 minutes per inch or less)

	Test No.	Date of Test	Percolation Rate
X	1.	4/18/72	110 min/in
X	2.	5/24/72	125 min/in
____	3.	_____	_____ min/in

____ ON SITE INSPECTION REVEALED LOT TO BE UNSUITABLE FOR THE FOLLOWING REASON(S) _____

Russell Hayes
Environmentalist

(Stencil No.)
END 398
8/70

FORM NO.
E-19-8-14-70

Date Received 3/10/77

APT No. 12048

T. C. No. 105-165-58

Map Date 1-14-77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Mobley (LAST) Larry (FIRST) Wade (MIDDLE)

2) ADDRESS OF OWNER 1715 Bonnie Lane, Charlotte, NC. ZIP 28213

3) PHONE NO Home 596-0686 Office 373-8990


4) LOCATION OF PROPERTY North east end of Creemore Drive (STREET OR COUNTY ROAD)

5) SUBDIVISION Rolling Acres LOT NO 6 BLOCK NO. D

MAP BOOK NO 15 PAGE NO 239

6) DEED REFERENCE DEED BOOK 3604 PAGE NO. 744

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Larry W. Mobley
OWNER

EHD-5-76

Environmental Health Department's Copy

SOIL INVESTIGATION REPORT

Date of Investigation Mar. 15, 1977 APT NO. 12048

Owner Jerry W. Mobley T.T. 105-165-58

Location of Property Caremore Dr. Lot #6

Soil Suitability Ratings

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	Cecil	Cecil gullied		
2. Soil Slope	Suitable 2-6%	unsuitable complex slopes		
3. Soil Depth	Suitable 7-45"	unsuitable 4-6" Depth Variable		
4. Soil Texture	Provisionally suitable C'ay	Provisionally suitable Clay		
5. Soil Structure	Provisionally suitable Blocky	Provisionally suitable Blocky		
6. Restrictive Horizons	-	-		
7. Soil Drainage	Suitable Water Table 72'	Suitable Water Table 72'		
8. Soil Permeability (Percolation Rate)	Provisionally Suitable Moderate 60 min/in	Provisionally Suitable Moderate-slow 120 min/in		
9. Other				
10. Overall Rating	Provisionally suitable	unsuitable		

Recommendations Based on this investigation, the lot is recommended for approval for installation of a septic tank system. System designs should be based on a percolation rate of 60 min/in. and system located in area of Cecil soil.


See diagram on back

William R. Martin
Soil Scientist

WRC

3/16/75
EHD 539

DIAGRAM OF PROPERTY



3/18/75

File 539

Serial No. 0586

PTR No. 12048

Date Issued 3/25/77

T C No. 105-165-58

Map Date 1-13-77


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Mobley (LAST) Larry (FIRST) Wade (MIDDLE)

ADDRESS OF OWNER 1715 Bonnie Lane, Charlotte, N. C. ZIP 28213

LOCATION OF PROPERTY Creemore Drive (STREET OR COUNTY ROAD)

SUBDIVISION Rolling Acres LOT NO 6 BLOCK NO. D



PLOT PLAN

This lot was investigated in accordance with Rules and Regulations governing the Mecklenburg County Department of Environmental Health. The investigation was conducted on the basis of undisturbed natural soil profile.

The percolation determination was provisionally Suitable 60Min./In. The said lot is approved for the installation of an individual septic tank with a ~~the~~ treatment ~~,~~ from a subsurface, soil absorption sewage subject to the following terms and conditions:

1. A permit for the installation of the system may be issued by the Mecklenburg County Department of Environmental Health upon receipt of the wastewater treatment ~~,~~ form for the said lot.
2. The size of the septic tank and absorption area shall be determined by the Mecklenburg County Department of Environmental Health in accordance with the criteria contained above, and on the basis of the number of bedrooms.
3. The site shall be maintained free of obstructions that would prevent the installation of the system.
4. The property owner shall be responsible for the proper operation of the system. Failure of the system may result in the revocation of the permit by the Mecklenburg County Department of Environmental Health in order that the area indicated as acceptable for a system may be used for the installation of another system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

William A. Mosley
Soil Scientist

John R. Atkinson
Environmental Health Director or Authorized Section Head

EHD 5-74

Environmental Health Department's Copy

SEE INSTRUCTIONS ON BACK

Date Received 5/1/79

ICAR (S) Application No. 1248

T C No. 05165-58

Map Date 1-13-77


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1. X Install or Construct a septic tank wastewater treatment system with a subsurface soil absorption effluent discharge.

Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes ___ No

Recreational X Yes ___ No

4) No. of Bedrooms 4

5) Bedroom Use - Max No. Employee ___

6) Washing Machine ___ Yes ___ No

7) Garbage Disposal ___ Yes ___ No

8) Dishwasher ___ Yes ___ No

9) Water Supply

A Public Water X

B Governmental System ___

C Community System ___

1 Well source ___

2 Governmental source ___

10) Sewage System

House located within 200 feet of public sewer X Yes ___ No

House located within 200 feet of community sewer ___ Yes X No

11) FHA Case No. ___

12) VA Case No. ___

13) NAME OF OWNER Williams (LAST) Tommy (FIRST) X (MIDDLE)

14) ADDRESS OF OWNER [illegible] 900 RAVENDALE

15) PHONE NO Home [illegible] Office [illegible]

16) LOCATION OF SYSTEM 4529 Reedmore (STREET OR COUNTY ROAD) Dr.

17) SUBDIVISION Rolling Acres Lot No 6 Block No D

Map Book No 115 Page No. 239

18) DEED REFERENCE — DEED BOOK 4157 AT PAGE 009

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES NO DATE RUN 5/1/79 → PS

20) PTR NUMBER (See Instructions) 1248

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

DATE OF APPLICATION ___

OWNER Tommy Joe Williams

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued 5/7/79

Serial No. 2999

LA No. 12048

T. C. No. 105-165-58

Map Date 1-13-77

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Williams (LAST) Tommy (FIRST) (MIDDLE)

ADDRESS OF OWNER 900 Ravendale, Charlotte, N. C. ZIP 28216

LOCATION OF LOT 4529 Creemore Drive (STREET OR COUNTY ROAD)

SUBDIVISION Rolling Acres LOT NO 6 BLOCK NO. D

MAP BOOK NO. 15 PAGE NO. 239

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 12048. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permits which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and, or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

M. A. Kirby
Environmentalist

John R. Henderson
Environmental Health Director, or Authorized Section Head

EHC-5-76

Environmental Health Department's Copy

Date Issued 8-3-79

Serial 3055


ICAR(S) Permit No. 12043

T. C. No. 105-165-54

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, __ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 12043, dated 8-2-79 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 11-8-79, after which date this permit shall be null and void.



PLOT OF SYSTEM

Permeability Rate 25

Liquid Capacity of Tank 500 gal

Tank Construction Pre

Absorption and or Nitrification Lines

Total Line Length 660' + 100'

Number of Lines 5 + 4

Distance from House 10'

Distance from Property Line 10'

Distance from Well 200'

NAME OF OWNER [illegible]

LOCATION OF PROPERTY [illegible]

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable or can be used. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

15' + 12' + [illegible]

THE ISSUANCE OF THIS PERMIT DOES NOT IN ANY WAY GUARANTEE THAT THE SYSTEM ANTICIPATED TO BE CONSTRUCTED WILL OPERATE PROPERLY OR RELIEVE ANY PERSON NOW OR HEREAFTER OWNING, CONTROLLING OR USING SUCH SYSTEM FROM ANY LIABILITY RESULTING FROM THE FAILURE OF THE SYSTEM TO OPERATE PROPERLY.

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-5-76

Environmental Health Department's Copy