

2447 E JOHN ST

12/31/2007

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

400 #3

Sheet: _____
Property ID: 215-051-25
Lot #: _____
File #: 27329

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

OWNER: Peter T. Cowsell APPLICANT: _____
ADDRESS: 6179 E. Lindsay Blvd, Charlotte DATE EVALUATED: 2-15-99
PROPOSED FACILITY: Res/whse PROPOSED DESIGN FLOW (.1949) ~~single~~ PROPERTY SIZE: 4.0
LOCATION OF SITE: 14155 Monroe Road PROPERTY RECORDED: _____
WATER SUPPLY: ☐Private ☑Public ☐Well ☐Spring ☐Other _____
EVALUATION METHOD: ☐Augur Boring ☐~~Pit~~ ☐Cut
TYPE OF WASTEWATER: ☑Sewage ☐Industrial Process ☐Mixed

PROFILE #	Slopes 4-10% .1941 Landscape Position/ Slope %	Horizon Depth (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	SOIL MORPHOLOGY (.1941) .1941 CONSISTENCE MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	OTHER PROFILE FACTORS .1943 SOIL DEPTH	OTHER PROFILE FACTORS .1956 SAPRO CLASS	OTHER PROFILE FACTORS .1944 RESTR HORIZ	PROFILE CLASS &LTAR
1	LS	0-11"	gr/sl	Fv/SExPl SS/SP	2.5Y 7/2 @ 36"	~~2.5Y~~ ~~7/2~~ 46"	US	None	US
		11-46"	AB M/ SC	vFi/ Mixed/ US/WP					
		46-57"	M/ C	vFi/ Mixed/ US/WP					
2	LS	0-18"	gr/sl	Fv/SExPl NS/WP	7.5Y" TO Soil wetness	24"	US	None	US
		18-24"	SB M/ SC	vFi/ Mixed/ US/WP					
		24-56"	M/ SC	vFi/ Mixed/ US/WP					
3	LS	0-14"	gr/sl	Fv/SExPl NS/WP	2.5Y 7/1 @ 38"	37"	US	None	US
		14-20"	SB M/ SCl	Fv/SExPl SS/SP					
		20-37"	SB M/SC-C	vFi/ Mixed/ US/WP					
		37-52"	M/ SCl	Fv/SExPl SS/SP					
4	LS	0-18"	gr/sl	Fv/SExPl NS/WP	2.5Y 7/2 @ 34"	42"	US	None	US
		18-22"	SB M/ SCl	Fv/ SExPl SS/SP					
		22-42"	SB M/ SC	Fi-vFi/ Mixed/ US/WP					
		42-56"	M/ SCl	Fi/ SExPl SS/SP					
5	LS	0-16"	gr/sl	Fv/SExPl NS/WP	2.5Y 7/2 @ 30"	64"	US	None	US
		16-64"	SB M/ SC	Fi-vFi/ Mixed/ US/WP					
6	LS	0-11"	gr/sl	Fv/SExPl NS/WP	2.5Y 7/1 @ 30"	55"	US	None	US
		11-55"	SB M/SC	Fi-vFi/ Mixed/ US/VP					

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)	US	US
System Type(s)		
Site LTAR		


OTHER FACTORS (.1946): _____
SITE CLASSIFICATION (.1948): Unsuitable
EVALUATED BY: M. A. Maulis 2-16-99
OTHER(S) PRESENT: LSS

FILE # 27320

COMMENTS Not sure if MTE Report yet

LANDSCAPE POSITION	GROUP	TEXTURE	.1955 LTAR	CONSISTENCE MOIST	CONSISTENCE WET
R-RIDGE	I	S-SAND	1.2-0.8		
S-SHOULDER SLOPE		LS-LOAMY SAND		VFR-VERY FRIABLE	NS-NON-STICKY
L-LINEAR SLOPE				FR-FRIABLE	SS-SLIGHTLYSTICKY
FS-FOOT SLOPE	II	SL-SANDY LOAM	0.8-0.6	FI-FIRM	S-STICKY
N-NOSE SLOPE		L-LOAM		VFI-VERY FIRM	VS-VERY STICKY
H-HEAD SLOPE				EFI-EXTREMELY FIRM	NP-NON-PLASTIC
CC-CONCLAVE SLOPE	III	SI-SILT	0.6-0.3		SP-SLIGHTLYSTICKY
CV-CONVEX SLOPE		SICL-SILTY CLAY LOAM			P-PLASTIC
T-TERRACE		CL-CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAIN		SCL-SANDY CLAY LOAM			
	IV	SC-SANDY CLAY	0.4-0.1		
		SIC-SILTY CLAY			
		O-ORGANIC			

STRUCTURE	MINERALOGY
SG-SINGLE GRAIN	SLIGHTLY EXPANSIVE
M-MASSIVE	
CR-CRUMB	EXPANSIVE
GR-GRANULAR	
SBK-SUBANGULAR BLOCKY	
ABK-ANGULAR BLOCKY	
PL-PLATY	
PR-PRISMATIC	



Mecklenburg County
Health Department

March 2, 1999

Mr. Peter Couchell
6179 E. Independence Blvd.
Charlotte, NC 28212

Re: 14155 Monroe Road
File: 2732B
Parcel: 215-051-25

Dear Mr. Couchell:

Receipt of your Application for Improvement Permit for the above referenced property is acknowledged. A soil evaluation and a site visit have been conducted. The results of the evaluation indicated that the site is **UNSUITABLE** under Rules .1941 **SOIL CHARACTERISTICS (MORPHOLOGY)**, .1942 **SOIL WETNESS CONDITIONS**, .1943 **SOIL DEPTH** and .1945 **AVAILABLE SPACE**. For these reasons your Application for Improvement Permit is denied. A possible way to develop the site exists under Rule .1948(d) which reads as follows:

> A site classified as **UNSUITABLE** may be used for a ground absorption sewage treatment and disposal system specifically identified in Rules .1955, .1956, or .1957 of this Section or a system approved under Rule .1969 if written documentation, including engineering, hydrogeologic, geologic or soil studies, indicates to the local health department that the proposed system can be expected to function satisfactorily. Such sites shall be reclassified as **PROVISIONALLY SUITABLE** if the local health department determines that the substantiating data indicate that:
> (1) a ground absorption system can be installed so that the effluent will be non-pathogenic, non-infectious, non-toxic, and non-hazardous;
> (2) the effluent will not contaminate ground or surface water; and
> (3) the effluent will not be exposed on the ground surface or be discharged to surface waters where it could come in contact with people, animals, or vectors.

The State shall review the substantiating data if requested by the local health department.

Please be advised that you have the right to an informal review by this department. You also have the right to appeal under G.S. 130A-24, and to have the appeal held in Mecklenburg County.

If you have any questions regarding this matter, please call me at 336-5575.

Sincerely,

Kelly Randall, R.S., Soil Scientist
Individual Water and Wastewater Systems

Mecklenburg County
Health Department

Peter Coachell
6179 E Independence Blv
Charlotte NC

Re: 14155 Monroe Road
File: 2732-B
Parcel: 215-051-25

Receipt of your Application for Improvement Permit for the above referenced property is acknowledged. A soil evaluation and a site visit have been conducted. The results of the evaluation indicated that the site is UNSUITABLE under Rules .1941 . 1942. 1943 . 1945

For these reasons your Application for Improvement Permit is denied. A possible way to develop the site exists under Rule .1948(d) which reads as follows:

> A site classified as UNSUITABLE may be used for a ground absorption sewage treatment and disposal system specifically identified in Rules .1955, .1956, and or .1957 of this Section or a system approved under Rule .1969 if written documentation, including engineering, hydrogeologic, geologic or soil studies, indicates to the local health department that the proposed system can be expected to function satisfactorily. Such sites shall be reclassified a PROVISIONALLY SUITABLE if the local health department determines that the substantiating data indicate that:
>
> (1) a ground absorption system can be installed so that the effluent will be non-pathogenic, non-infectious, non-toxic, and non-hazardous;
> (2) the effluent will not contaminate ground or surface water; and
> (3) the effluent will not be exposed on the ground surface or be discharged to surface waters where it could come in contact with people, animals, or vectors.

The State shall review the substantiating data if requested by the local health department.

Please be advised that you have the right to an informal review by this department. You also have the right to appeal under G.S. 130A-24, and to have the appeal held in Mecklenburg County.

If you have any questions regarding this matter, please call me at 336-5568.

Sincerely,

Kelly R.

, R.S.
Environmental Health Specialist
Individual Water and Wastewater Systems

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WATER SECTION

pd 2508 2nd site ck# 1608 9C 1-11-99 } indicated #2318 in file by mistake #3 (40°)

Sheet:
Property ID: 215-051-25
Lot #:
File #: 2732A

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

OWNER: Peter J. Lowchell
APPLICANT:
ADDRESS: 6179 E. Independence Blvd., Charlotte (Not given)
DATE EVALUATED: 1-5-99
PROPOSED FACILITY:
PROPOSED DESIGN FLOW (.1949) 400gpd
PROPERTY SIZE:
LOCATION OF SITE: 14155 Monroe Rd
PROPERTY RECORDED:

WATER SUPPLY: ☐Private ☐Public ☐Well ☐Spring ☐Other

EVALUATION METHOD: ☐Augur Boring ☐Pit ☐Cut

TYPE OF WASTEWATER: ☐Sewage ☐Industrial Process ☐Mixed

PROFILE #	.1940 Landscape Position/ Slope % (Slopes 5 to 7%)	Horizon Depth (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	SOIL MORPHOLOGY (.1941) .1941 CONSISTENCE MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	OTHER PROFILE FACTORS .1943 SOIL DEPTH	OTHER PROFILE FACTORS .1956 SAPRO CLASS	OTHER PROFILE FACTORS .1944 RESTR HORIZ	PROFILE CLASS &LTAR
1	LS	0-6"	gr/sl	Fr/SEAP NS/SS/Lap	>20" To soil wetness	20"	N/A	None	US
		6-20"	SBK/L	VFi/Mixed/ VS/VP					
2	LS	0-20"	gr/sl	Fr/SEAP NS/Lap	>42" To soil wetness	42"	N/A	None	US
		20-23"	SBK/scl	Fr/SEAP SS/Lap					
		23-42"	SBK/sc	VFi/Mixed/ VS/Lap					
3	LS	0-20"	gr/sl	Fr/SEAP NS/Lap	>30" To soil wetness	30"	N/A	None	US
		20-30"	SBK/sc	VFi/Mixed/ VS/VP					
4	LS	0-19"	gr/sl	Fr/SEAP NS/Lap	~~>42" To soil wetness~~ 2.5Y 7/1 @ 30"	42"	N/A	None	US
		19-42"	SBK/sc	VFi/Mixed/ VS/Lap					
5	LS	0-13"	gr/sl	Fr/SEAP NS/Lap	2.5Y 7/1 @ 6"	34"	N/A	None	US
		13-34"	SBK/sc	VFi/Mixed/ VS/VP					
6	LS	0-6"	gr/sl	Fr/SEAP NS/Lap	2.5Y 7/2 @ 18"	31"	N/A	None	US
		6-12"	SBK/scl	Fr/SEAP SS/Lap					
		12-31"	SBK/sc	VFi/Mixed/ VS/VP					

DESCRIPTION	INTIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)	US	US
System Type(s)		
Site LTAR		

OTHER FACTORS (.1946):
SITE CLASSIFICATION (.1948): Unsuitable
EVALUATED BY: W. R. Mallis 1-6-99
OTHER(S) PRESENT: LSS


2 7320

COMMENTS Possible 100% depression

LANDSCAPE POSITION	GROUP	TEXTURE	.1955 LTAR
R-RIDGE	I	S-SAND	1.2-0.8
S-SHOULDER SLOPE		LS-LOAMY SAND	
L-LINEAR SLOPE			
FS-FOOT SLOPE	II	SL-SANDY LOAM	0.8-0.6
N-NOSE SLOPE		L-LOAM	
H-HEAD SLOPE			
CC-CONCLAVE SLOPE	III	SI-SILT	0.6-0.3
CV-CONVEX SLOPE		SICL-SILTY CLAY LOAM	
T-TERRACE		CL-CLAY LOAM	
FP-FLOOD PLAIN		SCL-SANDY CLAY LOAM	
	IV	SC-SANDY CLAY	0.4-0.1
		SIC-SILTY CLAY	
		O-ORGANIC	

CONSISTENCE	
MOIST	WET
VFR-VERY FRIABLE	NS-NON-STICKY
FR-FRIABLE	SS-SLIGHTLYSTICKY
FI-FIRM	S-STICKY
VFI-VERY FIRM	VS-VERY STICKY
EFI-EXTREMELY FIRM	NP-NON-PLASTIC
	SP-SLIGHTLYSTICKY
	P-PLASTIC
	VP-VERY PLASTIC

STRUCTURE	MINERALOGY
SG-SINGLE GRAIN	SLIGHTLY EXPANSIVE
M-MASSIVE	
CR-CRUME	EXPANSIVE
GR-GRANULAR	
SBK-SUBANGULAR BLOCKY	
ABK-ANGULAR BLOCKY	
PL-PLATY	
PR-PRISMATIC	



Mecklenburg County
Health Department

January 11, 1999

Peter John Couchell
6179 E. Independence Boulevard
Charlotte, NC 28212

Re: 14155 Monroe Road
File: 2732B
Parcel: 215-051-25

Dear Property Owners:

Receipt of your Application for Improvement Permit for the above referenced property is acknowledged. A soil evaluation and a site visit have been conducted. The results of the evaluation indicated that the site is **UNSUITABLE** under Rules .1941 **SOIL CHARACTERISTICS (MORPHOLOGY)**, .1942 **SOIL WETNESS CONDITIONS**, .1943 **SOIL DEPTH**, and .1945 **AVAILABLE SPACE.** For these reasons your Application for Improvement Permit is denied. A possible way to develop the site exists under Rule .1948(d), which reads as follows:

> A site classified as **UNSUITABLE** may be used for a ground absorption sewage treatment and disposal system specifically identified in Rules .1955, .1956, or .1957 of this Section or a system approved under Rule .1969 if written documentation including engineering, hydrogeologic, geologic or soil studies, indicates to the local health department that the proposed system can be expected to function satisfactorily. Such sites shall be reclassified as **PROVISIONALLY SUITABLE** if the local health department determines that the substantiating data indicate that:
>
> (1) a ground absorption system can be installed so that the effluent will be non-pathogenic, non-infectious, non-toxic, and non-hazardous;
> (2) the effluent will not contaminate ground or surface water; and
> (3) the effluent will be exposed on the ground surface or be discharged to surface waters where it could come in contact with people, animals, or vectors.

The State shall review the substantiating date if requested by the local health department.

Please be advised that you have the right to an informal review by this department. You also have the right to appeal under G.S. 130A-24, and to have the appeal held in Mecklenburg County

If you have any questions regarding this matter, please call me at 336-5575.

Sincerely,

Kelly Randall, R.S.
Individual Water and Wastewater Systems

Mecklenburg County
Health Department

Date: 1-8-96

Name: Peter John Couchell
Address: 6179 E. Independence Blv.
State/Zip: Charlotte 28212

Re: 14155 Monroe Rd
File: 2732-B
Parcel: 215-051-25

Dear:

Receipt of your Application for Improvement Permit for the above referenced property is acknowledged. A soil evaluation and a site visit have been conducted. The results of the evaluation indicated that the site is **UNSUITABLE** under Rules

For these reasons your Application for Improvement Permit is denied. A possible way to develop the site exists under Rule .1948(d) which reads as follows:

> A site classified as **UNSUITABLE** may be used for a ground absorption sewage treatment and disposal system specifically identified in Rules .1955, .1956, and or .1957 of this Section or a system approved under Rule .1969 if written documentation, including engineering, hydrogeologic, geologic or soil studies, indicates to the local health department that the proposed system can be expected to function satisfactorily. Such sites shall be reclassified a **PROVISIONALLY SUITABLE** if the local health department determines that the substantiating data indicate that:
>
> (1) a ground absorption system can be installed so that the effluent will be non-pathogenic, non-infectious, non-toxic, and non-hazardous;
> (2) the effluent will not contaminate ground or surface water; and
> (3) the effluent will not be exposed on the ground surface or be discharged to surface waters where it could come in contact with people, animals, or vectors.

The State shall review the substantiating data if requested by the local health department.

Please be advised that you have the right to an informal review by this department. You also have the right to appeal under G.S. 130A-24, and to have the appeal held in Mecklenburg County.

If you have any questions regarding this matter, please call me at 336- .

Sincerely,

, R.S.
Environmental Health Specialist
Individual Water and Wastewater Systems

FEE: 210-20-98 1000 CK 1C# 5443

DATE: 10/30/98

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR IMPROVEMENT PERMIT FOR COMMERCIAL/INDUSTRIAL SITE

[redacted] [ ] CRT

TYPE APPLICATION: ✓ NEW SYSTEM ___ EXPANSION OF EXISTING SYSTEM ___ REPAIR OF EXISTING SYSTEM

NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

COPY

FILE #: 2 7328

PROJECT TRACKING #:

PROPERTY INFORMATION (FROM ENGINEERING FORM) FOR JOB LOCATION:

TAX/PARCEL NUMBER: 215-051-25

STREET ADDRESS: 14155 Monroe Rd

✓ COMMERICAL ___ INDUSTRIAL

DESCRIBE TYPE OF BUSINESS:

Square Footage of Facility:

LOT NUMBER:

TOWNSHIP (CHECK ONE):

___ 0 MECKLENBURG ___ 4 PINEVILLE
___ 1 CHARLOTTE ___ 5 MATTHEWS
___ 2 DAVIDSON ___ 6 HUNTERSVILLE
___ 3 CORNELIUS ___ 7 MINT HILL

NUMBER OF EMPLOYEES: 16
PER SHIFT: ___ ___ ___

HOW WILL WATER BE USED IN THE FACILITY:

8 TOILETS/URINALS
4 HANDSINK
0 SHOWERS
0 FLOOR DRAINS

OTHER, PLEASE DESCRIBE: None

An IMPROVEMENT PERMIT is subject to revocation if site plans or the intended use change.

TYPE OF WASTEWATER:
✓ SEWAGE ___ INDUSTRIAL PROCESS WASTE WATER

IF EXPANSION OF EXISTING SYSTEM, DESCRIBE THE PROPOSED ADDITION:

No

WATER SUPPLY (CHECK ONE): ___ COMMUNITY (C) ✓ MUNICIPAL (M) ___ PRIVATE WELL (P) ___ SHARED WELL (S) ___ OTHER 'SPRINGS' (O)

IF ANY OF THE FOLLOWING ARE LOCATED ON THE PROPERTY, PLEASE SHOW LOCATION ON PLAT:

BURIED CABLES, LANDFILLS, STUMPHOLES	___ YES ✓ NO	WELL SPRINGS OR WATERLINES	___ YES ✓ NO
EXISTING WASTE WATER SYSTEMS	___ YES ✓ NO	DESIGNATED WETLANDS	___ YES ✓ NO
EASEMENTS OR RIGHT-OF-WAYS	___ YES ✓ NO		

BUILDING PLANS TO INCLUDE ALL PLUMBING, FLOOR DRAINS AND ALL SOURCES OF WASTEWATER DISCHARGE AND GRADING PLANS MAY BE REQUIRED DURING THE EVALUATION STAGE.

PROPERTY OWNER:

NAME: Couchell Peter John
(LAST) (FIRST) (MI)

ADDRESS: 6179 E. Ind. Blvd

CITY: Charlotte STATE: N.C. ZIP: 28212

DAYTIME PHONE: ( ) - 535-3530

LEGAL AGENT FOR PROPERTY OWNER, IF APPLICABLE:

NAME:
(LAST) (FIRST) (MI)

DAYTIME PHONE: ( ) -

WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? _____

THE UNDERSIGNED, OWNER, OR LEGAL AGENT FOR THE OWNER, OF THE PROPERTY DESCRIBED ABOVE AS THE "JOB LOCATION" HAS READ THE FOREGOING APPLICATION, ACKNOWLEDGES THAT THE CONTENTS OF SAME ARE TRUE, AND AUTHORIZES AGENTS OF THE MECKLENBURG COUNTY HEALTH DEPARTMENT TO ENTER ONTO THE PROPERTY FOR THE PURPOSE OF PROCESSING THIS REQUEST.

SIGNED: Peter J Couchell DATE: 10-30-98

10-30-98 1000$ 10/30/98 CA 11 A 5443

INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM
APPLICATION FOR IMPROVEMENT PERMIT FOR COMMERCIAL/INDUSTRIAL SITE

| | CRT

TYPE APPLICATION: ✓ NEW SYSTEM ___ EXPANSION OF EXISTING SYSTEM ___ REPAIR OF EXISTING SYSTEM

NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

FILE #: 2 7328

PROJECT TRACKING #:

PROPERTY INFORMATION (FROM ENGINEERING FORM) FOR JOB LOCATION:

TAX/PARCEL NUMBER: 215-051-25

✓ COMMERICAL ___ INDUSTRIAL

STREET ADDRESS: 14155 Monroe Rd

DESCRIBE TYPE OF BUSINESS:

Square Footage of Facility:

LOT NUMBER:

TOWNSHIP (CHECK ONE):

___ 0 MECKLENBURG ___ 4 PINEVILLE
___ 1 CHARLOTTE ___ 5 MATTHEWS
___ 2 DAVIDSON ___ 6 HUNTERSVILLE
___ 3 CORNELIUS ___ 7 MINT HILL

NUMBER OF EMPLOYEES: 16
PER SHIFT: ___ ___ ___

HOW WILL WATER BE USED IN THE FACILITY:

8 TOILETS/URINALS
4 HANDSINK
0 SHOWERS
0 FLOOR DRAINS

OTHER, PLEASE DESCRIBE: None

An IMPROVEMENT PERMIT is subject to revocation if site plans or the intended use change.

TYPE OF WASTEWATER:
✓ SEWAGE ___ INDUSTRIAL PROCESS WASTE WATER

IF EXPANSION OF EXISTING SYSTEM, DESCRIBE THE PROPOSED ADDITION:

No

WATER SUPPLY (CHECK ONE): ___ COMMUNITY (C) ✓ MUNICIPAL (M) ___ PRIVATE WELL (P) ___ SHARED WELL (S) ___ OTHER 'SPRINGS' (O)

IF ANY OF THE FOLLOWING ARE LOCATED ON THE PROPERTY, PLEASE SHOW LOCATION ON PLAT:

BURIED CABLES, LANDFILLS, STUMPHOLES	___ YES ✓ NO	WELL SPRINGS OR WATERLINES	___ YES ✓ NO
EXISTING WASTE WATER SYSTEMS	___ YES ✓ NO	DESIGNATED WETLANDS	___ YES ✓ NO
EASEMENTS OR RIGHT-OF-WAYS	___ YES ✓ NO		

BUILDING PLANS TO INCLUDE ALL PLUMBING, FLOOR DRAINS AND ALL SOURCES OF WASTEWATER DISCHARGE AND GRADING PLANS MAY BE REQUIRED DURING THE EVALUATION STAGE.

PROPERTY OWNER:	LEGAL AGENT FOR PROPERTY OWNER, IF APPLICABLE:
NAME: Couchell Peter John (LAST) (FIRST) (MI)	NAME: (LAST) (FIRST) (MI)
ADDRESS: 6179 E. Ind. Blvd	DAYTIME PHONE: ( ) --
CITY: Charlotte STATE: N.C. ZIP: 28212	
DAYTIME PHONE: ( ) -- 535-3530	

WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? _____

THE UNDERSIGNED, OWNER, OR LEGAL AGENT FOR THE OWNER, OF THE PROPERTY DESCRIBED ABOVE AS THE "JOB LOCATION" HAS READ THE FOREGOING APPLICATION, ACKNOWLEDGES THAT THE CONTENTS OF SAME ARE TRUE, AND AUTHORIZES AGENTS OF THE MECKLENBURG COUNTY HEALTH DEPARTMENT TO ENTER ONTO THE PROPERTY FOR THE PURPOSE OF PROCESSING THIS REQUEST.

SIGNED: Peter J Couchell DATE: 10-30-98

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
c/o HAL MARSHALL CTR., SUITE 211, 700 N. TRYON ST., CHARLOTTE, N.C. 28202., (704) 336-5102