Date Received 9-10-84

MECK COUNTY DEPARTMENT OF
RECEIVED
SEP 10 1984
ENVIRONMENTAL HEALTH

SIR No. 21428

T. C. No. PO 100-051-15

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Sullivan (LAST) Mattie (FIRST) C. (MIDDLE)

2) ADDRESS OF OWNER 8328 Robinson Church Road ZIP 28215

3) PHONE NO. Home 537-1736 Office 375-5726


4) LOCATION OF PROPERTY Robinson Church Road (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

6) DEED REFERENCE: DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



8328 ← ROBINSON CHURCH

7) ACCURATELY DIAGRAM & DIMENSION LOT

ROBINSON CHURCH RD → 8020 HICKORY GROVE

Mattie C Sullivan
OWNER

EHD-5-76

Environmental Health Department's Copy

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 21428

T.C. NO. P.O. 107-051-15

(Ground Absorption Sewage Disposal)

OWNER: MATTIE C. SULLIVAN
ADDRESS: 8328 Robinson Church Rd. 28215
LOCATION OF SITE: Robinson Church Rd

PLAT NO:
LOT SIZE: 1.01A

FACTORS	AREA 1 · 3	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U 2 – 6	S (PS) U 2 – 10	S (PS) U 10 – 25	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U Clayey	S (PS) U Clayey	S (PS) U Clayey	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) U Blocky	S (PS) U Blocky	S (PS) U Blocky	S PS U
4. SOIL DEPTH (inches)	S (PS) U 42"	S PS U 42-45"	S (PS) U 40 46"	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) U None	S (PS) U None	S (PS) U None	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) U Adequate	S (PS) U Adequate	S (PS) U Adequate	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IVa	IVa	IVa	
9. SITE CLASSIFICATION	P. Suitable	P. suitable	P. suitable	
10. SOIL SERIES	Cecil	Cecil	Cecil	


S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by: W. B. Ramsey
Title: Soil Scientist

Date: 10 - 10 - 84


150
Depressed
Cecil
10-25%
Cecil
Musk
3-10%
300
Cecil
2-6%
Robinson Church Rd

Serial No. 5911

SIR No. 21428

Date Issued 10-11-84

T. C. No. PO 108-051-15

Map Date L


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Sullivan, (LAST) Mattie (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 8328 Robinson Church Rd., Charlotte, NC ZIP 28215

LOCATION OF PROPERTY Robinson Church Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO. _____



PLOT PLAN

This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. The permeability rate determined by the investigation was PROVISIONALLY SUITABLE. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter or repair the specific system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area indicated as acceptable for system installation on the above plot.
4. This approval is void if any grading, filling or construction including the installation of wells, performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation unsuitable for installation. Construction activities shall not damage such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Wilbur Martin for W. B. Ramsey
Soil Scientist

David D. Hartley
Environmental Health Director or Authorized Section Head

EHD-5-74

Environmental Health Department's Copy

Date Received 1-4-85

SEE INSTRUCTIONS ON BACK

ICAR (S) Application No. 21428

T. C. No. PO 108-051-15


Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ✓ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface, soil absorption, effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____ Yes X No
Residence X Yes ____ No
4) No of Bedrooms 2
5) Business Use — Max No Employees ____
6) Washing Machine X Yes ____ No
7) Garbage Disposal ____ Yes X No
8) Dishwasher ____ Yes X No
9) Water Supply
A) Individual Well X
B) Governmental System ____
C) Community System:
1 Well source ____
2 Governmental source ____
10) Sewage System:
House located within 200 feet of public sewer ____ Yes X No
House located within 200 feet of community sewer ____ Yes X No
11) FHA Case No. ____
12) VA Case No. ____

13) NAME OF OWNER FAIRES (LAST) STANLEY (FIRST) CLYDE (MIDDLE)

14) ADDRESS OF OWNER 8020 Robinson Church Rd Charlotte, N.C. 28215

15) PHONE NO. Home 537-1736 Office 375-5726

16) LOCATION OF SYSTEM 8126 Robinson Church Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION N/A Lot No. ____ Block No. ____

Map Book No. ____ Page No. ____

18) DEED REFERENCE — DEED BOOK 4940 AT PAGE 0472

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ (YES) ____ NO DATE RUN 10-11-84

20) PTR NUMBER (See Instructions) 21426

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

1/1/85
DATE OF APPLICATION

Stanley C. Faires
OWNER

BHD-S-76

Environmental Health Department's Copy

Date Issued 1-4-85

Serial No. 8094

SIR No. 21428

T. C. No. PO 108-051-15

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

INSTRUCTIONS PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Faires, (LAST) Stanley (FIRST) C. (MIDDLE)

ADDRESS OF OWNER 8020 Robinson Church Rd., Charlotte, NC ZIP 28215

LOCATION OF LOT 8126 Robinson Church Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 21428. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Kelly Randall
Environmentalist

Bruce D. Hardister Jr.
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT


MECKLENBURG COUNTY · ENVIRONMENTAL HEALTH ·
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 21428 DATE: 5-5-87

TC: _____ L

SERIAL № 10905

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 4-1-85. All work shall be completed on or before 6-5-87, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank — gallons

Tank Construction PCC

Absorption and/or Nitrification Lines:

Trench Width 3 feet

Total Line Length 270' feet

Number of Lines Three

Depth of Stone 12" inches

Distance from House 5' feet

Distance from Property Line 10' feet

Distance from Well 750' feet

NAME OF OWNER Stanley Faires

LOCATION OF PROPERTY 8126 Robinson Church Rd.

Comments: Three Trenches 90' X 3' X 12" Stone
System designed For Two bedroom House

S L Daniel
Division or Section Head

Jim Duncan
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY

CERTIFICATE OF COMPLETION/OPERATION PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 2142B DATE: 6-26-87
TC: ☐ L ☑ CRT
SERIAL № 10370

Name of Owner: Stanley Fuives Juris.:
Address of Property: 5126 Robinson Church Rd

Inspection Data:

Tank Material: PVC
Total Length of Drainfield: 270
Number of Lines: 3 @ 90'
Cover Depth: 12"
Water Supply Source: well
Distance to Water Source: 75'
Excavation Inspected: 6-26-87
Tank(s) Inspected: 6-26-87
Wash Line Inspected: —
High Water Alarm Inspected: —

PLOT

Design: 1987/1500ST, Con/810SFT, 126 Coil CTR# 113

The undersigned has inspected the Septic Tank System described above, and certifies it has been
☑ installed or constructed ☐ altered or repaired
☑ in accordance with the permit issued ☐ as detailed in the plot above
and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this
☑ Certificate of Completion ☐ Operation Permit
does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS: System Inspect for Two Bedroom House

Jon Eaves
Environmentalist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.