

2369 JOHNSON LN

21507223

1/4/2008

duponbj

Groundwater and Wastewater Services File Imaging Project
May 2007
Barcode Font = IDAutomationHC39M

CERTIFICATE OF COMPLETION/OPERATION PERMIT

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 42141B DATE: 08-25-00

TC: 215-072-23 ☐ L ☒ CRT

SERIAL Nº 18465

Name of Owner Kevin Johnson Juris.:

Address of Property 2369 Johnson Lane

Inspection Data:

Tank Material PCC

Total Length of Drainfield 480'

Number of Lines 4 @ 120'

Cover Depth 12-24"

Water Supply Source P. Well


Distance to Water Source >100' Not in use

Excavation Inspected 08-25-00

Tank(s) Inspected 08-25-00

Wash Line Inspected N/A.

High Water Alarm Inspected N/A



PLOT

Design 1500 ST, 1440 SFT CoN 126 CTR# Big M

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☑ installed or constructed ☐ altered or repaired

☑ in accordance with the permit issued ☐ as detailed in the plot above

and meets the provisions of I5A NCAC 18A. 1900, "Laws And Rules For Sewage Treatment and Disposal Systems" in effect on the date of issuance of the permit. This issuance of this

☐ Certificate of Completion ☑ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of I5A NCAC 18A. 1990 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Notice: Disturbance of the designated repair area may result in the suspension/revocation of this permit.

COMMENTS: Type II system designed for a (3) bedroom design unit. Type II Repair Area

Joshua R. Sellers R.S.
Environmental Health Specialist

Mecklenburg County services are available without regard to ethnic origin, sex, or disability.

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR APPROVAL


HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 42138 DATE: 07-25-00

TC: 215-072-23 PO. ☐ L

SERIAL Nº 18177 X

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 02-29-00. All work shall be completed on or before 08-25-00, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 15A NCAC 18A. 1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank N/A gallons

Tank Construction PCC

Trench Depth >30"

Absorption and/or Nitrification Lines:

Trench Width 3' feet

Trench Walls Scored and Porous yes

Total Line Length 480' feet

Number of Lines 4@120'

Depth of Stone 12" inches

Distance from House >5' feet

Distance from Property Line >10' feet

Distance from Well >50' feet

Not In Yet.

NOTICE: This system shall not be installed while soils are in a wet condition.

NAME OF OWNER Kevin Johnson

LOCATION OF PROPERTY 2369 Johnson Lane.

Comments: Type II system designed for a (3) bedroom design Unit Type II repair area.
1500ST 480 LFT >30" depth

Joshua R. Sellers R.S.
Environmental Health Specialist

WHITE - HEALTH DEPARTMENT's COPY • CANARY - E.H.S. COPY • PINK - OWNER OR AGENT's COPY

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR APPROVAL


HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON ST., SUITE 211
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 112138 DATE: 07-25-07

TC: 215-072-23 PO. L

SERIAL No 18177

Permission is hereby given to ✓ Install or Construct, _____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 02-29-10. All work shall be completed on or before 08-25-10, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 15A NCAC 18A. 1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Health Department before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank N/A gallons

Tank Construction PCC

Trench Depth >30"

Absorption and/or Nitrification Lines:

Trench Width 3' feet

Trench Walls Scored and Porous yes

Total Line Length 480' feet

Number of Lines 4@120'

Depth of Stone 12" inches

Distance from House >5' feet

Distance from Property Line >10' feet

Distance from Well >50' feet

Not in Yet.

NOTICE: This system shall not be installed while soils are in a wet condition.

NAME OF OWNER Kim Johnson

LOCATION OF PROPERTY 2369 Johnson Lane

Comments: 1120 II System designed for a (3) bedroom Residential Unit 1120 II Repair Area 1500 ST 480 LF 12" >30" depth

Joshua P. Sinks

Environmental Health Specialist

10 CHE 60582 ACS

FEE: 300 **AUTHORIZATION FOR WASTEWATER SYSTEM CONSTRUCTION**
DATE: 3/31/00 **VOID SIXTY (60) MONTHS FROM DATE OF ISSUANCE**

DATE: 3-30-00 PERMIT NO: 4213B
PARCEL NO: 215-072-23
JOB LOCATION ADDRESS: 2369 Johnson Lane
PROPERTY OWNER: Kevin Johnson
BUILDING CONTRACTOR:
SUBDIVISION NAME:
AUTHORIZATION ISSUED BY: J B Thompson Jr. RS DATE: 3-30-00
DEHNR AUTHORIZED AGENT

AUTHORIZATION CONDITIONS

1. WASTEWATER SYSTEM CONSTRUCTION AND INSTALLATION MUST MEET ALL CONDITIONS AND SPECIFICATIONS AS SET FORTH IN IMPROVEMENT PERMIT NO. 4213B, AND THE ATTACHED SITE PLAN WITH SYSTEM DETAILS. CONSTRUCTION AND INSTALLATION MUST ALSO MEET ALL REQUIREMENTS SET FORTH IN THE RULES GOVERNING SANITARY SEWAGE COLLECTION, TREATMENT, AND DISPOSAL AND ANY OTHER APPLICABLE RULES AND LAWS.

2. AN INSTALLATION, CONSTRUCTION, ALTERATION AND/OR REPAIR APPROVAL MUST BE SECURED **PRIOR** TO INSTALLATION OF THE SEPTIC TANK SYSTEM. THE INSTALLER OF THE SYSTEM SHALL BE A REGISTERED SEPTIC TANK CONTRACTOR WITH MECKLENBURG COUNTY HEALTH DEPARTMENT.

3. ANY ALTERATION IN SITE OR SOIL CONDITIONS (INCLUDING LOCATION OF STRUCTURES AND APPURTENANCES) OR MODIFICATION IN USE, DESIGN WASTEWATER FLOW, OR WASTEWATER CHARACTERISTICS AS SPECIFIED IN THE ASSOCIATED IMPROVEMENT PERMIT AND APPLICATION, MAY SUBJECT THIS AUTHORIZATION AND ASSOCIATED PERMIT(S) TO REVOCATION.

4. OTHER CONDITIONS: See conditions of Improvement Permit

OWNER CERTIFICATION

I CERTIFY THAT THERE HAVE BEEN NO ALTERATIONS IN SITE OR SOIL CONDITIONS OR MODIFICATIONS TO FACILITY, WASTEWATER FLOW, OR WASTEWATER CHARACTERISTICS FROM THOSE SPECIFIED IN THE ORIGINAL APPLICATION OR ASSOCIATED IMPROVEMENT PERMIT UNLESS AUTHORIZED IN WRITING BY THE MECKLENBURG COUNTY HEALTH DEPARTMENT. I ALSO UNDERSTAND THAT ANY SUCH ALTERATIONS, MODIFICATIONS, OR FALSE INFORMATION ARE GROUNDS FOR REVOCATION OF PERMITS AND AUTHORIZATION TO CONSTRUCT.

D Holland, Jan Waller Homes 3-31-00
SIGNATURE OF OWNER/OWNER'S REPRESENTATIVE DATE

Permit Number: 4213B

Tax Number: 215-072-23

- The IMPROVEMENT PERMIT is subject to revocation if site plans or the intended use change. There is to be NO grading, filling or disturbance of the soil in the area of the septic tank system or repair area
- CONSTRUCTION AUTHORIZATION must be obtained prior to receiving a Building Permit. The Construction Authorization is NOT transferable. Do not clear, grade, fill or disturb soil prior to obtaining a Construction Authorization.
- Domestic-type wastewater only. No industrial process wastewater may be discharged into the system.

Basement	___ Yes	✓ No	___ Partial Basement	
Type Primary Wastewater System Type (circle one): I (II) III IV V VI	✓ Conventional ___ Prefabricated, permeable block panel system ___ Shallow Placed Conventional	___ Low Pressure Pipe ___ Large Diameter Pipe ___ Fill ___ Other	___ Innovative or Experimental: ___ IWWS-93-1 ___ IWWS-93-2 ___ IWWS-94-1	
25 Long-term acceptance rate	360 Max gallons/day wastewater flow	1440 Absorption Area (sq ft)	9' Trench spacing (min. on centers)	
Yes Serviced by private well	1500 Gallon septic tank	480' Total trench length (ft)	36" Maximum trench depth (At least 12" of provisionally suitable soil must remain between trench bottom and unsuitable soil conditions)	
3 Bedrooms in residence	N/A Gallon pump tank	12" Depth of stone		
Any surface waters present:	Type:	Minimum separation distance:		
Site modifications required:				
Additional Conditions: Drain lines must be installed greater than 30" deep in order to get beneath the platy soil structure on this lot.				
Repair Area System Type Type (circle one): I (II) III IV V VI	✓ Conventional ___ Prefabricated, permeable block panel system ___ Shallow Placed Conventional	___ Low Pressure Pipe ___ Large Diameter Pipe ___ Fill ___ Other	___ Innovative or Experimental: ___ IWWS-93-1 ___ IWWS-93-2 ___ IWWS-94-1	
1440 Absorption Area (Sq ft) 480' Total Trench Length (Ft)	12" Depth of Stone Trench	9' Trench spacing (min. on centers)	36" Maximum Trench Depth	
For existing system, enter the year originally installed:				

The undersigned, an authorized agent of the MECKLENBURG COUNTY HEALTH DEPARTMENT, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws and Rules For Sewage, Treatment and Disposal in effect at the time of issuance of the permit and is subject to the following provisions:

- No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair Approval is granted by this Department
- This Improvement permit is transferable.

R B Thompson Jr R.S. 3-30-00
DENR Authorized Agent / Date

D Holland, Jim Walter Homes 3-31-00
Owner/Agent Signature / Date

MECKLENBURG COUNTY
HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
c/o HAL MARSHALL CTR.
SUITE 211
700 N. TRYON ST.
CHARLOTTE, N.C. 28202.
(704) 336-5102

NORTH CAROLINA DEPARTMENT OF
ENVIRONMENTAL, HEALTH,
AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

IWWS-100195

Mecklenburg County
Health Department

Conditions of Improvement Permit

File Number: 4213 B
Site Address: 2369 Johnson Lane/Kevin Johnson

1. The wastewater treatment and disposal system permitted is a gravity flow conventional system.
2. Nitrification trenches shall be constructed as level as possible but in no case shall the fall in a single trench bottom exceed one-fourth inch in 10 feet as determined by an engineer's level or equivalent.
3. Any changes in the site must be pre-approved by the Mecklenburg County Environmental Health Department.
4. The wastewater treatment and disposal drain field area, including the designated repair areas, shall not be used for any of the following:

   - Grading or filling
   - Parking or driving heavy equipment in the area or subjecting the site to possible soil compaction
   - Construction staging area
   - Installation of lawn irrigation components
   - Installation of underground utilities or cables of any type
   - Burial of any debris or material
   - Utilizing the area for gravesites
   - Diversion of storm water runoff into this area

5. Septic system installer must be registered with Mecklenburg County prior to meeting for the required pre-construction conference.
6. System installer will be required to water level the distribution device prior to final system approval.
7. The system owner shall have the contents of the septic tank checked, and the contents of the tank removed, periodically from all compartments, to ensure proper operation of the system. The contents of the septic tank shall be pumped whenever the solids level is found to be more than 1/3 of the liquid depth in any compartment.
8. All septic tank riser and effluent filter rules will apply to this system. It is strongly recommended that access risers be added to both ends of the septic tank, extending to at least finish grade. This will allow periodic inspection of the solids level in the tank as well as help facilitate the periodic cleaning of the effluent bio-filter.
9. It is the responsibility of the property owner and/or general contractor to assure that the outlet for the plumbing for the proposed facility is kept at a height which will allow the drain lines to be installed at a depth equal to or less than 30 inches. If septic tank cannot be installed shallow enough to allow for a 30-inch deep drain field installation, a pump and pressure manifold setup will be required. The approximate septic tank location as well as the perimeter of the septic tank drain field has been flagged on the site.

Signature Owner/Agent D Holland for Jim Wade Johnson Date: 3-31-00

PEOPLE • PRIDE • PROGRESS

Environmental Health Division

700 North Tryon Street • Suite 211 • Charlotte, North Carolina 28202-2236


File # 4219B

Tax # 215-072-23 Po

2369 Johnson Lane

Comments

- 1500 gallon septic tank
- Distribution box w/ leveling devices
- (4) 3' wx 120' L x 36" deep
  * This lot has soil with platy structure and drainlines must be installed deeper than 30" to get beneath this.
- Keep drainlines level and on contour
- No driving or parking over the septic system and repair area
- Keep well >50' off of septic system and the repair area
- No construction of system shall take place when the soil is in a wet condition



D Holland, Jim Walter Homes 3-31-00

FEE: 200.00
DATE: 3-1-00 DA

APPLICATION FOR IMPROVEMENT PERMIT FOR RESIDENTIAL SITE INDIVIDUAL WATER AND WASTEWATER SYSTEMS PROGRAM

[ ] CRT

TYPE APPLICATION: __ NEW SYSTEM __ EXPANSION/ ALTERATION OF EXISTING SYSTEM __ REPAIR OF EXISTING SYSTEM

NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

FILE #: 4213B

PROPERTY INFORMATION (FROM ENGINEERING FORM) FOR JOB LOCATION:

TAX/PARCEL NUMBER: Tract # 21507223-00188

STREET ADDRESS: 2369 Johnson Lane

SUBDIVISION OR MOBILE HOME PARK NAME: Morning Star Township

LOT NUMBER:

TYPE OF BUILDING (CHECK ONE):

__ SINGLE MOBILE HOME(S)
__ DOUBLE WIDE (D)
✓ HOUSE (H)
__ MODULAR HOME (M)
__ MULTIPLE FAMILY (U)
__ OTHER (O)

TOWNSHIP (CHECK ONE):

__ 0 MECKLENBURG
__ 1 CHARLOTTE
__ 2 DAVIDSON
__ 3 CORNELIUS
__ 4 PINEVILLE
✓ 5 MATTHEWS
__ 6 HUNTERSVILLE
__ 7 MINT HILL

HEATED SQUARE FOOTAGE: 1152

NUMBER OF BEDROOMS: 3 NUMBER OF OCCUPANTS: 4

FOUNDATION FOR RESIDENCE:

__ WITHOUT BASEMENT
__ ON SLAB
__ CRAWL SPACE
__ WITH BASEMENT /PLUMBING
__ WITH BASEMENT /NO PLUMBING

IF EXPANSION/ALTERATION OF EXISTING SYSTEM, DESCRIBE THE PROPOSED BUILDING ADDITION:

WILL THERE BE A HOME BUSINESS IN THE RESIDENCE: __ YES ✓ NO TYPE: _____

WATER SUPPLY (CHECK ONE):

__ COMMUNITY (C)
__ MUNICIPAL (M)
✓ PRIVATE WELL (P)
__ SHARED WELL (S)
__ OTHER 'SPRINGS' (O)

IF ANY OF THE FOLLOWING ARE LOCATED ON THE PROPERTY, PLEASE SHOW LOCATION ON PLAT:

BURIED CABLES, LANDFILLS, STUMPHOLES	__ YES __ NO	WELL, SPRINGS OR WATERLINES	__ YES __ NO
EXISTING WASTEWATER SYSTEMS	__ YES __ NO	DESIGNATED WETLANDS	__ YES __ NO
EASTMENTS OR RIGHT-OF-WAYS	__ YES __ NO		

PROPERTY OWNER:	LEGAL AGENT FOR PROPERTY OWNER, IF APPLICABLE:
NAME: (LAST) Johnson (FIRST) Kevin (MI)	NAME: (LAST) Jim Walter Homes, D Holland (FIRST) (MI)
ADDRESS: 2401 Johnson Lane	DAYTIME PHONE: (704) 399 - 8317
CITY: Matthews STATE: NC ZIP: 28105	574-1850 Debbie
DAYTIME PHONE: (704) 821 - 8165	

WHAT DATE WAS THE PROPERTY ORIGINALLY DEEDED AND RECORDED? _____

An Improvement Permit is subject to suspension or revocation if site plans or the intended use change or if information submitted in this application is falsified or changed. The undersigned, owner, or legal agent for the owner, of the property described above as the "Job Location" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the Mecklenburg County Health Department to enter onto the property for the purpose of processing this request.

SIGNED D Holland, Jim Walter Homes DATE: 2-29-00

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
c/o HAL MARSHALL CTR., SUITE 211, 700 N. TRYON ST., CHARLOTTE, N.C. 28202., (704) 336-5102

DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

Sheet: _____

Property ID: PO 215-012-23

Lot #: 7-B

File #: 4213

ACS #1

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

OWNER: Kevin Johnson APPLICANT: Jim Walter Homes

ADDRESS: 2401 Johnson Lane, Mullein DATE EVALUATED: 3-15-00

PROPOSED FACILITY: residence PROPOSED DESIGN FLOW (.1949) 360gpd PROPERTY SIZE: 2.1+/-

LOCATION OF SITE: 2369 Johnson Lane PROPERTY RECORDED: _____

WATER SUPPLY: ☑Private ☐Public ☐Well ☐Spring ☐Other _____

EVALUATION METHOD: ☐Augur Boring ☐Pit ☐Cut

TYPE OF WASTEWATER: ☑Sewage ☐Industrial Process ☐Mixed

PROFILE #	.1940 Landscape Position/ Slope %	Horizon Depth (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	SOIL MORPHOLOGY (.1941) .1941 CONSISTENCE MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS &LTAR
1	A-5%	0-9"	gr/sl	Fr/SE XP/NS/NP	7.5" TO 50:1 wetness	51"	N/A	None	PS .25 gpd/ft² LE
		9-13"	SBM/scl	Fr/SE XP/SS/SP					
		13-25"	ABK/pl/sc	Fi/SE XP/S/P					
		25-51"	ABK SBM/C	Fi/SE XP/S/P					
2	A-5%	0-11"	gr/scl	Fr/SE XP/SS/SP	7.5" TO 50:1 wetness	51"	N/A	None	PS .25 gpd/ft² LE
		5-40"	SBM/C	Fi/SE XP/S/P					
		40-51"	SBM/cl	Fr/SE XP/SS/SP					
3	A-5%	0-8"	gr/sl	Fr/SE XP/NS/NP	7.47" TO 50:1 wetness	47"	N/A	None	PS .25 gpd/ft² LE
		8-28"	ABK/pl/C	Fi/SE XP/S/P					
		28-47"	SBK/C ABK	Fi/SE XP/S/P					
4	A-5%	0-7"	gr/sl	Fr/SE XP/NS/NP	7.48" TO 50:1 wetness	48"	N/A	None	PS .25 gpd/ft² LE
		7-11"	SBK/scl	Fr/SE XP/SS/SP					
		11-29"	ABK pl/C	Fi/SE XP/S/P					
		29-48"	SBK/C ABK	Fi/SE XP/S/P					

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)	~~.25 gpd/ft²~~ PS	PS
System Type(s)		
Site LTAR	.25 gpd/ft²	.25 gpd/ft²

OTHER FACTORS (.1946): _____

SITE CLASSIFICATION (.1948): Provisionally Suitable

EVALUATED BY: W. R. Merlin LSS 3-20-00


OTHER(S) PRESENT: K. Randall, K. Johnson

FILE # 421313

COMMENTS 1006 Repair

LANDSCAPE POSITION	GROUP	TEXTURE	.1955 LTAR	CONSISTENCE MOIST	CONSISTENCE WET
R-RIDGE	I	S-SAND	1.2-0.8		
S-SHOULDER SLOPE		LS-LOAMY SAND		VFR-VERY FRIABLE	NS-NON-STICKY
L-LINEAR SLOPE				FR-FRIABLE	SS-SLIGHTLYSTICKY
FS-FOOT SLOPE	II	SL-SANDY LOAM	0.8-0.6	FI-FIRM	S-STICKY
N-NOSE SLOPE		L-LOAM		VFI-VERY FIRM	VS-VERY STICKY
H-HEAD SLOPE				EFI-EXTREMELY FIRM	NP-NON-PLASTIC
CC-CONCLAVE SLOPE	III	SI-SILT	0.6-0.3		SP-SLIGHTLYSTICKY
CV-CONVEX SLOPE		SICL-SILTY CLAY LOAM			P-PLASTIC
T-TERRACE		CL-CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAIN		SCL-SANDY CLAY LOAM			
	IV	SC-SANDY CLAY	0.4-0.1		
		SIC-SILTY CLAY			
		O-ORGANIC			

STRUCTURE	MINERALOGY
SG-SINGLE GRAIN	SLIGHTLY EXPANSIVE
M-MASSIVE	
CR-CRUMB	EXPANSIVE
GR-GRANULAR	
SBK-SUBANGULAR BLOCKY	
ABK-ANGULAR BLOCKY	
PL-PLATY	
PR-PRISMATIC	



Johnson Lane


PROPOSED PLOT PLAN

HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION
700 NORTH TRYON STREET
CHARLOTTE, NC 28202
PHONE (704) 336-5102

FILE: 4213B

TC: 215-072-23 PD

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.



D Holland, Jim Watter Homes
OWNER/AGENT SIGNATURE

DATE 2-29-00

APPROVAL DATE _____

White - Health Department's Copy Canary - E.H.S. Copy Pink - Owner's Copy