Date Received 6-23-82

MECK COUNTY DEPARTMENT OF
RECEIVED
JUN 23 1982

APT No. 18810 004073-16

T. C. No. P[redacted]

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Kelly (LAST) Warren (FIRST) H (MIDDLE)

2) ADDRESS OF OWNER Rt 4 Box 54 Huntersville NC ZIP 28078

3) PHONE NO Home 892-1956 Office —


4) LOCATION OF PROPERTY Sam Furr Road East (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK 4260 PAGE NO 415

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and on-site inspection of the property hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface soil absorption effluent disposal.



7) ACCURATELY DIAGRAM & DIMENSION LOT

See enclosed Map

Warren H Kelly
OWNER

EHC 5-78

Environmental Health Department's Copy

Serial No. 4595

PTR No. 18810

T. C. No. PO 011-073-16

Date Issued 6-25-82

Map Date


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Kelly, (LAST) Murray (FIRST) G. (MIDDLE)

ADDRESS OF OWNER Rt. 4, Box 804, Huntersville, NC ZIP 28078

LOCATION OF PROPERTY Sam Furr Road, East (STREET OR COUNTY ROAD)

SUBDIVISION LOT NO BLOCK NO



PLOT PLAN

This is to certify that the investigation and study of this property was made by the Mecklenburg County Department of Environmental Health on this date. The soil investigation was conducted on that part of the property as indicated on the plot plan.

Provisionally Suitable

The permeability rate determined by this investigation and study of the soil on this lot is approved for the installation of an individual subsurface sewage disposal system with subsurface soil absorption effluent disposal subject to the following conditions:

1. A minimum of [illegible] of suitable soil as determined by the Mecklenburg County Department of Environmental Health must be available for the sewage treatment system.
2. The sewage treatment system shall be designed by the Mecklenburg County Department of Environmental Health and shall comply with the Mecklenburg County Sanitary Sewage Disposal Ordinance and the Rules and Regulations Governing Subsurface Sewage Disposal Systems.
3. The sewage treatment system must be installed by a licensed sewage system installation contractor.
4. The [illegible] shall be constructed in the [illegible] as indicated on the approved plot plan.

This approval is granted in accordance with the Mecklenburg County Board of Health Rules and Regulations governing the Subsurface Sewage Disposal Program of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission Sanitary Sewage Disposal Ordinance, both of which are made a part hereof. It is void after one year from date of issue and is void at any time in the future prior to completion of the system if any of the rules and regulations are changed such that this approval would not have been granted had the new rules and regulations been in effect on the issue date.

J. B. Kazimy
Soil Scientist
ENG-5-76

Mike Sexton
Environmental Health Director or Authorized Section Head

Environmental Health Department's Copy

18810

NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
RALEIGH, NORTH CAROLINA

APPENDIX H
SITE EVALUATION

(Ground Absorption Sewage Disposal)

OWNER: Murray G. Kelly
ADDRESS: R-4 Box 804
COUNTY: Hunterville N.C. 28078
LOCATION OF SITE: Sam Furr Rd East

DATE REQUESTED: 6-23-82
PLAT NO.:
LOT SIZE: 13.7

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (Z)	S (PS) 2-10 U	S PS U	S PS U	S PS U +
2. SOIL TEXTURE (12-36 in.) (Sandy, loamy, clayey, Note 2:1, Clay)	S (PS) Clayey U	S PS U	S PS U	S PS U
3. SOIL STRUCTURE (12.36 in.) (Clayey Soils)	S (PS) Blocky U	S PS U	S PS U	S PS U
4. SOIL DEPTH (In.)	S (PS) 46 U	S PS U	S PS U	S PS U
5. RESTRICTIVE HORIZONS (In.) (Impervious Strata, Rock)	S (PS) None U	S PS U	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (External & Internal)	S (PS) Adequate U	S PS U	S PS U	S PS U
7. SOIL PERMEABILITY (Percolation Rate)	S (PS) Moderate U	S PS U	S PS U	S PS U
8. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
9. SITE CLASSIFICATION	P.Suitable			
SOIL SERIES	Cecil			

S - Suitable PS - Provisionally Suitable U - Unsuitable

* See Diagram on Back (Include: Soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slope patterns, etc)

Recommendations/Comments:

Described By: W. B. Kinney

Title: Soil Scientist Date: 6-23-82

DHS Form 2604 (2/77)
Sanitation

APPENDIX H
SITE EVALUATION

SAM Furr Rd

Old Rd

Dirt Driveway

600'±

3rd Finger Pole

200'

Open Field

Cecil

Cecil

Wood

Erosion

epartment Of Building Standards
and Code Enforcement
P. O. Box 16040
Charlotte, North Carolina 28216

July 7, 1982

To: ENVIRONMENTAL HEALTH DEPARTMENT
BLYTH BLVD.
MECKLENBURG COUNTY
CHARLOTTE, N.C.

Reference: MOBILE HOME PLACEMENT

Dear MR. SEXTON,

The parcel of land located at 13548 SAM FURR RD.
and further identified by tax parcel number 011-073-16
is zoned RU (RURAL).

Permitted uses in this district include: Mobil Home may be placed or installed We on the Rural Setback Yard Requirements such as Side - Rear yards etc will apply

If this office can be of further assistance, please contact us..

Very truly yours,

Zoning Inspector

Date Received 7-7-82

RECEIVED
JUL 7 19[illegible]
MECKLENBURG COUNTY DEPT. OF ENVIRONMENTAL HEALTH

ICAR (S) Application No. 18810

T. C. Ro 011-073-16


Map Date _____

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to:

1) ___✓___ Install or Construct 2) _____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge.



3) PLOT PLAN ACCURATELY DIMENSIONED

Mobile Home ✓ Yes ___ No
Residence ___ Yes ___ No

4) No of Bedrooms 3

5) Business Use — Max No Employees NO

6) Washing Machine ✓ Yes ___ No

7) Garbage Disposal ___ Yes ✓ No

8) Dishwasher ✓ Yes ___ No

9) Water Supply
A Individual We ✓
B Governmental System ___
C Community System
1 We source ___
2 Governmental source ___

10) Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11) FHA Case No ___

12) VA Case No ___

13) NAME OF OWNER HIGGINS (LAST) GLENN (FIRST) H. (MIDDLE)

14) ADDRESS OF OWNER RT 7 Box 373-E Statesville 28601

15) PHONE NO Home 705 677 3697 Office SAME

16) LOCATION OF SYSTEM 1354 Sam Furr Road (STREET OR COUNTY ROAD)

17) SUBDIVISION _____ Lot No _____ Block No _____

Map Book No _____ Page No. _____

18) DEED REFERENCE — DEED BOOK _____ AT PAGE _____

19) HAS A SOIL INVESTIGATION BEEN RUN? ✓ YES ___ NO DATE RUN 6-25-82 PS

20) PTR NUMBER (See instructions) 1211C

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

7-7-82
DATE OF APPLICATION

Glenn H. Higgins
OWNER

EHD-S-76 ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Date Issued 7-7-82

Serial No. 5781

LA No. 18810

T. C. No. PO 011-073-16

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Coggins, (LAST) Glenn (FIRST) H. (MIDDLE)

ADDRESS OF OWNER Rt. 7, Box 393-F, Dothan, Ala. ZIP 36301

LOCATION OF LOT 13548 Sam Furr Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption effluent discharge based on the soil investigation on an on site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction Alteration and/or Repair Permit" number 18810 This approval is subject to the following terms and conditions

1. That the absorption field be installed constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation Construction, Alteration and/or Repair Permit be issued and in full force and effect when the system is installed, constructed, altered and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot at any time it is determined that any information contained in the "Application for an Installation Construction Alteration and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Mike Sexton
Environmental Health Director or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

Date Issued 7/27/82

Serial No. 5628


ICAR(S) Permit No. 18810

T.C. No. 01-073-16

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, ___ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 18810 dated 7/7/82 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before AUG 30 82, after which date this permit shall be null and void.



Plot Plan of System

Permeability Rate PS

Liquid Capacity of Tank 1500 GAL

Tank Construction PRECAST

Absorption Area in Square Feet

Trench Length 300'

Number of Lines 3

Distance from Water Line >10'

Distance from Property Line >10'

Distance from Well >50'

NAME OF OWNER GLENN COGGINS

LOCATION OF PROPERTY 13548 SAM FURR ROAD

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Health Commission which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Director before any system can be covered up or otherwise rendered uninspectable for use. The issuance of this permit does not in any way guarantee that the system anticipated will be constructed will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

3 LINES: 3'X100'X12" of STONE

Comments

Division or Section Head

Environmentalist Adam Wyfield

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

BE-8-11-82

C of A (s) No. 18810

Date Issued 8/10/82 Serial 5294 T O No. PO 011-073-16

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF COMPLETION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner COGGINS (LAST) GLENN (FIRST) (MIDDLE)

Location of Property 13548 SAM FURR Road

Application Number 18810 Permit Number 18810

Inspection Data:

Liquid Capacity of Tank 1500 Gal Tank Material precast

Total Length of Drain Tile 300' Number of Lines 3

Depth of Filter Material 12" Cover Depth 15"

Water Supply Source well Distance from Water Source NOT IN YET

Excavation Inspected — (DATE) Tank Inspected 8/10/82 (DATE)

Nitrification Field Inspected 8/10/82 (DATE)

Washing Machine Line Inspected If Applicable 8/10/82 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ~~is~~ installed or constructed ~~is~~ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments as permitted

Adam Wipfuld
Environmentalist

EHD-S-76

ENVIRONMENTAL HEALTH SUPERVISOR

Date Received _____

RECEIVED
SEP 1984
ENVIRONMENTAL HEALTH

18810
SIR No. 2419
T. C. No. PO 011-093-20
Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER COGGINS (LAST) GLENN (FIRST) H. (MIDDLE)

2) ADDRESS OF OWNER P.O. Box 286, CORNELIUS, NC ZIP 28031

3) PHONE NO. Home 892 4545 Office 892 4545


4) LOCATION OF PROPERTY 13548 SAM FURR Rd (STREET OR COUNTY ROAD)

5) SUBDIVISION _____ LOT NO _____ BLOCK NO _____

MAP BOOK NO _____ PAGE NO _____

6) DEED REFERENCE DEED BOOK _____ PAGE NO _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

Glenn H Coggins
OWNER

EHD-5-76

Environmental Health Department's Copy

MECKLENBURG COUNTY
Department of Environmental Health

FILE NO. 18810 ~~21417~~

DATE 9-17-84

Glenn H. Coggins
P. O. Box 286
Cornelius, NC 28031

Re: Property located at 13548 Sam Furr Road T.C. #PO 011-073-20

Dear Sir:

At your request a soils investigation was conducted on the property designated above. Results of this investigation, showed the site to be classified unsuitable for the installation of a ground absorption sewage disposal system. A copy of the site evaluation report is enclosed for your information.

North Carolina General Statute 130A-335 and 10 NCAC 10A .1948 (c) provides that:

> Sites originally classified as UNSUITABLE may be used for soil absorption disposal systems, provided engineering, hydrogeologic, and soil studies indicate to the local health department that a suitable septic tank system or a suitable alternate system can reasonably be expected to function satisfactorily. Such sites may be reclassified as PROVISIONALLY SUITABLE upon submission to the local health department and when requested by the local health department to the state agency of the following:
>
> (1) Adequate substantiating data to indicate that a ground absorption system can be installed so that the effluent will receive adequate treatment;
>
> (2) Adequate substantiating data to indicate that the effluent will not contaminate any drinking water supply, ground water used for drinking water, or any surface water;
>
> (3) Adequate substantiating data to indicate that the effluent will not be exposed on the ground surface or be discharged to surface waters where it could come in contact with people, animals, or vectors.

Upon receipt of a request for reclassification as provided for above, the submission of plans and specifications for an applicable sewerage treatment system, and the approval of such system as submitted, the department will issue the appropriate permits.

If I may be of any assistance, please feel free to call.

Sincerely,

Bill D. Hardister, Jr.

Bill D. Hardister, Jr.
Environmental Health Supervisor
On Premises Waste Disposal Section

Enclosure

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 18810

T.C. NO.

(Ground Absorption Sewage Disposal)

OWNER:
ADDRESS:
PLAT NO:
LOT SIZE: 52

LOCATION OF SITE:

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
3. SOIL STRUCTURE (12-36 inches)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
4. SOIL DEPTH (inches)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
7. OTHER (Specify)	S / PS / U	S / PS / U	S / PS / U	S / PS / U
8. SOIL GROUP				
9. SITE CLASSIFICATION				
10. SOIL SERIES				

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments:

Described by:
Title:
Date:

2H

150'
Helena Hills
San Fran Rd

Serial No. 5889

SIR No. 18810 ~~21417~~

T. C. No. PO 011-073-20

Map Date L

Date Issued 9-27-84


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Coggins, (LAST) Glenn (FIRST) H. (MIDDLE)

ADDRESS OF OWNER P.O. Box 286, Cornelius, NC ZIP 28031

LOCATION OF PROPERTY 13548 Sam Furr Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO _____ BLOCK NO _____



PLOT PLAN

This is to certify that a soil ~~evaluation~~ investigation and report on the investigation was made by the Mecklenburg County Department of Environmental Health on the property described above. The said investigation was conducted on that part of the lot dated on the above plot of PROVISIONALLY SUITABLE. The permeability rate determined by the investigation of the said lot is approved for the installation of one (1) single family subsurface treatment system with subsurface soil absorption effluent discharge subject to the following terms and conditions:

1. A permit must be obtained from the Mecklenburg County Department of Environmental Health prior to any construction of the subsurface treatment system on the said lot.
2. The [illegible] shall be subject to inspection by the Mecklenburg County Department of Environmental Health to determine if the system is operative and in the best interest of the public health.
3. This approval is for the system as shown on the plot plan.
4. This approval is valid for a period of [illegible] from the date hereof. After the expiration date hereof, this approval shall become void unless renewed by the Mecklenburg County Department of Environmental Health.

This approval is granted subject to the conditions pertaining to the location and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Department in effect on the date of issuance and is valid for one year in the future provided it shall not be withdrawn because such rules and regulations are changed such that this approval would not have been granted had the new or revised rules and regulations been in effect on the issue date.

William Winslow
Soil Scientist

Environmental Health Department
Authorized Senior Head

EHD-5-76

Environmental Health Department

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY, NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 18810

T.C. NO. 2001-0320

(Ground Absorption Sewage Disposal)

OWNER: Glenn H. Cagle
ADDRESS: P.O. Box 238 Cornelius NC 28031

PLAT NO:
LOT SIZE: Irregular Lot 32

LOCATION OF SITE: 13540 Jetton Lane Cornelius

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U 2-12%	S PS (U) Complex Slopes	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) Clay U	S (PS) Clay U	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) Blocky U	S (PS) Blocky U	S PS U	S PS U
4. SOIL DEPTH (inches)	S (PS) 30 40" U	S PS L 30 (U)	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) >30" U	S PS <30" (U)	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) Good internal drainage U	S Areas Channel Runoff (U)	S PS U	S PS U
7. OTHER (Specify)	S PS Soil U	S PS U	S PS U	S PS U
8. SOIL GROUP	IIA	IIA		
9. SITE CLASSIFICATION	Generally Suitable	Unsuitable		
10. SOIL SERIES	Cecil & Ho	Complex		


S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: Septic tank effluent lift pump

Described by: William B. Martin
Title: Soil Scientist

Date: 7-27-01


Existing Trailer
140'
Fence
30'
Circle-Like
Complex 6 legs
SamFuss Ad

Date Received 10-9-84

RECEIVED
OCT 9 - 1984
ENVIRONMENTAL HEALTH

ICAR(S) Application No. 18810 21419

T. C. No. 0011-073-20


Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to use existing system

1) ____ Install or Construct 2 ✓ ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge.



31) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ____ Yes ____ No
Residence ✓ Yes ____ No
4. No. of Bedrooms 3
5. Business Use — Max No Employees ____
6. Washing Machine ✓ Yes ____ No
7. Garbage Disposal ____ Yes ✓ No
8. Dishwasher ✓ Yes ____ No
9. Water Supply
A. Individual Well ✓
B. Governments System ____
C. Community System
1. Well source ____
2. Governments source ____
10. Sewage System
House located within 200 feet of public sewer ____ Yes ✓ No
House located within 200 feet of community sewer ____ Yes ✓ No
11. FHA Case No ____
12. VA Case No ____

13) NAME OF OWNER COGGINS (LAST) GLENN (FIRST) H. (MIDDLE)

14) ADDRESS OF OWNER PO Box 286 CORNELIUS, NC, 28031

15) PHONE NO Home 892-4545 Office SAME

16) LOCATION OF SYSTEM 13548 SAM FURR Rd, HUNTERSVILLE, NC (STREET OR COUNTY ROAD)

17) SUBDIVISION ____ Lot No ____ Block No. ____

Map Book No ____ Page No. ____

18) DEED REFERENCE — DEED BOOK ____ AT PAGE ____

19) HAS A SOIL INVESTIGATION BEEN RUN? ____ YES ____ NO DATE RUN ____

20) PTR NUMBER (See Instructions) ____

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

10-6-84
DATE OF APPLICATION

Glenn H Coggins
OWNER

EHD-S-76

Environmental Health Department's Copy

Date Issued 10-12-84

Serial No. 7919

SIR No. 18810

T. C. No. PO 011-073-20

Map Date LCRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

IMPROVEMENT PERMIT

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Coggins, (LAST) Glenn (FIRST) H. (MIDDLE)

ADDRESS OF OWNER P.O. Box 286, Cornelius, NC ZIP 28031

LOCATION OF LOT 13548 Sam Furr Road (STREET OR COUNTY ROAD)

SUBDIVISION _____ LOT NO. _____ BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation on an on site inspection of the said lot and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 18810 This approval is subject to the following terms and conditions

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic tank system is not being installed, constructed, altered and/or repaired in accordance with a valid "Installation, Construction, Alteration, and/or Repair Permit.

*** USE EXISTING SYSTEM ***

Ralph Mattes
Environmentalist

Bill D. Henderson Jr.
Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy