Date Received 7/29/75

RECEIVED
JUL 2 - 1975

APT No 9756

T C No

Map Date

MECKLENBURG COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH DIVISION

APPLICATION FOR PERCOLATION TEST

1) NAME OF OWNER Grisco (LAST) Marshall (FIRST) Eugene (MIDDLE)

2) ADDRESS OF OWNER 1164 Ledram Court Apt. 1 ZIP 28209

3) PHONE NO Home 392-3516 Office 523-7640

4) LOCATION OF PROPERTY Peachtree Rd. (STREET OR COUNTY ROAD)


5) SUBDIVISION Crandon Park LOT NO. 18 BLOCK NO A

MAP BOOK NO 7 PAGE NO. 709

6) DEED REFERENCE DEED BOOK 3232 PAGE NO. 333

Application is hereby made to the Mecklenburg County Health Department for the conduct of a percolation test and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge.

180' Deep




7) ACCURATELY DIAGRAM & DIMENSION LOT

Marshall Eugene Grisco
OWNER

FORM NO. E-1-9-1-72

HEALTH DEPARTMENT'S COPY

DIAGRAM OF PROPERTY



3/18/75

END 539

SOIL INVESTIGATION REPORT

Date of Investigation July 30, 1975 APT NO. 9756

Owner Marshall Eugene Cross

Location of Property Peachtree Rd (Crandon Park) ± 1/8 A

Soil Suitability Ratings TM 830-2-55-05

Soil Properties	Soil 1	Soil 2	Soil 3	Soil 4
1. Soil Series	Cec 1			
2. Soil Slope	Surface 2-6			
3. Soil Depth	Surface >48"			
4. Soil Texture	Fine sandy loam			
5. Soil Structure	marginal			
6. Restrictive Horizons	N.A.			
7. Soil Drainage	surface 0-3.76			
8. Soil Permeability (Percolation Rate)	marginal 60 min/in			
9. Other	N.A.			
10. Overall Rating	marginal			

Recommendations Based on this investigation, the lot is recommended for approval for installation of a septic tank system. System design should be based on a percolation rate of 60 min/in.

See diagram on back

W. Edward Grant
Soil Scientist

3/18/75
EHD 539

Serial No. 5514

PTR No 9756

T C No 039-255-05

Map Date 12-14-75

Date Issued July 31, 1975

Do Not Issue A Building Permit Based On This Form

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION


PERCOLATION TEST REPORT

NAME OF OWNER Crisco (LAST) Marshall (FIRST) Eugene (MIDDLE)

ADDRESS OF OWNER 1104 Lebram Court, Apt 1, Charlotte ZIP 28208

LOCATION OF PROPERTY Peachtree Road (STREET OR COUNTY ROAD)

SUBDIVISION Crandon Park LOT NO 18 BLOCK NO A



PLOT PLAN

This is to certify that a percolation test has been run and an on-site inspection made by the Mecklenburg County Health Department on the lot described above. The said test was conducted on that portion of the lot as indicated on above plot

The percolation rate determined by the test was *60Min./In. The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct after or repair the specific system shall be obtained from the Mecklenburg County Health Department prior to the beginning of any construction of buildings, or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater tratment system which must be installed will be determined by the Health Department prior to installation based on the percolation rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the immediate area where the percolation test was run.
4. This approval is void if any grading, filling, or construction (including the drilling of a well) is performed on the lot which, in the opinion of the Health Department, renders the area where the percolation test was run unsuitable for the installation, construction, alteration, and/or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina State Board of Health and the Mecklenburg County Board of Health which were in effect on the date of issuance and is void if at any time in the future, prior to the completion of the system, these laws, rules, and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

*Results determined by soil analysis

Soil Scientist

John R. Johnson

Director, Environmental Health Division or Authorized Section Head

FORM NO E-2-9-1-72

HEALTH DEPARTMENT'S COPY

SEE INSTRUCTIONS ON BACK

Date Received

ICAR(S) Application No 9756

T C No

Map Date


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Health Department for a permit to

1) ✓ Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption, effluent discharge



3) PLOT PLAN (ACCURATELY DIMENSIONED)

4 No. of Bedrooms 3

5 Business Use Max No Employees

6 Washing Machine ✓ Yes ___ No

7 Garbage Disposal ___ Yes ✓ No

8 Dishwasher ___ Yes ✓ No

9 Water Supply
A) Individual Well ___
B Governmental System ___
C Community System
1 Well source ✓
2 Governmental source ___

10 Sewage System
House located within 200 feet of public sewer ___ Yes ✓ No
House located within 200 feet of community sewer ___ Yes ✓ No

11 FHA Case No ___

12 VA Case No ___

13) NAME OF OWNER Crisco (LAST) Marshall (FIRST) Eugene (MIDDLE)

14) ADDRESS OF OWNER 1104 Ledbrin Ct. Apt. 1 Charlotte, N.C. 28208

15) PHONE NO Home 392-3516 Office 523-7640

16) LOCATION OF SYSTEM Peachtree Rd. (STREET OR COUNTY ROAD)

17) SUBDIVISION Crindon Park Lot No. 18 Block No. A

Map Book No 7 Page No. 709

18) DEED REFERENCE — DEED BOOK 3232 AT PAGE 333

19) HAS A PERCOLATION TEST BEEN RUN? ___ YES ___ NO DATE RUN

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true. It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

6/22/75
DATE OF APPLICATION

Marshall Eugene Crisco
OWNER

FORM NO. E-4-[illegible]

HEALTH DEPARTMENT'S COPY

Date Issued Aug. 25, 1975 **Serial No.** 5240

LA No 9756

T C No 039-255-05

IMPROVEMENTS PERMIT

Map Date 12-14-75

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Crisco (LAST) Marshall (FIRST) Eugene (MIDDLE)

ADDRESS OF OWNER 1104 Lebram Court, Apt 1, Charlotte, N.C. ZIP 28208

LOCATION OF LOT Peachtree Road (STREET OR COUNTY ROAD)

SUBDIVISION Crandon Park LOT NO 18 BLOCK NO A

MAP BOOK NO PAGE NO

The above specified lot is approved by the Mecklenburg County Health Department for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the percolation test results which yielded a percolation rate of 60Min./In. on an on-site inspection of the said lot, and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number _____. This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered, and/or repaired in the same area where the percolation test was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altred, and/or repaired and that the system be installed in accordance with same

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit

Environmentalist

Director Environmental Health Division or Authorized Section Head

FORM NO E-3-8-1-72

HEALTH DEPARTMENT'S COPY

Serial No. 7127

ICAR'S Permit No 9756

Date Issued 1-9-76

T C No 039-255-05

Map Date 12-14-75


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install Construct Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 9756, dated 1-9-76 and this permit shall be void and of no effect if the information provided in the application is not true in all particulars. All work shall be completed on or before 1-26-76 after which date this permit shall be null and void



PLOT OF SYSTEM

Percolation Rate 60

Liquid Capacity of Tank 1500 gal

Tank Construction PC

Absorption and/or Distribution Lines

Total Line Length 400'

Number of Lines 5

Distance from House 10'

Distance from Property Line 10'

Distance from Well WELL NOT IN

NAME OF OWNER Marshall E. Crisco

LOCATION OF PROPERTY 1126 Peachtree Rd.

The system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Board of Health which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Health Director before any system can be covered up or otherwise rendered uninspectable or can be used

Comments:

Division or Section Head

Samuel Spencer Jr
Environmentalist

If this permit is for the installation or construction of a new system it must be signed by the division or section head of the Environmental Health Division in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired

FORM NO. E-5-4-2M-6-75

HEALTH DEPARTMENT COPY

Serial No.

C of A (s) No 9756

Date Issued 1-16-76

T C No 631-355-05

Map Date 12-14-75

CERTIFICATE OF COMPLETION

MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner Crisco (LAST) Marshall (FIRST) E (MIDDLE)

Location of Property 1126 Fuchtree Rd

Application Number 9756 Permit Number 9756

Inspection Data:

Liquid Capacity of Tank 1500 gal Tank Material PC

Total Length of Drain Tile 400' 150' Number of Lines 6 3

Depth of Filter Material 17" Cover Depth 25"

Water Supply Source Well Distance from Water Source 100'

Excavation Inspected 1-16-76 (DATE) Tank Inspected 1-16-76 (DATE)

Nitrification Field Inspected 1-16-76 (DATE)

Washing Machine Line Inspected, If Applicable 1-16-76 (DATE)

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been ✓ installed or constructed, ____ altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Board of Health in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit as in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments

Samuel Spencer Jr.
Environmentalist

FORM NO E-6-9-1-72