Date Received 1-20-84

MECK COUNTY DEPARTMENT OF
RECEIVED
JAN 17 1984
ENVIRONMENTAL HEALTH

SIR No. 20544
T. C. No. 195-141-04
Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Ty-Park Realty, Inc.
(LAST FIRST MIDDLE)

2) ADDRESS OF OWNER P.O. Box 763 Monroe, N.C. ZIP 28110

3) PHONE NO. Home _____ Office 372-0088

4) LOCATION OF PROPERTY 14101 Maple Hollow Lane
(STREET OR COUNTY ROAD)

5) SUBDIVISION Country Woods LOT NO. 56 BLOCK NO. _____

MAP BOOK NO _____ PAGE NO. _____

6) DEED REFERENCE DEED BOOK 4411 PAGE NO 46

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge



7) ACCURATELY DIAGRAM & DIMENSION LOT

EDW for Ty-Park Realty
OWNER

EHD-5-76

ENVIRONMENTAL HEALTH DEPARTMENT'S COPY

Serial No. 5439

SIR No. 20544

Date Issued 2-8-84

T C No. PO 195-141-04

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
SOIL INVESTIGATION REPORT

NAME OF OWNER Ty-Par Realty, Inc.
LAST FIRST MIDDLE

ADDRESS OF OWNER P.O. Box 763, Monroe, NC ZIP 28110

LOCATION OF PROPERTY 14101 Maple Hollow Road
STREET OR COUNTY ROAD

SUBDIVISION Country Woods LOT NO 56 BLOCK NO



PLOT PLAN

This is to certify that a soil investigation [illegible] made by the Mecklenburg County Department of Environmental Health on the lot described [illegible] investigation was conducted on that portion of the lot as indicated on the above plot. PROVISIONALLY SUITABLE The permeability rate determined by the investigation was [illegible] The said lot is approved for the installation of an individual [illegible] tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit [illegible] the Mecklenburg County Department of Environmental Health [illegible] the wastewater treatment system on the said lot.
2. The size of the [illegible] determined by the Mecklenburg County Department of Environmental Health [illegible] above and on the size and type of [illegible]
3. This approval [illegible] system installation on the above plot.
4. This approval [illegible] in the [illegible] which in the opinion of the Mecklenburg County Department of Environmental Health [illegible] acceptable for system installation [illegible]

This approval is granted based on the [illegible] and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services, and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules and regulations been in effect on the issue date.

W. B. [illegible]
Soil Scientist

EHD-5-76

Bill D. Hardister
Environmental Health Director or
Authorized Section Head

Date Received 5-1-85

RECEIVED
MAY 1 1985
ENVIRONMENTAL HEALTH

ICAP (S) Application No. 205444

T. C. No. 195-141-04

Map Date L

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

Application for an
Installation, Construction, Alteration, and/or Repair Permit
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

The owner of that property described hereinafter hereby applies to the Mecklenburg County Department of Environmental Health for a permit to

1) x Install or Construct 2) ____ Alter or Repair an individual septic tank wastewater treatment system with a subsurface soil absorption effluent discharge.



3) PLOT PLAN (ACCURATELY DIMENSIONED)

Mobile Home ___ Yes X No
Residence X Yes ___ No

4. No of Bedrooms 3
5. Business Use — Max No Employees ___
6. Washing Machine X Yes ___ No
7. Garbage Disposal ___ Yes X No
8. Dishwasher X Yes ___ No
9. Water Supply
   A. Individual Well X
   B. Governmental System ___
   C. Community System
      1 Well source ___
      2 Governmental source ___
10. Sewage System
    House located within 200 feet of public sewer ___ Yes X No
    House located within 200 feet of community sewer ___ Yes X No
11. FHA Case No ___
12. VA Case No ___

13) NAME OF OWNER Ty-Par Realty, Inc. (LAST / FIRST / MIDDLE)

14) ADDRESS OF OWNER P.O. Box 763, Monroe, N.C.

15) PHONE NO. Home ___ Office 372-0088

16) LOCATION OF SYSTEM XXXXXXXXXXXXXX 14101 Maple Hollow Lane (STREET OR COUNTY ROAD)

17) SUBDIVISION Country Woods Lot No. 56 Block No. ___

Map Book No. 20 Page No. 5

18) DEED REFERENCE — DEED BOOK 4411 AT PAGE 46

19) HAS A SOIL INVESTIGATION BEEN RUN? X YES ___ NO DATE RUN ___

20) PTR NUMBER (See Instructions) ___

The undersigned person hereby agrees that he has read the foregoing application and that the contents of same are true It is understood that any permit applied for herein shall be void and of no effect if any of the above facts are not true.

3-18-85
DATE OF APPLICATION

J. M. Phillips
OWNER Agent

EHD-5-76

Date Issued 5/13/85

Serial No. 8518

SIR No. 20544

T. C. No. 195-141-04

Map Date L CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

TO THE BUILDING INSPECTION DEPARTMENT

APPROVAL OF LOT FOR INSTALLATION OF AN INDIVIDUAL SEPTIC TANK WITH SUBSURFACE, SOIL ABSORPTION, EFFLUENT DISCHARGE

NAME OF OWNER Ty-Par Realty, Inc. (LAST / FIRST / MIDDLE)

ADDRESS OF OWNER P. O. Box 763, Monroe ZIP _____

LOCATION OF LOT 14101 Maple Hollow Lane (STREET OR COUNTY ROAD)

SUBDIVISION Country Woods LOT NO 56 BLOCK NO. _____

MAP BOOK NO. _____ PAGE NO. _____

The above specified lot is approved by the Mecklenburg County Department of Environmental Health for the installation of an individual septic tank system with subsurface, soil absorption, effluent discharge based on the soil investigation, on an on-site inspection of the said lot; and upon the information supplied in the "Application for an Installation, Construction, Alteration, and/or Repair Permit", number 20544 This approval is subject to the following terms and conditions:

1. That the nitrification field be installed, constructed, altered and/or repaired in the same area where the soil investigation was run.
2. That an "Installation, Construction, Alteration, and/or Repair Permit" be issued and in full force and effect when the system is installed, constructed, altered, and/or repaired and that the system be installed in accordance with same.

This approval may be revoked and the building inspection department requested to revoke any building permit(s) which have been issued to authorize construction on the said lot if at any time it is determined that any information contained in the "Application for an Installation, Construction, Alteration, and/or Repair Permit" is not correct or is untrue or that the septic-tank system is not being installed, constructed, altered and/or repaired in accordance with a valid Installation, Construction, Alteration, and/or Repair Permit.

Cynthia G Bass
Environmentalist

Environmental Health Director, or Authorized Section Head

EHD-5-76

Environmental Health Department's Copy


Maple Hollow Lane

DEPARTMENT OF ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20544

T.C. NO. 18 195-141-04

(Ground Absorption Sewage Disposal)

OWNER: [illegible] INC. PLAT NO:
ADDRESS: [illegible] LOT SIZE: 1.32
LOCATION OF SITE: [illegible] Maple Hollow Ln
Lot 56

FACTORS	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S (PS) U — 2 - 10	S PS U — Complex	S PS U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S (PS) U — Loamy	S PS U — Clay	S PS U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S (PS) U — Blocky	S (PS) U — Blocky	S PS U	S PS U
4. SOIL DEPTH (inches)	S PS U — 40+	S PS U — 40-45	S PS U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S (PS) U — None	S (PS) U — None	S PS U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S (PS) U — Adequate	S PS U — Very Slow	S PS U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IVa	IIa		
9. SITE CLASSIFICATION	Suitable	Unsuitable		
10. SOIL SERIES	Cecil	Pacolet very Complex Slopes		

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: _____

Described by: [illegible] Date: 7-7-84
Title: [illegible]

EHD 539 (Revised: 6/82)

INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 20544 DATE: 9-4-86

TC: 195-141 04 ~~D~~ L

SERIAL № 10189

Permission is hereby given to ✓ Install or Construct, ____ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 3-18-85. All work shall be completed on or before 10-4-86, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons

Liquid Capacity of Dosing Tank — gallons

Tank Construction PCC

Absorption and/or Nitrification Lines:

Trench Width 3 feet

Total Line Length 400 feet

Number of Lines 4 100

Depth of Stone 12" inches

Distance from House 5 feet

Distance from Property Line 10 feet

Distance from Well 50 feet

NAME OF OWNER TY-PAR REALTY

LOCATION OF PROPERTY 14101 MAPLE HOLLOW LN

Comments: 4 line x100' long x3' wide x12" stone

J R Adkisson
Division or Section Head

Kelly Randall
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY

C of A (s) No. 20544

Date Issued 9-19-86 **Serial** 8901 T. C. No. 195-141-04

✓ CRT

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

CERTIFICATE OF APPROVAL

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Name of Owner TY PAR REALTY
LAST FIRST MIDDLE

Location of Property 14101 MAPLE HOLLOW LN

Application Number 20544 Permit Number 20544

Inspection Date:

Liquid Capacity of Tank 1500 Tank Material PCC

Total Length of Drain Tile 400 Number of Lines 4

Depth of Filter Material 12" Cover Depth 1'

Water Supply Source well not in sit Distance from Water Source Beep [illegible]

Excavation Inspected 9-19-86 DATE Tank Inspected 9-19-86 DATE

Nitrification Field Inspected 9-19-86 DATE

Washing Machine Line Inspected, If Applicable _____ DATE

The undersigned has inspected the Individual Septic Tank System with subsurface, soil absorption, effluent discharge as described above and it has been installed or constructed, altered or repaired in accordance with the permit issued and the regulations of the Mecklenburg County Health Commission in effect on the date of issuance of the permit. The issuance of this Certificate of Approval does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This Certificate of Approval is issued subject to those restrictions and conditions shown on the permit(s) in addition to those listed below under comments. This Certificate of Approval shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

Comments 1150 1500 ST [illegible] 1200 ST [illegible]

[signature]
Environmentalist

EHD-5-76